

MAY 7 1991

Ms. Aludia Hernandez  
Chase Products Company  
19th Street and Gardner Road  
Broadview, Illinois 60153

Dear Ms. Hernandez:

Subject: Standard Label Revision  
Sumithrin Data Call-In (DCI)  
Spraypak High Pressure Insecticide with Continuous  
Fogging Valve  
EPA Registration Number 498-109  
Submissions dated May 16, 1988  
April 10, 1991

Referring to the submission dated May 16, 1988:

This will acknowledge receipt of the GENERIC DATA EXEMPTION STATEMENT and the FIFRA SUMMARY SHEET for the product listed above, submitted in response to the data call-in for the active ingredient Sumithrin. These materials have been added to the file.

Regarding the submission dated April 10, 1991:

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

As labels are prepared, make the following label revisions:

1. Remove the GENERAL CLASSIFICATION declaration under the DIRECTIONS FOR USE section.

2. Because the product is "Formulated for Hospital" use, the following statements must be added to the label:

"Remove patients prior to treatment. After spraying, ventilate area for 2 hours before returning patients."

Sincerely,



Richard F. Mountfort  
Product Manager 10  
Insecticide-Rodenticide Branch  
Registration Division (H7505C)

FRONT PANEL

# ***SPRAYPAK*** **HIGH PRESSURE INSECTICIDE** **WITH CONTINUOUS FOGGING VALVE**

ACCEPTED  
with COMMENTS  
EPA Letter Dated  
**MAY 7 1991**  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act  
as amended, for the pesticide  
registered under EPA Reg. No.  
498-109

For Use on Rooms, Apartments, Homes, Attics, Basements, Campers,  
Boats, Garages, Pet Sleeping Areas, Non-Food Storage Areas, Cabins.

One Unit Treats Up to 6,000 Cubic Feet.

**ACTIVE INGREDIENTS :**

d-trans allethrin.....	0.300%
d cis + trans 3-phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-dimethyl-3-(2-methylprop-1-enyl) cyclopropanecarboxylate.....	0.200%

*INERT INGREDIENTS :.....	95.500%
	<u>100.000%</u>

\*Contains Petroleum Distillate.

EPA Reg. No. 498-109

EPA Est. No. 498-IL-1

Kills Houseflies, Mosquitoes, Black Carpet Beetles, Saw-toothed  
Grain Beetles, Rice Weevils, Small Flying Moths, Fleas, Ticks.  
Aids in the control of Cocroaches, Spiders, Wasp, Pill Bugs,  
Crickets, Silverfish.

NET WT. 7.5 OZ.

**KEEP OUT OF REACH OF CHILDREN**

**CAUTION**

See Back Panel for Additional  
Precautionary Statements

CHASE PRODUCTS CO.  
The Quality First Company  
P.O. Box 70  
Maywood, IL 60153

BACK PANEL

Formulated For Hospital . School . Hotel . Motel . Office . Restaurant . Locker  
and Rest Room . Factory . Institution .

PRECAUTIONARY STATEMENTS

**BEST AVAILABLE COPY**

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

C A U T I O N

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid inhalation of vapors. Avoid contact with skin, eyes, or clothing. Wash contaminated skin promptly with soap and warm water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

For use in non-food processing areas only of restaurants, hotels and other commercial food handling establishments. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before used. Before spraying, cover exposed food & fish aquariums and remove pets and birds.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Do not use or store near fire, sparks, or heated surfaces. Turn off pilot lights in gas appliances and unplug or turn off electrical equipment in the use area. After airing out phase is completed, relight pilot lights and reconnect electrical current. Do not smoke in the use area. Contents under pressure. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Incineration of container may cause explosion.

DIRECTIONS FOR USE - ~~GENERAL CLASSIFICATION~~

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Cover exposed food, dishes, and food handling equipment. Open cabinets, drawers, closets and doors to area that will be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Then close doors and windows to prevent escape of spray mist. Point valve opening away from face and eyes when spraying. Use no more than one unit for each 6,000 cubic feet of unobstructed area. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

To operate valve: To lock valve in open position for automatic discharge, press valve button all the way down, locking the catch. Then place fogger on stand or table in the center of the room with valve locked in the open position. Place several layers of newspaper or pad under fogger. leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow fresh air to circulate for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks: Destroy Pet's old bedding and replace. Use product as above. Treat dogs and cats with registered tick control product prior to re-entry.

To Kill Fleas: Follow directions for ticks but use one unit per 1,500 cubic feet of room space.

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash. Do not puncture or incinerate container.