

# SPRAYPAK®

## Professional Strength KILL-M INSECTICIDE

For use only in households, and non-food areas of warehouses, hotels, motels, food processing plants, theaters, schools and offices.

### ACTIVE INGREDIENTS:

Tetramethrin [(1-Cyclohexene-1, 2-dicarboximido) methyl 2, 2-dimethyl-3-(2-methylpropenyl)] 400%  
\*3-Phenoxybenzyl *o*-cis and trans\*\* 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate 287%  
\*Other isomers 013%

INERT INGREDIENTS: 99.300%  
100.000%

\**d*-(cis, trans) phenothrin  
\*\*cis/trans isomer ratio max 25% (+ or -) cis  
min 75% (+ or -) trans

NET WT. 16 OZ. (1 LB.)

**CAUTION:**  
KEEP OUT OF REACH OF CHILDREN.  
Read precautions on back of can

SOLD BY:  
CHASE PRODUCTS COMPANY  
BROADVIEW, ILLINOIS 60153

EPA REG. NO. 498-110

EPA EST. 49B IL-1

ACCEPTED  
NOV 26 1978  
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 498-110

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors. Avoid contact with skin. In case of contact, immediately flush skin with plenty of water. Do not use in commercial food processing, preparation, storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

### PHYSICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

### DIRECTIONS FOR USE — GENERAL CLASSIFICATION

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

### STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.  
Disposal: Do not reuse empty container. Wrap container and put in trash collection.

### SHAKE BEFORE USE. HOLD CONTAINER UPRIGHT. APPLY IN SHORT BURSTS.

**To Kill Houseflies, Mosquitoes, Small Flying Moths and Gnats:** Close all doors and windows and direct spray upward into the center of room with a slow sweeping motion. Fill the room with mist. Keep room closed for 15 minutes after spraying. Ventilate room thoroughly before re-entry. Sweep up and destroy later insects.

**To Kill Cockroaches, Ants and Crickets:** Contact as many insects as possible with the spray in addition to thorough spraying of all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, hidden surfaces under stoves, behind stoves and refrigerators, food storage areas and wherever these pests are suspected of hiding. To kill ants, treat docks around window frames, ant trails and other areas of entry. Repeat as necessary.

**To Kill Carpet Beetles:** Directly spray as many insects as possible. Spray both interior and exterior of upholstered furniture. Both top and bottom of rugs and carpets should be sprayed thoroughly. Also treat shelves, closets, areas under furniture and wherever these insects are seen or suspected. Repeat as necessary.

**To Kill Exposed Forms of Lesser Flour Beetles, Saw-toothed Grain Beetles and Rice Weevils:** Find and destroy infested package goods. Remove all other items from pantry. Spray the shelves to kill any of the named insects present. Place clean paper on the shelves and return packages after shelves have dried. Repeat as necessary.

**To Kill Sawbugs, Firebrats and Spiders:** Contact as many insects as possible with the spray. Also thoroughly spray all parts of the room suspected of harboring these pests. Special attention should be paid to cracks, crevices, hidden surfaces under sinks, behind stoves and refrigerator.

BEST DOCUMENT AVAILABLE

NATIONAL

# SYN-TES 35™

## Synthetic Pyrethroid Dual-Action Insect Killer Kills as Contact and Residual Spray

<b>ACTIVE INGREDIENTS:</b>	
Resmethrin-[5-(phenylmethyl)-3-furanyl] methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate	0.350%
Related compounds	0.018%
<b>INERT INGREDIENTS:</b>	99.602%
<b>TOTAL:</b>	100.000%

### CAUTION KEEP OUT OF REACH OF CHILDREN

(See side panel for additional  
precautionary statements)

Can be used in nonfood areas of food handling  
establishments

**EPA Reg. No. 1769-292  
EPA Est. No. 4140**

NET CONTENTS: \_\_\_\_\_

**NATIONAL CHEMSEARCH**

A Division of NCH Corporation  
2727 Chemsearch Blvd. Irving, Texas 75062  
Dallas • Houston • Phoenix • Beverly Hills  
© 1979 NCH Corporation

### DIRECTIONS FOR USE

#### APPLICATION:

#### INSTRUCTIONS FOR CONTACT AND RESIDUAL SPRAYS

**FOR INDOOR USE:** In nonfood areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, hotels, ship cabins and hospitals; in hospitals patients should be removed prior to treatment. Also for use in buses, automobiles, and nonfood areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

**CONTACT SPRAY—KILLS AND REDUCES INFESTATION: COCKROACHES, CRICKETS, SILVERFISH, ANTS:** Apply as a contact spray. Fill spray tank with SYN-TES 35. Keep spray nozzle about 8 to 12 inches from surface to be treated. Adjust pressure and nozzle to deliver a coarse, wet spray. When possible, spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators and other appliances, baseboards and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible. Repeat as necessary.

**ANTS: To kill ants:** Spray trails, nests and points of entry within buildings and homes. Spray on ants where possible. Repeat as necessary.

**FLEAS:** Aids in the control of fleas on pet bedding and in horse stalls. Hold spray nozzle about 18 inches from areas to be treated. Direct spray on resting areas and floor around these areas. Apply spray until area is moist. Treat pet bedding the same way. Also spray entire inside surface of dog houses. Repeat as necessary. Do not allow pets to contact treated areas until spray has dried. Remove or cover animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area.

**RESIDUAL SPRAY:** Aids in the control of: COCKROACHES, CRICKETS, SILVERFISH, ANTS. Kills for up to 4 weeks. Spray baseboards, cracks and crevices around door and window frames, and other hiding places such as closets, in back of and under appliances, sinks and cupboards in kitchens and bathrooms. In basements, spray hiding places in cracks and crevices, lower walls and dark places. Apply as a coarse wet spray in a 4- to 6-inch band until area is thoroughly wet, but not to the point of run-off. Repeat as necessary.

#### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if swallowed. Avoid contact with skin or clothing. Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed.

**ENVIRONMENTAL HAZARDS:** Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters.

**FIRST AID:** If swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac. Get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention.

**DIRECTIONS FOR USE: GENERAL CLASSIFICATION:** It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL:** Store at temperatures above 32°F/0°C. Do not reuse empty container except for refilling with SYN-TES 35. Other use: Seal wrap container and put in trash collection.

Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed. (Remove exposed foods.) Avoid contamination of cooking utensils and food preparation surfaces.

#### NOT INTENDED FOR HOUSEHOLD USE OR RESALE

#### TO REORDER:

In Texas, call 1-800-492-5060  
Outside Texas, call 1-800-527-4391

EPA Est. No. 4140

CA 1 IN 1 NJ 1 PR 1 TX 1