

FRONT PANEL



WASP & HORNET SPRAY 0.15%

A SYNTHETIC PYRETHROID WITH LONG SPRAY PATTERN UP TO 10 FEET.
KILLS WASPS, HORNETS, YELLOWJACKETS, SPIDERS AND TENT CATER-
PILLARS.

Dielectric Strength - Non-conducting up to 26,500 volts.

ACTIVE INGREDIENTS:

* Resmethrin..... 0.150% W/W

** INERT INGREDIENTS:..... 99.850%
100.000% W/W

* Cis/trans isomers ratio, max. 30%(±)cis, and min. 70%(±)trans.
U.S. Patent Nos. 3,465,007 and 3,542,928.

** Contains Petroleum Distillate.

KEEP OUT OF REACH OF CHILDREN

CAUTION

SEE SIDE PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting because of aspiration hazard.
Call a physician immediately.

IF IN EYES: Flush with plenty of water. Get medical attention if
irritation persists.


IF ON SKIN: Wash with plenty of soap and water. Get medical at-
tention if irritation persists.

EPA Reg. No. 498-120

EPA Est. No. 498-IL-1

NET WT. _____

CHASE PRODUCTS CO.
The Quality First Company
P.O. Box 70
Maywood, IL 60153



Not Reviewed. Registrant claims to be in accordance with
Reregistration of Pesticide Product Guidance for Phase 2
Response, Page 2.12, Active to Inert Change in Status.

BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, immediately flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. If swallowed, do not induce vomiting. Call a physician immediately.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc., where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds, and cover fish aquariums before spraying.

ENVIRONMENTAL HAZARDS

Do not apply directly to lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes and potholes). Drift and run off from treated sites maybe hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Never throw container into fire or incinerator.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

DISPOSAL: Do not re-use empty container. Wrap container and put in trash collection.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

For use in and around hotels, motels, homes, greenhouses and lathouses, food handling establishments, packaging and processing plants, seed houses, commercial, industrial, office, institutional and storage buildings, milk handling areas of milk, cheese and ice cream plants, milk storage rooms, egg processing plants, supermarkets, restaurants, bottling plants, canneries, flour and feed mills, bakeries, boats, ship cabins and hospitals. In hospitals, patients should be removed prior to treatment. Also for use in buses, automobiles, trucks, box cars and ship cargo holds. Also for use in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

INDOORS: To kill wasps, hornets, yellow-jackets - Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

To Kill Spiders - Spray directly on these pests and use repeated applications to the webbing and all cracks and crevices which harbor spiders.

OUTDOORS: To kill wasps, hornets, yellow-jackets - Application should be made in late evening when insects are at rest. Aim spray at nest opening in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around nest openings. Contact as many insects as possible. Repeat as necessary.

To Kill Spiders - same as directed for indoor applications.

To Kill Tent Caterpillars - Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.

WARRANTY STATEMENT

Our recommendations for use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantees, expressed or implied, is made as to the effects of such or the results to be obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

ABH/nmm

12-14-89