

FRONT PANEL

SprayPak Wasp and Hornet Spray
Formula 2

Kills on Contact From 12 Feet Away



ACTIVE INGREDIENTS:

Tetramethrin (1-Cyclohexene-1, 2-dicarboximido) methyl 2,
2- dimethyl - 3 - (2-methylpropenyl)
cyclopropane carboxylate ----- 0.252%

*O-Isopropoxyphenyl methylcarbamate ----- 0.475%

INERT INGREDIENTS: ----- 99.273%

EPA REG. NO. 498-125

EPA EST. NO. IL-1

*Propoxur - U.S. Patent NO. 3,111,539

ACCEPTED
with COMMENTS
by EPA Letter Dated:

MAR 29 1985


Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
498-125

KEEP OUT OF REACH OF CHILDREN

CAUTION

READ PRECAUTIONS ON BACK OF CAN

Chase Products Company
19th & Gardner Road
Broadview, IL 60153




NET WT. _____

BACK PANEL

SPRAYPAK WASP AND HORNET SPRAY kills Wasps, Hornets, Bees, Spiders, Ants, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Sawbugs, Brown Dog Ticks on contact. It shoots a lethal spray into nests, crevices, holes from 12 feet away. Residual action will kill Wasps and Hornets when they return to the hive.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS**

CAUTION



Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin and eyes. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists.


Do not use in commercial food processing, preparation, serving or storage areas. In the home all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Do not induce vomiting. Get medical attention immediately.


IF ON SKIN: In case of contact, remove contaminated clothing and immediately wash skin with soap and warm water.



IF IN EYES: Flush eyes with plenty of water. Call a physician.

NOTE TO PHYSICIAN Propoxur is a cholinesterase inhibitor. Treat symptomatically. Atropine, by injection, is antidote of choice. Contains Petroleum Distillate

PHYSICAL AND CHEMICAL HAZARDS



Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Exposure to temperature above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray

FOR OUTDOOR USE: Hornets, Wasps, Yellow Jackets, Bees: DO NOT USE AS A SPACE SPRAY. It is preferable to apply this product after dark when all the insects have returned to the nest. Aim valve opening at the nest with the wind at your back. Do not stand directly under the nest. Press valve all the way down until the area is saturated with spray. Repeat as necessary. This treated surface will have a residual killing action and prevent reinfestation for weeks. In the event the insecticide film becomes ineffective due to rain and other causes, repeat treatment.

Ants: Spray hills and runways. Repeat as necessary.

Spiders, Clover Mites, Crickets, Earwigs, Fleas, Millipedes, Sawbugs, Brown Dog Ticks: Spray infested areas thoroughly including outside surfaces of screen frames, floors, window frames, foundations, patios or other places where insects may enter or harbour. Repeat as necessary.

When using outdoors, do not spray vegetation.

STORAGE: Store in a cool area away from heat or open flame.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash.