FM- 3.2 Rease read instructions on reverse before completing form.	18-134 Form Approved. OMB No. 2070-0060. Approval expires 2-28-9
SEPA Environmental Protection Washington, DC 20460	Registration OPP Identifier Number
Application	for Pesticide - Section   NOTIFICATION
1. Company/Product Number 498~134	2. EPA Product Manager 3. Proposed Classification
Company/Product (Name)     SprayPak Spray Disinfectant Formula	PM# None Restricted
5. Name and Address of Applicant (Include ZIP Code) Chase Products Co. The Quality First Company P.O. Box 70 Maywood, IL 60153	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to:  EPA Reg. No.
Check if this is a new address	Product Name
	Section - II
Amendment - Explain below.  Resubmission in response to Agency letter dated  Notification - Explain below.	Final printed labels in responsation Final printed labels in responsation Final printed labels in responsation Final Printed Final Printed Inc.  APR 2 4 1996  XX Other - Explain below.
We would like to add a logo and sindicating the absence of chlorofluoroca.  A copy of the label with the logo and to ment added is attached.	IDONS (CFC'S) and labeling or the confidential statement of forwards of this product. I moleculared that it is a relation of 13 U.S.C. Sc. 1001 to willingly make any false statement to EFA. I further understance that it is a principle of EFA to the product of PR Notice 95-2 and 40 CFR 132.66, this product may be in violation of FTFRA and I may be subject to enforcement action; and principle another sections 12 and 14 of FTFRA.*
} <del></del>	Section - III
Yes Yes X No X No No. per 1	Vater Soluble Packaging  Yes  X  No  The image of Container  XX  Metal  Plastic  Glass  Paper  Package wgt container  Other (Specify)
3. Location of Net Contents Information 4. Size(s) Retail 6  X Label Container 6,8,10,12,1	5. Location of Label Directions  On Label On Labeling accompanying product
5. Manner in Which Label is Affixed to Product  XX Paper glue Stenciled	Other
	Section - IV
1. Contact Point (Complete items directly below for identification of	findividual to be contacted, if necessary, to process this application.)
Name Aludia B. Hernandez Go	Telephone No. (tholude Area Code) v't Affairs Administrator (708) 865-1900
Certification I certify that the statements I have made on this form and all I acknowledge that any knowingly false or misleading statements both under applicable law.	attachments thereto are true, accurate and complete. Redelived

Aludia B. Hernandez

Gov't Affairs Administrator

March 21, 1996

5. Date

garang ang ang panggang panggang

#### FRONT PANEL

#### SPRAYPAK

#### SPRAY DISINFECTANT, FORMULA 2

#### KILLS GERNS ELININATES ODOR CONTROLS NOLD AND NILDEN

KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

ACTIVE INGREDIENT:	
O-Phenylphenol	0.1
INERT INGREDIENTS:	
mat a la	100 0

EPA Reg. No. 498-134

EPA Est. No. 498-IL-1

KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, PSEUDONONAS AERUGINOSA AND STREPTOCOCCUS PYOGENES.

ACCEPTED
 AUG 171995
Under to Feder.  Rodemicide Acr. 3 amended for the pesticide registered under the Reg. No. 499-134

NET WT.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE PRECAUTIONARY STATEMENTS ON BACK OF CAN. .

CHASE PRODUCTS CO.
The Quality First Company®
P.O. Box 70
Maywood, IL 60153



#### BACK PANEL

#### SPRAYPAK SPRAY DISINFECTANT, FORMULA 2

Meets AOAC Germicidal Spray Products Test Standards for Hospital Disinfectants.

FORMULATED FOR HOME . HOSPITAL . SCHOOL . HOTEL . MOTEL . OFFICE . RESTAURANT . LOCKER AND REST ROOM . FACTORY . INSTITUTIONS .

## PRECAUTIONARY STATEMENTS HARARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN WARNING

Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

#### STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Avoid alcohol. Contact physician or Poison Control Center in your area.

IF IN EYES: Flush eyes for water for at least 15 minutes. If irritation occurs, contact a physician.

IF ON SKIN: Rinse with cold water. Contact physician if irritation persists.

#### PHYSICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate, the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Kills HIV-1 (AIDS VIRUS) on precleaned environmental Auchters objects previously soiled with blood and body fluids.

Augusta 17 1995

Under the Federal Rodenticide Act, as amonded, for the pesticide registered under EPA Reg. No. 499-134

7

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS NATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray six to eight inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES: This disinfectant spray is a powerful germicidal that kills Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa and Streptococcus pyogenes.

It also kills fungi such as Tricophyton Mentagrophytes (atlete's foot) and viruses such as Influenza A/Puerto Rico, Influenza B/Clinical Isolate, Herpes Simplex I and Herpes Simplex II on inanimate surfaces.

Use to disinfect inanimate environmental surfaces, urinals, toilet seats, wash bowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans, lockers, under sinks, kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray six to eight inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wipind.off. Repeat applications as necessary.

FOR CONTROL OF NOLD & NILDEW: Controls mold and miles of the Electric Elect

AUG 17 1995
Under Le Feda.
Rodennonde Act, as amended, for the pessonde registered under EPA Reg. No. 499-134

ď

#### FRONT PANEL

#### SPRAYPAK

#### SPRAY DISINFECTANT, FORMULA 2

### KILLS GERMS ELIMINATES ODOR CONTROLS MOLD AND MILDEW

KILLS HIV-1 (ANDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

ACTIVE INGREDIENT:

)

)

EPA Reg. No. 498-134

EPA Est. No. 498-IL-1

KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, PSEUDOMONAS AERUGINOSA AND STREPTOCOCCUS PYOGENES.

NET WT.

#### KEEP OUT OF REACH OF CHILDREN

WARNING

SEE PRECAUTIONARY STATEMENTS ON BACK OF (Ad

AUG | 7 1995

CHASE PRODUCTS CO.
The Quality First Company®
P.O. Box 70
Maywood, IL 60153

#### BACK PANEL

#### SPRAYPAK SPRAY DISINFECTANT, FORMULA 2

Meets AOAC Germicidal Spray Products Test Standards for Hospital Disinfectants.

FORMULATED FOR HOME . HOSPITAL . SCHOOL . HOTEL . MOTEL . OFFICE . RESTAURANT . LOCKER AND REST ROOM . FACTORY . INSTITUTIONS .

# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN WARNING

Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

#### STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

)

)

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Avoid alcohol. Contact physician or Poison Control Center in your area.

IF IN EYES: Flush eyes for water for at least 15 minutes. If irritation occurs, contact a physician.

IF ON SKIN: Rinse with cold water. Contact physician if irritation persists.

#### PHYSICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

#### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Kills HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTANINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, State, and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray six to eight inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of ten minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES: This disinfectant spray is a powerful germicidal that kills Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa and Streptococcus pyogenes.

It also kills fungi such as Tricophyton Mentagrophytes (atlete's foot) and viruses such as Influenza A/Puerto Rico, Influenza B/Clinical Isolate, Herpes Simplex I and Herpes Simplex II on inanimate surfaces.

Use to disinfect inanimate environmental surfaces, urinals, toilet seats, wash bowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans, lockers, under sinks, kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray six co eight inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping cff. Repeat applications as necessary.

FOR CONTROL OF MOLD & MILDEW: Controls mold and mildew on hard surfaces such as ceramic, metal, glass in basement closets, attic storage areas, summer cottages.

TO CLEAN: Clean object to be sprayed by usual cleaning methods.

**DIRECTIONS TO CONTROL NOLD & NILDEW:** Hold dispenser upright and spray six to eight inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application when new growth appears.

FOR SPACE DEODORIZER & AIR FRESHENER: Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

Eliminates unpleasant odors in the air, including cooking and bathroom odors without heavy perfume. Actually eliminates odors by neutralizing them.

**DIRECTIONS TO DEODORIZE:** Hold can upright and point valve opening away from face. Spray upwards for three seconds into corner as well as center of room filling with mist.

#### DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

**STORAGE:** Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

**DISPOSAL:** Do not reuse empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

ABH/mam (6/6/954) (EPA\PENDING\498-134A.US)

)