#=====================================		
FRONT PANEL		

5 /28/97

174 opo 174

RECID

0PO

g.

NOV 20

-Ω -==

SPRAYPAK

32 (498-134

SPRAY DISINFECTANT FORMULA 2

KILLS GERMS ELIMINATES ODOR CONTROLS MOLD AND MILDEW

KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.


KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, PSEUDOMONAS AERUGINOSA AND STREPTOCOCCUS PYOGENES.

[GRAPHIC DESIGN SIMILAR TO LYSOL]

NET WT. __ OZ. (___ g)

KEEP OUT OF REACH OF CHILDREN

WARNING See precautionary statements on back of can.



BACK PANEL FORMULATED FOR HOME • HOSPITAL • SCHOOL • HOTEL • MOTEL • OFFICE • RESTAURANT • LOCKER AND REST ROOM • FACTORY • INSTITUTION SPRAYPAK SPRAY DISINFECTANT FORMULA 2

294

Meets AOAC germicidal spray products test standards for hospital disinfectants ACCEPTED

MAY 28 1997

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS KEEP OUT OF REACH OF CHILDREN

Under The Federal Insecticide, Fungicida and Redenticide Act, as smended, for the

WARNING

EPA Reg. No. Avoid contact with skin. Avoid contaction of

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED: Drink large quantities of water. Do not induce vomiting. Avoid alcohol. Contact physician or Poison Control Center in your area.

IF IN EYES: Flush eyes with water for at least 15 minutes. If irritation occurs, contact a physician.

IF ON SKIN: Rinse with cold water. Contact physician if irritation persists.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. <u>ar</u>.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Kills HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray 6 to 8 inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES: This disinfectant spray is a powerful germicidal that kills Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa and Streptococcus pyogenes.

It also kills fungi such as Tricophyton mentagrophytes (athlete's foot) and viruses such as Influenza A/Puerto Rico, Influenza B/Clinical Isolate, Herpes Simplex I and Herpes Simplex II on inanimate surfaces.

Use to disinfect inanimate environmental surfaces, urinals, toilet seats, washbowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans, lockers, under sinks, kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray 6 to 8 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application as necessary.

FOR CONTROL OF MOLD & MILDEW: Controls mold and mildew on hard surfaces such as ceramic, metal and glass in basement closets, attic storage areas, summer cottages. A C C E P T E D

MAY 28 1997 Under The Federal Insecticide, Fungicide and Rodenticide Act. as amended, for the pesticule registered under FPA Roo. No. 4198-134

TO CLEAN: Clean object to be sprayed by usual cleaning methods.

DIRECTIONS TO CONTROL MOLD & MILDEW: Hold dispenser upright and spray 6 to 8 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application when new growth appears.

FOR SPACE DEODORIZER & AIR FRESHENER: Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

Eliminates unpleasant odors in the air, including cooking and bathroom odors, without heavy perfume. Actually eliminates odors by neutralizing them.

DIRECTIONS TO DEODORIZE: Hold can upright and point valve opening away from face. Spray upward for 3 seconds into corners as well as center of room, filling room with mist.

DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

STORAGE: Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

DISPOSAL: Do not reuse empty container. Replace cap and discard container in trash. Do not incinerate or puncture.

EPA Reg. No. 498-134

(

EPA Est. No. 498-IL-1

CHASE PRODUCTS CO. The Quality First Company® P.O. Box 70 • Maywood, IL 60153

BOTTOM OF LABEL	·
ACCE MAY 28 Under The Federal Insection Positicule Act, as actioned Positicule regulatery under EPA Reg. No	,