

498-134

09/28/2000

1/4

FRONT PANEL

SPRAYPAK

SPRAY DISINFECTANT

Formula 2

Virucidal* Tuberculocidal
Fungicidal Staphylocidal
Pseudomonacidal

KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS, PSEUDOMONAS AERUGINOSA, STREPTOCOCCUS PYOGENES, MYCOBACTERIUM BOVIS (BCG), TRICHOPHYTON MENTAGROPHYTES, INFLUENZA A/(HON1) ATCC VR-95, INFLUENZA B/(H₂N₂)(ARUP), HERPES SIMPLEX I AND HERPES SIMPLEX II ON INANIMATE SURFACES.

[GRAPHIC DESIGN SIMILAR TO LYSOL]

**KILLS GERMS
ELIMINATES ODOR
CONTROLS MOLD AND MILDEW**

[OPTIONAL NO-CFCs GRAPHIC]


NET WT. XX OZ. (XXX g)

KEEP OUT OF REACH OF CHILDREN

WARNING

See precautionary statements on back of can.

ACCEPTED
SEP 28 2000
Under the Federal Insecticide, Fungicide, and
Rodenticide Act, as amended, for the
Fungicide, registered under
EPA Reg. No. 498-134



2/4

BACK PANEL

**FORMULATED FOR HOME _ HOSPITAL _ SCHOOL _ HOTEL _ MOTEL _ OFFICE
_ RESTAURANT _ LOCKER AND REST ROOM _ FACTORY _ INSTITUTION**

**[LOGO]
[SPRAY DISINFECTANT]**

Meets AOAC germicidal spray products test standards for hospital disinfectants.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN**

ACCEPTED
SEP 28 2000
Under the Federal Insecticide, Fungicide, and
Rodenticide Act as amended, for the
pesticide, registered under
EPA Reg. No. 498-134

WARNING

Causes eye irritation. Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL HAZARDS

Flammable. Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to pre-clean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

3/4

Kills *HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray 6 to 8 inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES: This disinfectant spray is a powerful germicidal that kills Staphylococcus aureus, Salmonella choleraesuis, Pseudomonas aeruginosa, Streptococcus pyogenes and Mycobacterium bovis (BCG).

It also kills viruses and fungi on hard, nonporous inanimate surfaces. *Viruses: Influenza A/(HON1) ATCC VR-95, Influenza B/(H₂N₂)(ARUP), Herpes Simplex Type 1 and Herpes Simplex Type 2. Fungi: Trichophyton mentagrophytes (athlete's foot).

Use to disinfect inanimate environmental surfaces, urinals, toilet seats, washbowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans, lockers, under sinks, kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray 6 to 8 inches from precleaned surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application as necessary.

FOR CONTROL OF MOLD & MILDEW: Controls mold and mildew on hard surfaces such as ceramic, metal and glass in basement closets, attic storage areas, summer cottages.

SEP 28 2000
Under the Federal Insecticide, Fungicide and
Rodenticide Act as amended, for the
insecticide, registered under
498-134

4/4

TO CLEAN: Clean object to be sprayed by usual cleaning methods.

DIRECTIONS TO CONTROL MOLD & MILDEW: Hold dispenser upright and spray 6 to 8 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application when new growth appears.

FOR SPACE DEODORIZER & AIR FRESHENER: Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

Eliminates unpleasant odors in the air, including cooking and bathroom odors, without heavy perfume. Actually eliminates odors by neutralizing them.

DIRECTIONS TO DEODORIZE: Hold can upright and point valve opening away from face. Spray upward for 3 seconds into corners as well as center of room, filling room with mist.

DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

STORAGE: Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

DISPOSAL: Do not reuse empty container. This container may be recycled in one of the limited number of aerosol recycling centers in the country. Before recycling, empty the can by using the product according to the label. **DO NOT PUNCTURE!** If recycling is not available, wrap the container and discard in the trash.

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

ACTIVE INGREDIENTS:


O-Phenylphenol	0.1%
Ethanol.....	63.2%

OTHER INGREDIENTS:	36.7%
Total	100.0%

EPA Reg. No. 498-134

EPA Est. No. 498-IL-1

Chase Products Co.
Putting the best at your fingertips.
P.O. Box 70 - Maywood, IL 60153



See label pending 498-134 with first aid statements

BOTTOM OF LABEL