

498-134

09-22-2009

1/9



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

SEP 22 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Laura E. Radevski
Technical & Regulatory Compliance Manager
Chase Products Co.
Putting the best at your fingertips
P.O. Box 70
Maywood, IL 60153

Subject: Notification Application Per PR Notice 98-10
SprayPak Spray Disinfectant Formula 2
EPA Registration No.498-134
Application Date: August 20, 2009
Receipt Date: August 25, 2009

Dear Ms. Radevski:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

Minor label revisions

General Comment:

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable

Should you have any questions concerning this letter, Please contact Lisa McKelvin by telephone at (703) 308-7496 or by email at mckelvin.lisa@epa.gov

Sincerely,

ShaRon Carlisle
(Acting) Product Manager (34)
Regulatory Management Branch II
Antimicrobials Division (7510P)



Chase
PRODUCTS CO.

Leaders in Aerosol Research and Custom Aerosol Packaging

August 20, 2009

Document Processing Desk (NOTIF)
Office of Pesticide Programs (7504P)
Ariel Rios Building
1200 Pennsylvania Avenue
Washington, DC 20460

Subject: SprayPak Spray Disinfectant Formula 2
EPA Reg. No. 498-134

To whom it may concern:

We would like to correct the label for above subject product to make the following changes:

- 1) Make corrections according to PR-Notice 2000-5, Mandatory Labeling.
- 2) The label text regarding the HIV-1 claim was changed to eliminate a redundant statement.


The following documents are enclosed herewith for your review and approval:

Application for Notification (EPA Form 8570-1)
Copy of the labeling with changes clearly marked (highlighted)

If you need further information, please contact me at 708-865-1000 ext. 1112.

Thank you so much for your help on this matter.

Very truly yours,


Laura E. Radevski

Technical & Regulatory
Compliance Manager

ler/8/20/09S:\lara\epa\labels\498_134.act\498_134Notification

Putting the best at your fingertips.

P.O. Box 70 * Maywood, Illinois 60153 * Office and Plant - 19th Street & Gardner Road * Broadview, Illinois 60155
708-865-1000 * Fax Administrative Offices - 708-865-0230 * Fax Sales - 708-865-7041
* www.chaseproducts.com

2
/9



United States
Environmental Protection Agency
 Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
258767

Application for Pesticide - Section I

1. Company/Product Number 498-134	2. EPA Product Manager Ms. Sharon Carlisle	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) SprayPak Spray Disinfectant Formula 2	PM# 34	
5. Name and Address of Applicant (Include ZIP Code) Chase Products Co. Putting the best at your fingertips. P.O. Box 70 Maywood, IL 60153 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3)(b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

NOTIFICATION OF :
 See attached letter for details.

"This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA."

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input checked="" type="checkbox"/> Metal	
* Certification must be submitted		If "Yes" Unit Packaging wgt. No. per container	If "Yes" Package wgt. No. per container	<input type="checkbox"/> Plastic	
				<input type="checkbox"/> Glass	
				<input type="checkbox"/> Paper	
				<input type="checkbox"/> Other (Specify) _____	
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container 6,7,11,12,13,14,15,16,17,18,20,24 OZ		5. Location of Label Directions <input checked="" type="checkbox"/> On Label	
6. Manner in Which Label is Affixed to Product		<input checked="" type="checkbox"/> Lithograph Paper glued Stenciled		<input type="checkbox"/> Other _____	

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)			
Name Laura E. Radevski	Title Technical & Regulatory Compliance Manager	Telephone No. (include Area Code) (708) 885-1000	
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.			6. Date Application Received (Stamped)
2. Signature 		3. Title Technical & Regulatory Compliance Manager	
4. Typed Name Laura E. Radevski	5. Date August 20, 2009		

FRONT PANEL

**SPRAYPAK
SPRAY DISINFECTANT
FORMULA 2**

NOTIFICATION
Date Reviewed: 9/21/07
Reviewed By: BC

**Virucidal* Tuberculocidal
Fungicidal Staphylocidal
Pseudomonacidal**

KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD AND BODY FLUIDS.

KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA ENTERICA, PSEUDOMONAS AERUGINOSA, STREPTOCOCCUS PYOGENES, MYCOBACTERIUM BOVIS (BCG), TRICHOPHYTON MENTAGROPHYTES, INFLUENZA A/(HON1) ATCC VR-95, INFLUENZA B/(H₂N₂)(ARUP), HERPES SIMPLEX I, HERPES SIMPLEX II, VANCOMYCIN-RESISTANT ENTEROCOCCUS FAECALIS (VRE), AND METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS (MRSA) ON INANIMATE SURFACES.

[GRAPHIC DESIGN]

**KILLS MOST GERMS
ELIMINATES ODOR
CONTROLS MOLD AND MILDEW**

ACTIVE INGREDIENTS:

O-Phenylphenol 0.1%
Ethanol..... 63.2%

OTHER INGREDIENTS: 36.7%
Total 100.0%

EPA Reg. No. 498-134-XXXXX

EPA Est. No. 498-IL-1

[OPTIONAL NO-CFCs GRAPHIC]

NET WT. XX OZ. (XXX g)

KEEP OUT OF REACH OF CHILDREN

6
9

BACK PANEL

**FORMULATED FOR HOME • HOSPITAL • SCHOOL • HOTEL • MOTEL • OFFICE •
RESTAURANT • LOCKER AND REST ROOM • FACTORY • INSTITUTION**

**SPRAYPAK
SPRAY DISINFECTANT FORMULA 2**

Meets AOAC germicidal spray products test standards for hospital disinfectants.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
KEEP OUT OF REACH OF CHILDREN**

WARNING

Causes eye irritation. Do not get in eyes. Avoid contact with skin. Avoid contamination of foodstuff.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

[OPTIONAL: **ATTENTION:** This product contains o-phenylphenol, a chemical known to the State of California to cause cancer in accordance to Proposition 65 (State of California, Safe Drinking Water and Toxic Enforcement Act of 1986).]

PHYSICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Do not use or store near heat or open flame. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

Kills *HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS:

PERSONAL PROTECTION: When handling items soiled with blood or body fluids, use appropriate barrier protection such as disposable latex gloves, gowns, masks and eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids must be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray 6 to 8 inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES: This disinfectant spray is an effective germicidal that kills Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa, Streptococcus pyogenes, Mycobacterium bovis (BCG), Vancomycin Resistant Enterococcus faecalis (VRE) and Methicillin-resistant Staphylococcus aureus (MRSA).

It also kills viruses and fungi on hard, nonporous inanimate surfaces. ***Viruses:** Influenza A/(H1N1) ATCC VR-95, Influenza B/(H2N2)(ARUP), Herpes Simplex Type 1 and Herpes Simplex Type 2. **Fungi:** Trichophyton mentagrophytes (athlete's foot).

Use to disinfect inanimate environmental surfaces like metal or glazed porcelain urinals, plastic or ceramic tile shower stalls, metal or plastic diaper pails, garbage cans, light switches, washbowls and telephones, and non-wood surfaces of toilet seats, empty hampers, athletic equipment and lockers. Use under sinks, in kitchens, sickrooms, pet areas and other places where odor-causing germs are a problem.

TO CLEAN: Clean object to be sprayed using usual cleaning methods.

DIRECTIONS TO DISINFECT: Hold dispenser upright and spray 6 to 8 inches from precleaned surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application as necessary.

FOR CONTROL OF MOLD & MILDEW: Controls mold and mildew on hard surfaces such as ceramic, metal and glass in basement closets, attic storage areas, summer cottages.

TO CLEAN: Clean object to be sprayed by usual cleaning methods.

DIRECTIONS TO CONTROL MOLD & MILDEW: Hold dispenser upright and spray 6 to 8 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off. Repeat application when new growth appears.

FOR SPACE DEODORIZER & AIR FRESHENER: Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

Eliminates unpleasant odors in the air, including cooking and bathroom odors, without heavy perfume. Actually eliminates odors by neutralizing them.

DIRECTIONS TO DEODORIZE: Hold can upright and point valve opening away from face. Spray upward for 3 seconds into corners as well as center of room, filling room with mist.

DO NOT USE ON POLISHED WOOD FURNITURE OR RAYON FABRICS.

STORAGE: Store in a cool, dry area away from heat or open flame. Do not contaminate water, food or feed by the use, storage or disposal of this product.

DISPOSAL: DO NOT PUNCTURE OR INCINERATE!

If empty: Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-CLEANUP for disposal instructions.

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS:

[OPTIONAL CHEM-TEL NO.]

[OPTIONAL MADE IN USA GRAPHIC]

[OPTIONAL UPC SYMBOL]

Chase Products Co.
Putting the best at your fingertips®
P.O. Box 70 – Maywood, IL 60153

2/9

OPTIONAL TEXT:

Hard non-porous surfaces

A. 10-min Disinfection against Bacteria

- Staphylococcus aureus (ATTC 6538)
- Salmonella enterica (ATTC 10708)
- Pseudomonas aeruginosa (ATTC 15442)
- Streptococcus pyogenes (ATCC 9342)
- Vancomycin Resistant Enterococcus faecalis (VRE) (ATCC 51299)
- Mycobacterium bovis (BCG)
- Methicillin-resistant Staphylococcus aureus (MRSA) (ATCC 33591)

B. 10-min Disinfection against virus

- Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) (HTLV-III_{RF} strain of HIV-1)
- Influenza A (HON1)(ATCC VR-95)
- Influenza B (H₂N₂) (ARUP)
- Herpes Simplex Virus Type 1
- Herpes Simplex Virus Type 2

C. 10-min Disinfection against Fungi

- Trichophyton mentagrophytes (Athlete's Foot Fungus) (ATCC 9533)

s:/lara/epa/pending\498-134with MRSAClaim\er121807

BOTTOM OF LABEL

