EPA Form 8570-6 (Rav. 5-76)

SIGNATURE OF APPROVING OFFICIAL

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

Le Master 8/1/90

c. Revise the section "To Operate Valve" as follows:

Place several layers of newspaper or pad on stand or on table in the center of the room. Point valve opening away from face. To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table with valve locked open. Leave building at once...

- d. In the Ingredients Statement
 - i. The words "Active Ingredients" and "Inert Ingredients" should be aliqued to the same margin.
 - ii. With respect to the chemical name for tetramethrin change "dicarboximide" to "dicarboximido."
- 3. Please provide the flashpoint of the product with the propellent on the Confidential Statement of Formula and the flashpoint/flame extension on the Data Matrix.

The flashpoint reported exceeds the one expected for this product. Please check and resubmit. Mixtures marketed under pressure, including those containing hydrocarbons, are subject in their entirety to tests indicated in 40 CFR Section 156.10 (h)(2)(iii). (Flashpoints are conveniently measured after collecting the liquid expelled from the container in an open cup chilled with dry ice. See Aerosol Guide, CSMA.)

Alternatively, you may add "Extremely Flammable" to the "Physical or Chemical Hazards" section.

4. Submit five copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Sincerely,

George T. LaRocca Product Manager (15) Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosures

FRONT PANEL

SPRAYPAK AUTOMATIC ROOM FOGGER, FORMULA 3

For Use in Rooms, Apartments, Homes, Attics, Basements, Campers, Boats, Household Storage Areas, Garages, Pet Sleeping Areas, and Cabins.

One Unit Treats up to 6,000 Cubic Feet.

ACTIVE INGREDIENTS:

*Contains Petroleum Distillate.

EPA Reg. No. 498- EPA Est. No. 498-IL-1

NET WT. ____

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read precautions on back of can ACCEPTIO with COND LINTS in EPA Let at Dated:

JAN 30 1991

Under the l'oderni insecticido, Fungicide, and Rodernicido Action amended, for the posticidad amended when EFA Reg. No. 498-145

BACK PANEL

(:,

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Contains petroleum distillate. Do not induce vomiting because of aspiration pneumonia hazard. Avoid breathing vapors-or-spray mist. Avoid contact with skin or-eyes. In case of contact, flush with plenty of water. Wash with soap and warm water after use. Obtain medical attention if irritation persists. Avoid contamination of food or feed-stuffs.

Do not use in commercial food processing, preparation, food storage or serving areas. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Exposed food should be covered or removed.

Remove pets, birds, and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center im-

mediately. Do not induce vomiting because of

aspiration pneumonia hazard.

IF IN EYES: Flush with plenty of water. Get medical atten-

tion if irritation persists.

IF ON SKIN

OR CLOTHING: Remove contaminated clothing and wash before re-

use. Wash skin with soap and warm water. Get

medical attention if irritation persists.

IF INHALED: Remove victim to fresh air. Apply artificial

respiration if indicated.

PHYSICAL & CHEMICAL HAZARDS

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill cockroaches, confused flour beetles, crickets, fleas, houseflies, pill bugs, rice weevils, sawtoothed grain beetles, silverfish, small flying moths, spiders, ticks, wasps, ants, sowbugs, centipedes, carpet beetles and waterbugs.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and pilot lights. Close doors and windows. Point valve opening away from face when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remote rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before re-entry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy pet's old bedding and replace with clean, fresh bedding after treatment is completed. Use product as above. Pets should be treated with a registered flea and tick control product prior to reentering treated premises.

STORAGE AND DISPOSAL

STORAGE: Store in a cool dry area away from heat or open flame.

<u>DISPOSAL</u>: Replace cap and discard container in trash. Do not incinerate or puncture.

CHASE PRODUCTS CO.
The Quelty First Company
P.O. 90X 70
MAYWOOD, H. 80153

ABH/mm(9-18-89)