



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (H7505C)
401 "M" St., S.W.
Washington, D.C. 20460

EPA Reg. Number:

498-153

Date of Issuance:

18 FEB 1993

Term of Issuance:

Conditional

Name of Pesticide Product:

Spraypak Wasp Spray,
0.25%

NOTICE OF PESTICIDE:
 Registration
 Reregistration

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Chase Products Co.
The Quality First Company
P.O. Box 70
Maywood, IL 60153

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Change the label by revising the EPA Registration Number to read, "EPA Reg. No. 498-153".
3. Revise the confidential statement of formula to reflect nominal concentrations.
4. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Signature of Approving Official:

Joseph M. [Signature]

Date:

February 11, 1993

295

FRONT PANEL

ACCEPTED
with COMMENTS
in EPA Letter dated

SPRAYPAK

WASP SPRAY 0.25%

18 FEB 1993
Under the Federal Insecticide, Fungicide, and Plant Growth Regulator Act as amended, for the pesticide registered under EPA Reg. No.

JET STREAM UP TO 12 FOOT RANGE

ACTIVE INGREDIENTS:

*Resmethrin[5-(phenylmethyl)-3-furanyl]methyl 2,2-dimethyl-3-(2-methyl-1-propenyl) cyclopropanecarboxylate.....	0.25% w/w
---	-----------

INERT INGREDIENTS:.....	99.75%
	100.00% w/w

*Cis/trans isomers ratio: max.30%(±) cis and min. 70%(±) trans.

EPA Reg. No. 498-

EPA Est. No. 498-IL-1


CAN BE USED IN FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS

SHAKE WELL BEFORE USING

NET WT. _____

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

**SEE BACK PANEL FOR ADDITIONAL
PRECAUTIONARY STATEMENTS**



BACK PANEL

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. Do not apply while food processing is underway. After space spraying in meat packing plants, bakeries and other food processing plants, wash all equipment, benches, shelving, etc. where exposed food will be handled, with potable water. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Remove pets, birds and cover fish aquariums before spraying.

STATEMENT OF PRACTICAL TREATMENT

If in eyes or on skin, immediately flush with plenty of water. For eyes, get medical attention.

ENVIRONMENTAL HAZARDS

This pesticide is highly toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes, and potholes). Drift and runoff from treated sites may be hazardous to fish in adjacent waters. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL AND CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F (54.5°C) may cause bursting.

DIRECTIONS FOR USE

It's a violation of Federal law to use this product in a manner inconsistent with its labeling.

Shake well before each use. Remove protective cap. Aim spray opening away from person. Push button to spray.

Food should be removed or carefully covered before treatment. All food processing surfaces should be covered before treatment, or thoroughly cleaned before using. In food processing plants apply only when plants are not in operation.

FOR INDOOR USE: In food areas of food handling establishments, commercial, industrial, office, residential, public, institutional and storage buildings, homes, hotels, ship cabins and hospitals. In hospitals patients should be removed prior to treatment. Also

BEST AVAILABLE

for use in buses, automobiles, and food areas of trucks, boxcars and ship cargo holds. Do not use on electrical equipment or on surfaces that can be harmed or stained by water. Also for use indoors in dog kennels and horse stables. In horse stables, not for application if horses will be used for food.

INDOORS- TO KILL CRAWLING INSECTS: Cockroaches, earwigs, grain mites, sowbugs, silverfish, spiders, scorpions, and centipedes: Spray thoroughly and frequently into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, door frames, bookcases, and storage areas. **SPRAY DIRECTLY ON INSECTS** where possible. Repeat as necessary.

TO KILL WASPS, HORNETS, YELLOW JACKETS, BEES: Application should be made late in the evening when insects are at rest. Spray liberally into hiding and breeding places, particularly under rafters, contacting as many insects as possible. Saturate areas in and around nest openings. Repeat as necessary.

OUTDOORS- TO CONTROL NUISANCE PESTS:

ANTS: Spray trails, nest and points of entry. Spray on ants where possible. Repeat as necessary.

SPIDERS: Direct short bursts of spray on spiders and repeat as necessary.

SCORPIONS: Direct short bursts of spray on scorpions and repeat as necessary.

WASPS, HORNETS, YELLOW JACKETS, BEES: Same as directed for indoor use. Aim spray at nest openings in trees, bushes, under eaves, chimneys, cracks and crevices to saturate in and around the nest openings. Contact as many insects as possible. Repeat as necessary.

TO KILL TENT CATERPILLARS: Application should be made when caterpillars are young and tents are first noticed. For best results apply in the late afternoon or evening when caterpillars have returned to their tents. Aim spray directly at tents, and totally saturate on all sides. Repeat as necessary.

STORAGE: Keep in locked storage area.

CONTAINER DISPOSAL: Replace cap and discard container in trash.

WARRANTY STATEMENT

Our recommendations for the use of this product are based upon tests believed to be reliable. The use of this product being beyond the control of the manufacturer, no guarantee, expressed or implied, is made as to the effects of such or the results to be



595

obtained if not used in accordance with directions or established safe practice. The buyer must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials.

CHASE PRODUCTS CO.
P.O. Box 70
Maywood, IL 60153

ABH/mm(10/27/92)

10
27
1992