

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

January 21, 2015

Laura E. Radevski Chase Products Co. P.O Box 70 Maywood, IL 60153

Subject: Amendment – New CSF Alt #3 and Updated VOC on Label Product Name: SprayPak Wasp Killer Formula 3 EPA Registration Number: 498-156 Application Date: August 6, 2014 Decision Number: 494901

Dear Ms. Radevski:

The amended label referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

A stamped copy of your labeling is enclosed for your records. This labeling supersedes all previously accepted labeling. You must submit one copy of the final printed labeling before you release the product for shipment with the new labeling. In accordance with 40 CFR 152.130(c), you may distribute or sell this product under the previously approved labeling for 18 months from the date of this letter. After 18 months, you may only distribute or sell this product if it bears this new revised labeling or subsequently approved labeling. "To distribute or sell" is defined under FIFRA section 2(gg) and its implementing regulation at 40 CFR 152.3.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

The Confidential Statement of Formula (CSF) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. This approval does not affect any conditions that were previously imposed on this

Page 2 of 2 EPA Reg. No. 498-156 Decision No. 494901

registration. You continue to be subject to existing conditions on your registration and any deadlines connected with them.

Please note that the record for this product currently contains the following CSFs:

- Basic CSF dated September 23, 2010
- Alternate CSF 1 dated September 23, 2010
- Alternate CSF 2 dated September 23, 2010
- Alternate CSF 3 dated August 6, 2014

Any CSFs other than those listed above are superseded/no longer valid.

Your release for shipment of the product constitutes acceptance of these conditions. If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6. If you have any questions, please contact Carlyn Petrella by phone at 703-347-0439, or via email at petrella.carlyn@epa.gov.

Sincerely,

Richard Gebken Product Manager 10 Invertebrate & Vertebrate Branch 2 Office of Pesticide Programs

Enclosure



and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 498-156

498-156 label for 10% VOCs formula (DBV 37.8 kV) 8.6.14 01.21.15 Corrections per e-mail received from U.S. EPA.

FRONT PANEL

(LOGO)

WASP KILLER FORMULA 3

This product can be used both indoors (attics and other places where nests are built) and outdoors on wasp, bee, hornet and yellow jacket nests.

Gives rapid knockdown and kill of wasps, bees, hornets and yellow jackets. Gives rapid contact kill and residual kill of listed insects returning to the treated nest.

REACHES NESTS UP TO 20 FEET ABOVE GROUND.

DIELECTRIC BREAKDOWN VOLTAGE: 37.8 KV by ASTM Test Method D-877-87.

ACTIVE INGREDIENTS:

*Contains Petroleum Distillate

EPA Reg. No. 498-156-XXXX

EPA Est. No. 498-IL-1

[OPTIONAL NO-CFCs GRAPHIC]

Contains no CFCs or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

NET WT X lb XX oz (XXX g)

KEEP OUT OF REACH OF CHILDREN CAUTION

Read precautions on back of can.

BACK PANEL – COMMERCIAL VERSION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

USER SAFETY REQUIREMENTS

Applicators and other handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material.

PERSONAL PROTECTIVE EQUIPMENT

Follow manufacturer's instructions for cleaning/maintaining PPE. If such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

----- TOP OF BOX -----

USER SAFETY RECOMMENDATIONS

User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

----- BOTTOM OF BOX -----

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the area.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait two (2) hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply when food is present.

Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off.

Do not make applications during rain. Do not water the treated area to the point of runoff.

Avoid contamination of food and feedstuffs. Do not use in food areas of food-handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do

not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where food is served, such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food-processing surfaces and utensils during treatment or wash thoroughly before use. Exposed food should be covered or removed.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR CONTROL OF *WASPS, BEES, HORNETS AND YELLOW JACKETS:* The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

Other than applications to building foundations, up to a maximum height of three feet, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

DO NOT USE THIS PRODUCT ON LIVING DECORATIVE TREES, SHRUBS OR ORNAMENTAL PLANTS.

When using indoors and outdoors, avoid wetting asphalt tile, shingles, rubber or plastic materials. Test on an inconspicuous area before using near any other type of surface.

BACK PANEL - RESIDENTIAL VERSION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact (insert phone number 1-800-xxx-xxxx) for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the area.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures

above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not allow adults, children or pets to enter treated areas until sprays have dried. Wait two (2) hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off.

Do not make applications during rain. Do not water the treated area to the point of runoff.

In the home, cover all food-processing surfaces and utensils during treatment or thoroughly wash utensils before use. Do not apply when food is present.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR CONTROL OF WASPS, BEES, HORNETS AND YELLOW JACKETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

Other than applications to building foundations, up to a maximum height of three feet, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

DO NOT USE THIS PRODUCT ON LIVING DECORATIVE TREES, SHRUBS OR ORNAMENTAL PLANTS.

When using indoors and outdoors, avoid wetting asphalt tile, shingles, rubber or plastic materials. Test on an inconspicuous area before using near any other type of surface.

BACK PANEL – BOTTOM

----- TOP OF BOX -----

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a cool, dry area away from heat or open flame. **PESTICIDE DISPOSAL AND CONTAINER HANDLING:** DO NOT PUNCTURE OR INCINERATE! **If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions.

----- BOTTOM OF BOX -----

TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

(MEDICAL SUPPORT ORGANIZATION MAY DIFFER. SAMPLE:

Questions about this product? Call (708) 865-1000. MEDICAL EMERGENCY INFORMATION ONLY: ChemTel, Inc. (800) 255-3924)

[OPTIONAL RECYCLE SYMBOL]

[OPTIONAL MADE IN USA GRAPHIC]

[OPTIONAL UPC SYMBOL]

(SIGNATURE LINE)

8-XXXX

BOTTOM OF LABEL

S:/lara/EPA/Labels/498-156/Labelfor10% VOCs498-156 with EPA's corrections/ler/1.21.15