

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, DC 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

March 31, 2015

Laura E. Radevski Chase Products Co. P.O. Box 70 Maywood, IL 60153

Notification per PRN 98-10 – Adding language per California Proposition 65 Subject:

Product Name: SprayPak Wasp Killer Formula 3

EPA Registration Number: 498-156 Application Date: March 4, 2015

Decision Number: 502345

Dear Ms. Radevski:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 for the above referenced product. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10.

The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, you may contact Julie Chao at (703) 308-8735 or via email at chao.julie@epa.gov.

Sincerely.

Kable Bo Davis, Product Manager 03 Invertebrate & Vertebrate Branch 1 Registration Division (7505P)

Office of Pesticide Programs

498-156 label for 10% VOCs formula (DBV 37.8 kV) 8.6.14

01.21.15 Corrections per e-mail received from U.S. EPA.

03.03.15 Adding Prop. 65 statement.LER

03.30.15 Changing "Logo" to "SprayPak"

FRONT PANEL

SPRAYPAK

WASP KILLER FORMULA 3

This product can be used both indoors (attics and other places where nests are built) and outdoors on wasp, bee, hornet and yellow jacket nests.

Gives rapid knockdown and kill of wasps, bees, hornets and yellow jackets. Gives rapid contact kill and residual kill of listed insects returning to the treated nest.

REACHES NESTS UP TO 20 FEET ABOVE GROUND.

DIELECTRIC BREAKDOWN VOLTAGE: 37.8 KV by ASTM Test Method D-877-87.

ACTIVE INGREDIENTS:

Tetramethrin [(1-cyclohexene-1,2-dicarboximi	ido)
methyl 2,2-dimethyl -3-(2-methylpropenyl)	
cyclopropanecarboxylate]	0.200%
3-Phenoxybenzyl-(1RS, 3RS; 1RS, 3SR)-2,2-0	dimethyl-3-
(2-methylprop-1-enyl) cyclopropanecarboxylar	te 0.125%
*OTHER INGREDIENTS:	99.675%
Total	100.000%
AC D . 1 D' .'II .	

*Contains Petroleum Distillate

EPA Reg. No. 498-156-XXXX EPA Est. No. 498-IL-1

NOTIFICATION

498-156

The applicant has certified that no changes, other than those reported to the Agency have been made to the labeling. The Agency acknowledges this notification by letter dated:

3/31/2015

[OPTIONAL NO-CFCs GRAPHIC]

Contains no CFCs or other ozone-depleting substances. Federal regulations prohibit CFC propellants in aerosols.

NET WT X lb XX oz (XXX g)

KEEP OUT OF REACH OF CHILDREN CAUTION

Read precautions on back of can.

	_
BACK PANEL – COMMERCIAL VERSION	
PRECAUTIONARY STATEMENTS	=
HAZARDS TO HUMANS & DOMESTIC ANIMALS	

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

CAUTION

USER SAFETY REQUIREMENTS

Applicators and other handlers must wear long-sleeved shirt and long pants, shoes plus socks, and chemical-resistant gloves made of any waterproof material.

PERSONAL PROTECTIVE EQUIPMENT

Follow manufacturer's instructions for cleaning/maintaining PPE. If such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.
TOP OF BOX
USER SAFETY RECOMMENDATIONS
User should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.
BOTTOM OF BOX

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-255-3924 for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

ATTENTION: This product contains a chemical known to the State of California to cause cancer in accordance to Proposition 65 (State of California Safe Drinking Water and Toxic Enforcement Act of 1986). (Note: This statement is optional for companies no selling product in California).

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the area.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not enter or allow others to enter until vapors, mists, and aerosols have dispersed, and the treated area has been thoroughly ventilated. Wait two (2) hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

Do not apply when food is present.

Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off.

Do not make applications during rain. Do not water the treated area to the point of runoff.

Avoid contamination of food and feedstuffs. Do not use in food areas of food-handling establishments, restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where food is served, such as dining rooms, but excluding areas where foods may be prepared or held. In the home, cover all food-processing surfaces and utensils during treatment or wash thoroughly before use. Exposed food should be covered or removed.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR CONTROL OF *WASPS*, *BEES*, *HORNETS AND YELLOW JACKETS*: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

Other than applications to building foundations, up to a maximum height of three feet, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

DO NOT USE THIS PRODUCT ON LIVING DECORATIVE TREES, SHRUBS OR ORNAMENTAL PLANTS.

When using indoors and outdoors, avoid wetting asphalt tile, shingles, rubber or plastic materials. Test on an inconspicuous area before using near any other type of surface.

BACK PANEL - RESIDENTIAL VERSION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet. Remove and wash contaminated clothing before reuse.

FIRST AID

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Immediately call a poison control center or doctor. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact (insert phone number 1-800-xxx-xxxx) for emergency medical treatment information.

NOTE TO PHYSICIAN: Contains Petroleum Distillate. Vomiting may cause aspiration pneumonia.

ATTENTION: This product contains a chemical known to the State of California to cause cancer in accordance to Proposition 65 (State of California Safe Drinking Water and Toxic Enforcement Act of 1986). (Note: This statement is optional for companies no selling product in California).

ENVIRONMENTAL HAZARDS

This product is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. Do not apply directly to water, or to areas where surface water is present, or to inter-tidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters or rinsate.

This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are visiting the area.

PHYSICAL OR CHEMICAL HAZARDS

EXTREMELY FLAMMABLE. Contents under pressure. Keep away from fire, sparks and heated surfaces. DO NOT PUNCTURE OR INCINERATE CONTAINER. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

USE RESTRICTIONS

Do not allow adults, children or pets to enter treated areas until sprays have dried. Wait two (2) hours after application, then open windows, vents and doors for 2 hours. If an odor is still detected, additional ventilation is required.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.

Remove pets, birds, and cover fish aquariums and ornamental fish ponds before spraying, and turn aquarium systems off.

Do not make applications during rain. Do not water the treated area to the point of runoff.

In the home, cover all food-processing surfaces and utensils during treatment or thoroughly wash utensils before use. Do not apply when food is present.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow the product to enter any drain during or after application.

FOR CONTROL OF WASPS, BEES, HORNETS AND YELLOW JACKETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arm's length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed. Wait 48 hours before removing the nest. Foliage of desirable plants that were contacted with spray should be hosed off.

Other than applications to building foundations, up to a maximum height of three feet, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors and eaves) are limited to spot and crack-and-crevice applications only.

DO NOT USE THIS PRODUCT ON LIVING DECORATIVE TREES, SHRUBS OR

ORNAMENTAL PLANTS. When using indoors and outdoors, avoid wetting asphalt tile, shingles, rubber or plastic materials. Test on an inconspicuous area before using near any other type of surface. BACK PANEL – BOTTOM ------ TOP OF BOX ------STORAGE & DISPOSAL Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Store in a cool, dry area away from heat or open flame. PESTICIDE DISPOSAL AND CONTAINER HANDLING: DO NOT PUNCTURE OR **INCINERATE! If empty:** Place in trash or offer for recycling if available. **If partly filled:** Call your local solid waste agency for disposal instructions. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS. (MEDICAL SUPPORT ORGANIZATION MAY DIFFER. **SAMPLE:** Questions about this product? Call (708) 865-1000. MEDICAL EMERGENCY INFORMATION ONLY: ChemTel, Inc. (800) 255-3924 [OPTIONAL RECYCLE SYMBOL] [OPTIONAL MADE IN USA GRAPHIC] [OPTIONAL UPC SYMBOL]

BOTTOM OF LABEL

(SIGNATURE LINE)

8-XXXX