

---

---

FRONT PANEL

---

---

**CHAMPION SPRAYON  
SPRAY  
DISINFECTANT  
FORMULA 3**

*Kills 99.9%  
of germs (sanitization)  
in 20 seconds\**

- KILLS MOST GERMS
- ELIMINATES ODORS
- PREVENTS MOLD AND MILDEW


**KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED  
ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY  
SOILED WITH BLOOD AND BODY FLUIDS.**

**KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA CHOLERAESUIS,  
PSEUDOMONAS AERUGINOSA AND STREPTOCOCCUS PYOGENES.**

**(GRAPHIC DESIGN)**

**NET WT. XX OZ. (X LB. XX OZ.) XXX g**

Contains no CFCs or other ozone  
depleting substances  
Federal regulations prohibit  
CFC propellants in aerosols



**KEEP OUT OF REACH OF CHILDREN  
CAUTION**

See precautionary statements on back of can.

2 7 4

ACCEPTED

NOV 30 2000

BACK PANEL

Under the Federal Insecticide, Fungicide, and  
Anticide Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 498-179

**FORMULATED FOR HOSPITAL • SCHOOL • HOTEL • MOTEL**  
**• OFFICE • RESTAURANT • LOCKER AND REST ROOM**  
**• FACTORY • INSTITUTION • HOME • BEAUTY SHOP • BARBER SHOP**

**SPRAY DISINFECTANT • SHAKE BEFORE USING**

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

**\*Sanitizes: Kills 99.9% *Staphylococcus aureus* (staph), *Klebsiella pneumoniae* (K. pneumoniae), *Escherichia coli*, *Campylobacter jejuni* and *Salmonella choleraesuis* on hard, nonporous surfaces in 20 seconds.**

Kills HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids.

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS** on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

**PERSONAL PROTECTION:** When handling items soiled with blood or body fluids use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

**CLEANING PROCEDURE:** Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

**DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids should be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

**CONTACT TIME:** Leave surface wet for 10 minutes.

After surface is cleaned, hold can upright and spray 6 to 8 inches from surface to be treated until



surface becomes wet. Allow spray to dry without wiping, or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping.

### FOR DISINFECTION OF INANIMATE SURFACES

This disinfectant spray is a germicidal that kills *Staphylococcus aureus*, *Salmonella choleraesuis*, *Pseudomonas aeruginosa* and *Streptococcus pyogenes*. Use to disinfect urinals, toilet seats, washbowls, shower stalls, telephones, empty hampers, diaper pails, athletic equipment, light switches, garbage cans and lockers.

**DIRECTIONS:** Clean object to be sprayed using usual cleaning methods. Hold dispenser upright and spray 6 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off.

It is also effective against fungi such as *Trichophyton interdigitale* (causes of ringworm or athlete's foot), in appropriate areas such as shower room floors, locker room benches or bath mats.

### FOR CONTROL OF MOLD & MILDEW

Prevent mold and mildew on hard surfaces such as ceramic, metal and glass in basement closets, attic storage areas, summer cottages.

**DIRECTIONS:** Clean object by usual cleaning methods. Hold dispenser upright and spray 6 inches from surface until surface is wet. Repeat application when new growth appears.

### FOR SPACE DEODORIZER & AIR FRESHENER

Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

**DIRECTIONS:** Hold can upright and point valve opening away from face. Spray upward for 3 seconds into corners as well as center of room, filling room with mist.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

**CAUTION:** Avoid contact with the eyes and skin. If sprayed into eyes, wash with water. If irritation persists, consult your physician. Avoid breathing of spray mist. Avoid contamination of foodstuff.

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator. Do not spray on varnished, painted or plastic surfaces.

**STORAGE:** Store in a cool, dry area away from heat or open flame.

**DISPOSAL:** Do not reuse empty container. This container may be recycled in one of the limited number of aerosol recycling centers in the country. Before recycling, empty the can by using the

ACCEPTED  
NOV 30 2000  
Under the Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 498-179

product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.

**THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.**

**ACTIVE INGREDIENTS:**

|  |        |
|--|--------|
| n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)   |        |
| dimethylbenzyl ammonium chlorides.....       | 0.1%   |
| n-Alkyl (68% C12, 32% C14)                   |        |
| dimethyl ethylbenzyl ammonium chlorides..... | 0.1%   |
| Ethanol.....                                 | 30.8%  |
| <b>OTHER INGREDIENTS:</b> .....              | 69.0%  |
| Total  | 100.0% |

CONTAINS SODIUM NITRITE

EPA Reg. No. 498-179-XXXXXX

EPA Est. No. 498-IL-1

**KEEP OUT OF REACH OF CHILDREN**

[SIGNATURE LINE]

---

---

BOTTOM OF LABEL

---

---

ACCEPTED  
NOV 30 2000

Under the Federal Insecticide, Fungicide, and  
Herbicide Act as amended, for the  
insecticide, registered under  
EPA Reg. No. 498-179