

498-179

10-21-2009

1/7



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, DC 20460

OCT 21 2009

OFFICE OF
PREVENTION, PESTICIDES
AND TOXIC SUBSTANCES

Laura E. Radevski
Technical & Regulatory Compliance Manager
Chase Products Co.
Putting the best at your fingertips
P.O. Box 70
Maywood, IL 60153

Subject: **Champion SprayOn Spray Disinfectant Formula 3**
EPA Registration Number: 498-179
Application: June 1, 2009
Receipt Date: June 2, 2009

Dear Ms. Radevski:

The following amendment, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment

Revise label to add the Swine Influenza A (H1N1) virus claim

General Comment

A stamped label is enclosed for your records.

Should you have any questions concerning this letter, please contact me by telephone at (703) 308-6427 or email at carlisle.sharon@epa.gov, or Lisa McKelvin by telephone at (703) 308-7496 or email address at mckelvin.Lisa@epa.gov.

Sincerely,

A handwritten signature in cursive script that reads "ShaRon Carlisle".

ShaRon Carlisle
(Acting) Product Manager 34
Regulatory Management Branch II
Antimicrobials Division (7510P)


Enclosed: Stamped label

FRONT PANEL

CHAMPION SPRAYON

**SPRAY
DISINFECTANT
FORMULA 3**

*Kills 99.9%
of germs (sanitizing)
in 20 seconds**



- KILLS MOST GERMS
- ELIMINATES ODORS
- PREVENTS MOLD AND MILDEW

KILLS PANDEMIC 2009 (H1N1) VIRUS

**KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED
ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY
SOILED WITH BLOOD AND BODY FLUIDS.**

**KILLS STAPHYLOCOCCUS AUREUS, SALMONELLA ENTERICA,
PSEUDOMONAS AERUGINOSA, STREPTOCOCCUS PYOGENES,
VANCOMYCIN-RESISTANT ENTEROCOCCUS FAECALIS (VRE), AND
METHICILLIN-RESISTANT STAPHYLOCOCCUS AUREUS (MRSA).**

NET WT X lb XX oz (XXX g)

OPTIONAL:
Contains no CFCs or other ozone
depleting substances
Federal regulations prohibit
CFC propellants in aerosols

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See precautionary statements on back of can.

BACK PANEL

**FORMULATED FOR HOSPITAL • SCHOOL • HOTEL • MOTEL
• OFFICE • RESTAURANT • LOCKER AND REST ROOM
• FACTORY • INSTITUTION • HOME • BEAUTY SHOP • BARBER SHOP
[PET INDUSTRY]**

SPRAY DISINFECTANT • SHAKE BEFORE USING

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is not to be used as a terminal sterilant/high-level disinfectant on any surface or instrument that (1) is introduced directly into the human body, either into or in contact with the bloodstream or normally sterile areas of the body, or (2) contacts intact mucous membranes but which does not ordinarily penetrate the blood barrier or otherwise enter normally sterile areas of the body. This product may be used to preclean or decontaminate critical or semi-critical medical devices prior to sterilization or high-level disinfection.

***Sanitizes: Kills 99.9% *Staphylococcus aureus* (staph), *Klebsiella pneumoniae* (*K. pneumoniae*), *Escherichia coli*, *Campylobacter jejuni* and *Salmonella enterica* on hard, nonporous surfaces in 20 seconds.**

Kills HIV-1 (AIDS VIRUS) on precleaned environmental surfaces/objects previously soiled with blood and body fluids.

SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV OF SURFACES/OBJECTS SOILED WITH BLOOD AND BODY FLUIDS on precleaned environmental surfaces/objects previously soiled with blood/body fluids in health care settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of HIV.

PERSONAL PROTECTION: When handling items soiled with blood or body fluids use appropriate barrier protection such as disposable latex gloves, gowns, masks or eye coverings.

CLEANING PROCEDURE: Blood and other body fluids must be thoroughly cleaned from surfaces and objects before application of this disinfectant.

DISPOSAL OF INFECTIOUS MATERIALS: Blood and other body fluids should be autoclaved and disposed of according to Federal, state and local regulations for infectious waste disposal.

CONTACT TIME: Leave surface wet for 10 minutes.

After surface is cleaned, HOLD CAN UPRIGHT and spray 6 to 8 inches from surface to be treated until surface becomes wet. Allow spray to dry without wiping, or allow spray to contact treated surface for a minimum of 10 minutes prior to wiping.

FOR DISINFECTION OF INANIMATE SURFACES

This disinfectant spray is a germicidal that kills Staphylococcus aureus, Salmonella enterica, Pseudomonas aeruginosa, Streptococcus pyogenes, Vancomycin-resistant Enterococcus faecalis (VRE) and Methicillin-resistant Staphylococcus aureus (MRSA). Use to disinfect metal or glazed porcelain urinals, plastic or ceramic tile shower stalls, metal or plastic diaper pails, garbage cans, light switches and telephones, and non-wood surfaces of toilet seats, empty hampers, athletic equipment and lockers.

Virucidal: It also kills Pandemic 2009 (H1N1) Virus on hard, nonporous inanimate surfaces.

DIRECTIONS: Clean object to be sprayed using usual cleaning methods. HOLD DISPENSER UPRIGHT and spray 6 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 10 minutes before wiping off.

It kills Trichophyton mentagrophytes (athlete's foot fungus) on hard, nonporous inanimate surfaces in appropriate areas such as shower room floors, locker room benches or bath mats.

FOR SANITIZING INANIMATE, NON-FOOD CONTACT SURFACES

Use to sanitize inanimate, hard, nonporous, non-food contact surfaces

DIRECTIONS: Clean object to be sprayed using usual cleaning methods. HOLD DISPENSER UPRIGHT and spray 6 inches from surface until surface is wet. Allow disinfectant spray to remain on the surface for 20 seconds before wiping off.

FOR CONTROL OF MOLD & MILDEW

Prevent mold and mildew on hard surfaces such as ceramic, metal and glass, in basement closets, attic storage areas, summer cottages.

DIRECTIONS: Clean object by usual cleaning methods. HOLD DISPENSER UPRIGHT and spray 6 inches from surface until surface is wet. Repeat application when new growth appears.

FOR SPACE DEODORIZER & AIR FRESHENER

Use to deodorize meeting room, classroom, kitchen, bathroom, sickroom, living room and churches.

DIRECTIONS: HOLD CAN UPRIGHT and point valve opening away from face. Spray upward

for 3 seconds into corners as well as center of room, filling room with mist.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

CAUTION

May cause eye irritation. Avoid contact with the eyes and skin. Avoid breathing of spray mist. Avoid contamination of foodstuff.

FIRST AID

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. DO NOT PUNCTURE. Do not use or store near heat or open flame. Exposure to temperatures above 120°F may cause bursting. Never throw container into fire or incinerator. Do not spray on varnished, painted or plastic surfaces.

STORAGE & DISPOSAL

STORAGE: Store in a cool, dry area away from heat or open flame.

DISPOSAL: Do not reuse empty container. This container may be recycled in one of the limited number of aerosol recycling centers in the country. Before recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

ACTIVE INGREDIENTS:

n-Alkyl (60% C14, 30% C16, 5% C12, 5% C18)	
dimethylbenzyl ammonium chloride.....	0.1%
n-Alkyl (68% C12, 32% C14)	
dimethyl ethylbenzyl ammonium chloride.....	0.1%
Ethanol.....	30.8%
OTHER INGREDIENTS:	69.0%
Total	100.0%

CONTAINS SODIUM NITRITE

EPA Reg. No. 498-179-XXXXXX

EPA Est. No. 498-IL-1

6
7

KEEP OUT OF REACH OF CHILDREN

[**OPTIONAL:** Questions about this product? Call (708) 865-1000.

MEDICAL EMERGENCY INFORMATION ONLY:

ChemTel, Inc. (800) 255-3924]

[**OPTIONAL RECYCLE SYMBOL**]

[**OPTIONAL MADE IN USA GRAPHIC**]

[**OPTIONAL UPC SYMBOL**]

Chase Products Co.

Putting the best at your fingertips.®

P.O. Box 70 – Maywood, IL 60153

www.chaseproducts.com

[OPTIONAL TEXT – EXAMPLE: BOXED ON BACK PANEL]

A. 10-min Disinfection against Bacteria on hard nonporous surfaces:

- Staphylococcus aureus (ATCC 6538)
- Salmonella enterica (ATCC 10708)
- Pseudomonas aeruginosa (ATCC 15442)
- Streptococcus pyogenes (ATCC 9342)
- Vancomycin-resistant Enterococcus faecalis (VRE) (ATCC 51299)
- Methicillin-resistant Staphylococcus aureus (MRSA) (ATCC 33591)

B. 10-min Disinfection against Virus on hard nonporous surfaces:

- Human Immunodeficiency Virus Type 1 (HIV-1) (AIDS Virus) (HTLV-III_{RF} strain of HIV-1)
- Swine Influenza A (H1N1) Virus (ATCC VR-333) – Strain A/Swine/Iowa/15/30

C. 10-min Disinfection against Fungi on hard nonporous surfaces:

- Trichophyton mentagrophytes (Athlete's Foot Fungus) (ATCC 9533)

D. 20-sec Sanitization against Bacteria on hard nonporous surfaces:

- Staphylococcus aureus (ATCC 6538)
- Klebsiella pneumoniae (ATCC 4352)
- Escherichia coli (ATCC 11229)
- Campylobacter jejuni (ATCC 33560)
- Salmonella enterica (ATCC 10708)

8-XXXX

BOTTOM OF LABEL
