



U.S. ENVIRONMENTAL PROTECTION AGENCY
Office of Pesticide Programs
Registration Division (7505C)
401 M St. S.W.
Washington, D.C. 20460

EPA Reg. Number:

Date of Issuance:

498-182

April 24, 1998

Term of Issuance:

Conditional

NOTICE OF PESTICIDE:

- Registration
- Reregistration

(under FIFRA, as amended)

Name of Pesticide Product:

Champion SprayOn Multi-Purpose Insect Killer

Name and Address of Registrant (include ZIP Code):

Aludia B. Hernandez
Chase Products Co.
P.O. Box 70
Maywood, IL 60153

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
2. Make the following label changes:
 - a. Revise the EPA Registration Number to read, "EPA Reg. No. 498-182".

Signature of Approving Official:

for *Beth Edwards*
George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Date:

APR 24 1998

b. Under the Directions for Use, delete the paragraph beginning "Do not use in the edible-product areas..." and replace it with the following paragraph:

"Do not use in food areas of food/feed handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation."

c. Use in food handling establishments can imply use in Federally inspected meat and poultry plants. Therefore, either add the statement "Not for Use in Federally Inspected Meat and Poultry Plants" or submit an application to USDA requesting use in these areas. If granted, you can then indicate on the label that the product can be used in these areas.

d. PR Notice 96-6 specifies statements that should be added to the labels of pesticide products which are registered for use on dogs and/or cats. Based on this PR Notice, add the following to your label:

1) At the top of the rear or side panel of your label, add in bold, all caps "**READ ENTIRE LABEL BEFORE EACH USE**"

2) Clearly indicate registered species: "**USE ONLY ON (DOGS, CATS, OR DOGS OR CATS).**"

3) Clarify reapplication interval (i.e., "Do not reapply product for _____ days(s), week(s), or month(s).")

4) Add the statement "Do not use on puppies (or kittens) under 12 weeks of age."

5) Add the statement "Consult a veterinarian before using this product on debilitated, aged, pregnant or nursing animals."

6) Add the paragraph "Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur, bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately."

3. Submit two copies of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

Sincerely yours,

Beth Edwards

George T. LaRocca

George T. LaRocca
Product Manager 13
Insecticide Branch
Registration Division (7505C)

Enclosure

ACCEPTED
with COMMENTS
in EPA Letter Dated

FRONT PANEL

APR 24 1998

(CHAMPION SPRAYON LOGO)
MULTI-PURPOSE INSECT KILLER

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under EPA Reg. No.
498-182

- * Contains the synthetic pyrethroid Permanone®.
- * Controls named residential, industrial and garden insects.
- * For use on dogs and on premises to control fleas and ticks.
- * Controls fleas and ticks on dogs for 14 days.
- * An aqueous stable microemulsion.
- * Controls pests for up to four weeks.
- * Kills lice and their eggs.
- * For use on bedding, furniture and other inanimate objects infested with lice.
- * Not for use on humans.

ACTIVE INGREDIENT:

| | |
|--------------------------|---------|
| *Permethrin | 0.25% |
| OTHER INGREDIENTS: | 99.75% |
| Total | 100.00% |

*(3-phenoxyphenyl)methyl(+/-) cis/trans 3-(2,2-dichloroethenyl)-
2,2-dimethylcyclopropanecarboxylate.
(Cis/trans ratio: min. 35% (+/-) cis and max. 65% (+/-) trans.
PERMANONE - Registered trademark of AgrEvo Environmental Health,
Inc.

EPA Reg. No. 498-XXX CE

EPA Est. No. 498-IL-1

NET WT. XX OZ. (XXX g)

KEEP OUT OF REACH OF CHILDREN
CAUTION

See precautionary statements on back of can.



52f9

=====

BACK PANEL

=====

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION

Avoid spraying in eyes. Avoid breathing spray mist. Avoid contact with skin. Wash hands thoroughly after use. Vacate room after treatment and ventilate before reoccupying. Avoid contamination of feed and foodstuffs. Cover or remove fishbowls. This product is not for use on humans. If lice infestations should occur on humans, use an EPA-registered product labeled for use on humans.

ANIMALS: Do not spray directly in/on eyes, mouth or genitalia of pets. Do not treat or cause exposure to kittens or puppies less than four weeks old.

FRN

12

STATEMENT OF PRACTICAL TREATMENT

IF INHALED: Remove affected person to fresh air. Apply artificial respiration if indicated.

IF IN EYES: Flush with plenty of water. Contact a physician if irritation persists.

IF ON SKIN: Wash affected areas immediately with soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Not for use on plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes. For use on plants intended for aesthetic purposes or climatic modification and being grown in ornamental gardens or parks, or on



Do not use in ⁶⁰⁷⁰stead areas of food/feed handling, retail establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. (11)

golf courses or lawns and grounds.

Do not use in the edible-product areas of food/feed-processing plants, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Applications may be made in restaurants and US-Department of Agriculture (USDA) inspected food-handling establishments, i.e., meat and poultry plants, while the facility is not in operation, taking care not to contaminate food or food-handling surfaces. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where foods may be prepared or held.

* NOT FOR USE IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS
In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

SHAKE WELL BEFORE USING

Hold container upright and spray from a distance of 12 to 15 inches. Remove birds and cover fish aquariums before spraying.

HOUSEFLIES, FRUIT FLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES, BLACKFLIES, SKIPPER FLIES, BLOWFLIES AND SMALL FLYING MOTHS: Close all doors and windows and spray room at the rate of 2 to 3 seconds per 1000 cubic feet. Direct spray to all parts of the room, especially windows and other light sources which attract these insects. Keep nozzle in constant motion. Repeat treatment as necessary.

COCKROACHES, WATER BUGS, PALMETTO BUGS, SILVERFISH, FIREBRATS, CRICKETS, SCORPIONS, SPIDERS, MILLIPEDES, CENTIPEDES, SOW BUGS AND PILL BUGS: Spray into hiding places such as cracks and crevices, behind sinks, cabinets, along baseboards and floors, around drains and plumbing, hitting insects with spray whenever possible. Repeat treatment as necessary.

ANTS: Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

INDIAN MEAL MOTHS, ANGOUMOIS GRAIN MOTHS: Close doors and windows, direct spray into all parts of room, especially around stored food product containers, pallets and darkened areas. Spray 7 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat application as necessary.

EXPOSED STAGES OF CONFUSED FLOUR BEETLES, SAW-TOOTHED GRAIN BEETLES, RED FLOUR BEETLES, RICE WEEVILS, GRANARY WEEVILS, GRAIN MITES: Spray into cracks and crevices, processing and handling

equipment, around cartons or containers, or other areas where these insects tend to congregate. Spray 30 seconds for each 100 square feet of surface. Keep area closed for 45 minutes to one hour after treatment. Repeat application as necessary. Infested stored food products in the home should be disposed of.

CARPET BEETLES: Spray directly on beetles, floors, baseboards, shelves and carpets. Repeat treatment as necessary.

BEDBUGS: Spray mattresses, particularly around tufts and seams. Take beds apart and spray into all joints. Treat baseboards, moldings and floors. Allow all sprayed articles to dry thoroughly before reuse. Repeat treatment as necessary.

To control **CLOTHES MOTHS AND CARPET BEETLES** on wool and other proteinaceous fibers: Remove infested articles from storage, brush thoroughly, and air for several hours in sunlight, if possible. Apply spray liberally to empty chests, closets, bureaus and other storages, directing the spray into cracks, joints and crevices. After airing, infested articles may be treated by spraying lightly, keeping nozzle at least three feet from fabric to avoid staining. Allow all sprayed articles to dry thoroughly before use.

IN ANIMAL QUARTERS AND MILK ROOMS: For rapid control of **HOUSEFLIES, MOSQUITOES, GNATS, WASPS, HORNETS, BEES AND SMALL FLYING MOTHS**, close windows and doors and spray at the rate of 2 seconds per 1000 cubic feet of space. For best results, keep area closed for 10 minutes after spraying. Do not remain in treated area, and ventilate after treatment is completed.

TO TREAT LIVESTOCK: To protect beef cattle, dairy cattle, goats, sheep, hogs and horses from attacks of **STABLE FLIES, HORSEFLIES, DEERFLIES, FACE FLIES, HOUSEFLIES, HORN FLIES, MOSQUITOES AND GNATS:** Spray about 3 seconds on each side, being careful to spray back, withers and forelegs thoroughly. To protect from **FACE FLIES**, spray the face and head, but do not spray into eyes. Repeat treatment when flies are troublesome.

FOR SWINE: Do not ship animals for slaughter within 5 days of last treatment.

TO CONTROL BLOODSUCKING LICE: Apply to the infested areas of the animal, using a stiff brush to get the spray to the base of the hair. Repeat every 3 weeks if required.

TO CONTROL POULTRY LICE: Spray roosts, walls and nests or cages thoroughly. This should be followed by spraying over the birds with a fine mist.

FOR CONTROL OF BEDBUGS AND MITES IN POULTRY HOUSES: Spray crevices of roost poles, cracks in walls, and cracks in nests where the bedbugs and mites hide.

FLEAS AND TICKS (ADULTS AND LARVAE): Remove and thoroughly clean or

destroy pet bedding. Spray pet sleeping quarters, bed, entire floor and floor covering, with special attention to cracks and crevices around baseboards, and window and door frames. Infested upholstered furniture may also be treated with this product. A test application should be made to upholstery or drapery fabrics in an inconspicuous place before use.

TO CONTROL FLEAS, TICKS AND LICE ON DOGS: Starting at the tail, stroke against the lay of the hair, spraying the parted hair in short bursts, directly behind the hand, to ensure penetrating the coat. Dampen the fur up to the head. Repeat application weekly if necessary to control infestations. NOTE: Not recommended for use on puppies less than 4 weeks old.

PRN

12

TO KILL LICE AND LOUSE EGGS: Spray in an inconspicuous area to test for possible staining or discoloration. Inspect again after drying, then proceed to spray entire area to be treated. Hold container upright with nozzle away from you. Depress valve and spray from a distance of 8 to 10 inches. Spray each square foot for 3 seconds. Spray only those garments and parts of bedding, including mattresses and furniture that cannot be either laundered or dry cleaned. Allow all sprayed articles to dry thoroughly before use.

FOR THE CONTROL OF GARDEN INSECTS: For use on roses, dahlias, asters and other ornamentals to kill JAPANESE BEETLE hit by spray, as well as WHITEFLIES, APHIDS, EXPOSED THRIPS, SPIDERS, RED MITES AND LEAF MINERS.

May be used on plants, as well as a multi-purpose spray in small gardens and for spot treatments of incipient insect infestations to prevent spreading in large garden areas.

May also be used on other plants such as African violets, asters, azaleas, begonias, camellias, carnations, chrysanthemums, dahlias, delphiniums, dogwood, English ivy, euonymus, fuschia, geraniums, crassula, grape vine, Kentia palm, laurel, marigolds, rhododendrons, roses, rubber plants, snapdragons, stocks, wandering Jews and zinnias.

Effective when used as directed against WHITEFLIES, APHIDS, SPIDER AND RED MITES, EXPOSED THRIPS, LACE BUGS, JAPANESE BEETLES, PAVEMENT ANTS, CLOVER MITES AND ARMY WORMS. When spraying plants, do not operate closer than 18 inches. Use sweeping motion. Spray in one-second bursts. Be cautious about wetting tender foliage, young plants and new growth. Do not spray plants when temperatures exceed 90°F. Contact insects directly whenever possible. Repeat treatments as infestations occur.

STORAGE AND DISPOSAL

Store in a cool, dry area. Do not transport or store below 32°F:

Do not reuse empty container. This container may be recycled in one of the limited number of aerosol recycling centers in the country.



Before recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.

Buyer assumes all responsibility for safety and use not in accordance with directions.

CHASE PRODUCTS CO.
The Quality First Company®
P.O. Box 70 _ Maywood, IL 60153

=====
BOTTOM OF LABEL
=====

