NOTICE OF PESTICIDE:



U.S. ENVIRONMENTAL PROTECTION AGENCY Office of Pesticide Programs Registration Division (H7505C) 401 "M" St., S.W. Washington, D.C. 20460

 \underline{x} Registration ____ Reregistration EPA Req. Number:

Date of Issuance:

498-187

SEP 27 1999

Term of Issuance:

Conditional

Name of Pesticide Product:

Champion SprayOn Ant & Roach Killer 4

(under FIFRA, as amended)

Name and Address of Registrant (include ZIP Code):

Chase Products, Inc.

P.O. Box 70

Maywood, IL 60153

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered/reregistered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA sec. 3(c)(7)(A) provided that you:

- Submit and/or cite all data required for registration/ reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data; and submit acceptable responses required for reregistration of your product under FIFRA section 4.
- Make the labeling changes listed below before you release the product for shipment:
 - a. Add the phase "EPA Registration No. 498-187".
- b. Delete termite from the labeling. This product is not effective for controlling termites and protecting the structure.

Signature of Approving Official:	Date:

EPA Form 8570-6

page 2 EPA Reg. No. 498-187

- c. The directions for control of fire ants recommends use of a soil injector. Does this equipment come with the product? It appears to be the type of equipment used by PCO's. If this equipment is not readily available then delete the claim and instructions for controlling fire ants. Alternatively you can limit use of the product to commercial applicators by adding the following statement to the front panel: "Only for Use and Storage by Licensed Pest Control Operators".
- 3. Submit two (2) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Enclosure

FRONT PANEL

CHAMPION SPRAYON ANT & ROACH KILLER

4

- Recommended for households and commercial/industrial use in nonfood/feed areas
- · Contains synergized Permethrin and Tetramethrin
- · Provides quick killing action and residual control
- · Economical do-it-yourself pest control
- Use indoors and outdoors
- Use indoors
- Use outdoors
- · Kills fire ants
- · Kills fleas, roaches, ants
- · Kills fleas
- · Kills roaches; kills ants
- Kills on contact Kills fast
- Kills on contact; kills fast
- Kills hidden bugs
- Kills bugs you see and even the ones you don't
- A broad-spectrum insecticide highly effective against ants, carpenter ants, carpet beetles, centipedes, cockroaches, crickets, earwigs, firebrats, fleas, flour beetles, grain beetles, ground beetles, millipedes, mole crickets, moths, pill bugs, scorpions, silverfish, sow bugs, spiders, termites, ticks and many other similar crawling insects
- · Water-based formula; nonstaining
- · No oily residues; no unpleasant odor
- Protects for up to 4 weeks

ACTIVE INGREDIENTS:

* Tetramethrin		0.10%
** Permethrin		0.25%
*** Piperonyl butoxide, technical		0.50%
OTHER INGREDIENTS:		
	Total	100.00%

- * 1-cyclohexene-1,2,-dicarboximidomethyl 2,2-dimethyl-3-(2-methyl-propenyl) cyclopropanecarboxylate.
- ** (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2-dichloroethenyl) 2,2-dimethylcyclopropanecarboxylate. Cis/trans ratio: min. 35% (+/-) cis and max. 65 % (+/-) trans.
- *** Equivalent to min. 0.4% (but yield bityl) (6° propylpiperonyl) ether and 0.1% related compounds.

 SEP 2.7 [999]

Under the Festeral leavest ale. Fungicide, and Neckentric at a monded. for the personal registered under the latest and the second and the latest at the latest and the latest at the latest and the latest at latest at the latest at l

TETRAPERM - Registered Trademark of AgrEvo Environmental Health, Inc.

EPA Reg. No. 498

EPA Est. No. 498-IL-1

NET WT. XX OZ. (X LB. XX OZ.) XXX g

[OPTIONAL: CONTAINS NO CFCs OR OTHER OZONE-DEPLETING SUBSTANCES. FEDERAL REGULATIONS PROHIBIT CFC PROPELLANTS IN AEROSOLS.]

KEEP OUT OF REACH OF CHILDREN CAUTION

See back panel for additional precautionary statements.

<u> </u>
BACK PANEL

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS & DOMESTIC ANIMALS

CAUTION

Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists.

STATEMENT OF PRACTICAL TREATMENT

IF ON SKIN: Wash with plenty of soap and water. Get medical attention if irritation persists.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water. Do not contaminate water by disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Do not use in food/feed areas of food/feed-handling establishments, restaurants or other areas where food/feed is commercially prepared or processed. Do not use in serving areas while food/feed is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms, but excluding areas where food may be prepared or held.

In the home, all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should be covered or removed.

May be used as a crack and crevice treatment or as a spot application in nonfood/feed areas. All areas where insects hide or through which insects may enter should be treated.

For use in nonfood/feed areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, mop closets and storage (after canning or bottling).

Not for use in Federally Inspected Meat and Poultry Plants.

Do not apply this product in occupied patient rooms or in any rooms/areas while occupied by patients, the elderly or infirm. Do not apply in classrooms when in use.

GENERAL INFORMATION: Provides effective control of pests in and on buildings and structures and their immediate surroundings and on modes of transport. Permitted areas of use include, but are not limited to, apartment buildings, homes, hotels, hospitals, nursing homes, schools, industrial buildings, laboratories, mausoleums, private residences, utilities and the nonfood/feed areas of food/feed-handling establishments, and on vessels, railcars, aircraft (cargo area only), buses, trucks and trailers.

SURFACE SPRAY APPLICATION: Hold container upright and direct spray away from face. Hold can 12-15 inches from surface being sprayed. Press valve down and spray as directed. Spray surface until slightly wet (at a rate of 4 ounces of product to treat approximately 25 square feet of surface area).

CRACK & CREVICE INJECTION: Hold container upright and attach injection tube for injection into cracks and crevices where insects may be hiding, living and breeding. Place injection tip ½ inch into cracks, crevices, holes and other small openings where insects may be a problem. Release a one-second spray per spot. In serious infestations, if possible, place spots approximately 12 inches apart. In light infestations or for preventive treatment, place spots approximately three feet apart. In long, running cracks, move the injector tip along the crack while spraying. Move at the rate of one linear foot per second in heavy infestations and three feet per second in light infestations. See the additional directions below for effective control of specified insects.

INDOORS: Cockroaches (including adult and immature stages of both nonresistant and organophosphate and carbamate resistant strains). Ants, book lice, box elder bugs, centipedes, crickets, dermestids, firebrats, fleas, palmetto bugs, silverfish, sow bugs, ticks and water bugs: Apply thoroughly to all areas where these pests crawl and hide, especially in cracks and crevices, and hidden areas around sinks and storage areas, behind baseboards, around doors and windows, behind and other refrigerators, cabinets, sinks and stoves, the underside of shelves, drawers, bookcases, and in similar areas. When pets are driven out, spray directly. Repeat as necessary.

Ants: Spray freely around ant trails, doors and windows and other places where ants enter premises. Spray around nests hidden under steps, brickwork, concrete, etc. Break apart accessible nests and spray freely on and around debris. Repeat as necessary.

Carpenter ants: For effective control, locate and treat nests and surrounding areas. Apply around doors and windows and other places where ants enter premises and where they crawl and hide. Inject into wall voids and infested wood through existing openings or newly drilled small holes.

Brown dog ticks & fleas in buildings: Apply to infested areas such as pet beds and resting quarters, nearby cracks and crevices, under the edges of rugs and floor coverings, between and under cushions of upholstered furniture and other areas where these pests may be present. Old bedding of pests should be removed and replaced with clean fresh bedding after treatment of pet areas. Do not use directly on pets.

Spiders: Apply along and behind baseboards, to window and door frames, corners, pipes, storage localities, attics, crawl spaces and other areas over which these pests may crawl.

Centipedes, earwigs, ground beetles, millipedes, mole crickets, pill bugs, sow bugs, scorpions and ticks: Apply around doors and windows and other places where these pests may enter premises. Treat baseboards, storage areas and other locations where these pests are found.

PANTRY PESTS: Grain beetles (rusty, merchant and saw-toothed), flour beetles (red and confused), chocolate moths, cigarette beetles, clover mites, cluster flies, drugstore beetles, elm leaf beetles, rice weevils, lesser grain borers, spider beetles and tobacco moths: Treat exposed stages. Remove all foodstuffs, utensils, and shelf paper and any infested foodstuffs. Apply spray to shelves and in cracks and crevices behind and under cupboards and cabinets. Allow spray to dry prior to replacement of shelf paper, food and utensils.

Carpet beetles (black, furniture and varied): Spray on and under edges of floor coverings, under rugs and furniture and in other localities where these insects are found.

Webbing clothes moths: Use this product as a crack and crevice treatment in closets and other storage space where these pests are found. This is an adjunct treatment and will not control moth larvae already on clothes. Do not apply to clothing.

OUTDOORS: Point spray nozzle away from face. Hold can on slight downward angle. For best results, spray when air is calm. Spray with wind if breeze is blowing.

PESTS ON OUTSIDE SURFACES OF BUILDINGS: For control of building infestation due to ants, clover mites, crickets, earwigs, millipedes and sow bugs (pill bugs): Spray foundation of building where insects are active and may find entrance, up to a height of 2 to 3 feet. Apply as residual spray to outside surfaces of buildings where insects tend to congregate. Spray areas include (but are not limited to) screens, window frames, eaves, porches, patios, garages and refuse dumps. Repeat treatment as necessary.

CRAWLING INSECTS: Ants, cockroaches, including Asian cockroaches, crickets, centipedes and silverfish: Spray infested surface of patio or picnic area, hitting as many insects as possible. Also spray legs of tables and chairs to repel ants. Spray ant hills for best control.

Ant, lone star ticks, dog ticks, crickets, fleas and earwigs: Apply thoroughly to infestation in bushes, grass or weeds. For ants, spray freely around ant trails and hills.

Fire ants: To treat mounds, use a soil injector. To maximize spray distribution, insert injector into the mound full length if possible. Inject the mound at 3-6 sites at a rate of 5-10 seconds spray per site. For very large mounds (over 36 inches in diameter), increase the number of injection sites. Space injection sites in a circular pattern on the mound surface with one site in the center. To quiet active ants on mound surface, sweep surface with spray from a distance of 18 inches. For best results, apply in cool weather or in early morning or late evening hours. Treat new mounds as they appear.

STORAGE & DISPOSAL

STORAGE: Do not store near heat or open flame. Store in a cool, dry area away from children.

DISPOSAL: Do not reuse empty container. This container may be recycled in one of the limited number of aerosol recycling centers in the country. Before recycling, empty the can by using the product according to the label. DO NOT PUNCTURE! If recycling is not available, wrap the container and discard in the trash.

THE USER OF THIS PRODUCT ASSUMES ALL RISKS OF USE, STORAGE AND HANDLING NOT IN ACCORDANCE WITH ITS DIRECTIONS AND CAUTIONS.

CHASE PRODUCTS CO. The Quality First Company®

P.O. Box 70 _ Maywood, IL 60153

BOTTOM OF LABEL