

10-16-75

49-1-74

LABEL NO. 18-2530

Revised 8/75

E.P.A. REG. NO. 499-74-AA

PROFESSIONAL AEROSOL INSECTICIDE

INGREDIENTS

ACTIVE:

Pyrethrins I & II 5.000%
 *Technical Piperonyl Butoxide 4.000%
 Refined Petroleum Oil 8.000%

INERT: 87.500%

*Equivalent to 3.2% (Butylcarbityl) (6-Propylpiperonyl) Ether and .8% of Related Compounds.

MEETS SPECIFICATIONS BELOW When Used According To Directions

Flash Point: None. CSMA flammability test method.
 Explosive Point: None. CSMA explosive test method.
 Dielectric: 30.

WARNING:

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Avoid inhalation. Avoid skin contact. Do not remain in treated areas. Ventilate the area after treatment is completed.

Remove pets, birds, and cover fish aquariums before spraying.

FOR HOSPITAL USE: Remove patients before spraying. Ventilate thoroughly, and wait two hours before allowing patients to return.

Professional
Aerosol
Insecticide
 HIGHLY CONCENTRATED

DIRECTIONS

FLYING INSECTS: FLEES, MOSQUITOES, GNATS, SMALL FLYING MOTHS, FRUIT FLIES. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Fill room with mist. Disperse in all locations. Keep area closed for 15 minutes. Sweep up and destroy fallen insects. Repeat treatment as necessary.

MUD DAUBER AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 foot distance. Contacted insects will fly away from fog. Application should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

CARPET BEETLES, DRUG STORE BEETLES, CIGARETTE BEETLES, CONFUSED FLOUR BEETLES, SAWTOOTHED GRAIN BEETLES, GRANARY WEEVILS, RICE WEEVILS, RED FLOUR BEETLES, GRAIN MITES in exposed adult and larvae stages. Contact as many insects as possible. Spray into cracks and crevices, processing and handling equipment, around cartons, and containers, and other areas where these insects tend to congregate. Spray 10 to 20 seconds per 1000 square feet of floor space. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

FLEAS IN BUILDINGS: Close windows and doors. Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 square feet making sure that all floor, sofa, and chair surfaces are contacted. Repeat treatment after 7 days or as necessary.

INDIAN MEAL MOTH, CHOCOLATE MOTH, MEDITERRANEAN FLOUR MOTH, ANGOUMOIS GRAIN MOTH: Close all doors and windows. Direct spray into all parts of room especially around stored food product containers, pallets, and darkened areas. Spray 5 to 10 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

BED BUGS: Spray mattresses, particularly around tufts and seams. Take bed apart and spray into all joints. Treat baseboards into cracks around moldings, molding surfaces, and floors. Repeat treatment as necessary.

ROACHES, SPIDERS, WATER BUGS, ANTS, SILVER FISH, CRICKETS, CENTIPEDES, SOW BUGS: Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes. Treat doors around window frames and ant trails. Repeat all treatments as necessary.

E. P. A. Est. 499-MO-

LABEL NO. 18-2530

Revised 8/75

E.P.A. REG. NO. 499-74-AA

PROFESSIONAL AEROSOL INSECTICIDE

INGREDIENTS

ACTIVE:

Pyrethrins I & II 5.000%
*Technical Piperonyl Butoxide 4.000%
Refined Petroleum Oil 8.000%

INERT: 87.500%

*Equivalent to 3.2% (Butylcarbityl) (6-Propylpiperonyl) Ether and .8% of Related Compounds.

MEETS SPECIFICATIONS BELOW When Used According To Directions

Flash Point: None. CSMA flammability test method.
Explosive Point: None. CSMA explosive test method.
Dielectric: 30.

WARNING:

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F. may cause bursting. Never throw container into fire or incinerator.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Avoid inhalation. Avoid skin contact. Do not remain in treated areas. Ventilate the area after treatment is completed.

Remove pets, birds and cover fish aquariums before spraying.

FOR HOSPITAL USE: Remove patients before spraying. Ventilate thoroughly, and wait two hours before allowing patients to return.

9-74-AA

OL INSECTICIDE

TS

..... .5000%
 4.000%
 8.000%
 87.500%
 (piperonyl) Ether and .8% of

IONS BELOW To Directions

MA flammability test method.
 MA explosive test method.

G:

Do not use or store near heat
 above 130°F. may cause bursting.
 or.

treatment. All food processing
 equipment or thoroughly cleaned before
 use, apply only when the facility

remain in treated areas. Venti-

before spraying.

before spraying. Ventilate thor-
 oughly before patients to return

rofessional

A

erosol

nsecticide

HIGHLY CONCENTRATED