

PM 17 499-79 1/2 1:30 91

NET WEIGHT 2 1/2 LBS.

Industrial Aerosol Insecticide

E. P. A. Reg No 499-79-AA

INGREDIENTS

ACTIVE:
Pyrethrins I & II 500%
*Technical Piperonyl Butoxide 4 000%

NEAT: 95.50%

*Equivalent to 3.2% (Butylcarbityl) (6 Propylparonyl) Ether and 8% of Related Compounds

TECHNICAL DATA - FLY CONTROL

Dosage required 1 sec. per 1000 cu ft
Treatment per unit 135,000 cu ft
Cost of treatments Approx. 1/2¢ per 1000 cu ft.
Delivery rate @ 70°F 1 gram per sec
Cylinder Aluminum
Propellant Gas High Pressure
Coverage Each 2 1/2 lb. unit will effectively treat approximately the same area as 17 gallons of an oil base spray without the use of over 16 1/2 gallons of petroleum oil

SPECIFICATIONS

Flash Point None CSMA flammability test method
Explosive Point None CSMA explosive test method
Residual 30

DIRECTIONS

FLIES, MOSQUITOES, GNATS, SMALL FLYING MOTHS: Obtain cubic feet of space to be treated (Example 10' high x 10' long and 10' wide = 1000 cubic feet. Close doors and windows. Spray from 1 to 4 seconds per 1000 cubic feet. Disperse in all directions. If possible, have fans operating to speed up circulation of aerosol fog throughout area being treated. Keep area closed for 15 minutes after treatment. Sweep up and destroy fallen insects. Repeat treatment as necessary.

GRAIN WEEVILS, CONFUSED FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES in exposed adult and larvae stages: Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery and dark secluded areas. For Carpet Beetles treat infested area of carpets, localized areas of floors, baseboards, and into cracks and under carpets where these pests may be found. Spray 10 to 20 seconds per 1000 square feet of floor space. Repeat treatment weekly or as insects appear.

WARNING:


Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation.

Do not re-enter treated areas until the area after treatment is completed. Avoid breathing vapors. Avoid contact with skin.

Remove pets, birds and cover fish aquariums before spraying. Apply this product only as specified on this label.

E.P.A. Est. 499-MD-1



PROFESSIONAL STRENGTH



Industrial Aerosol

Insecticide

CONCENTRATED

A pressurized, concentrated insecticide for use in Food Plants, Hospitals, Restaurants, Super-Markets, Motels, Hotels.

WARNING: KEEP OUT OF REACH OF CHILDREN. See label for more information.

BEST AVAILABLE COPY