


TTLING MIST ISECTICIDE

R DAIRY LIVESTOCK

HOUSE FLIES, HORN TABLE FLIES, MOSQUITOES, GNATS



NET CONTENTS ONE GALLON

ACTIVE INGREDIENTS 100%

"Refined Mineral Oil" Petroleum Distillate (Livestock Base) 99.550%

*Equivalent to .32% (Butylcorbity!) (6-propylpiperony!) ether and .08% related compounds.

out of reach of children. See side panel for additional cautions.



KILL FLIES BEFORE THEY CAN BREED


morning

CONTROL

RFFECTIVE

Ö





Break the 2-week Reproduction Cycle by removing manure, waste food, hay, straw and other rubbish every 4 days.

DIRECTIONS

Holding Shed-Loafing Barn

Using hand or small power sprayer, walk among animals and apply a light mist directly over heads, shoulders and backs of animals using from ½ to 1 ounce per animal.

Holding Shed—Loafing Barn Stanchion Milking Barn

Using mechanical type sprayer such as a Root-Lowell Electric Atomist Sprayer, apply FLYS-OFF SETTLING MIST from a distance of about 10 feet, directing the mist a few feet above the animals' backs. A herd of 25 animals should be treated in about one minute with approximately 4 ounces* of material. (*Based on the delivery of the Root-Lowell Electric Atomist Sprayer set at No. 5.)

DAIRY BARN CONTROL

Using a mechanical sprayer such as a Root-Lowell Electric Atomist Sprayer, direct mist upward in all directions for a period of approximately one minute for each 6000 cubic feet of space. For example, a barn 30 feet long, 20 feet wide and 10 feet high contains 6000 cubic feet and would require one minute spray time. Barn should be tightly closed and kept closed for 10 to 15 minutes after spraying.

For general application, a hand sprayer or small power sprayer may be used to apply a light mist directly to the fly-infested sections of the animal. (Do not wet the hide.) Do not exceed two fluid ounces per animal.

U.S.D.A, Reg. No. 499-126

FOR MOST EFFECTIVE CONTROL of Flies, apply to animal every morning.

8 107**9**

J 7.7.

JAN28 1972

UNITED TO A LIBERT TO A LIBERT