



barn fogger

DIRECTIONS

BARN USE Walk behind animals and direct fog over backs allowing approximately 1 second per animal. For most effective results, apply each morning.

ANIMAL USE From approximately about 2 feet distance, thoroughly fog entire animal as it is being released to pasture. Spot treat withers, shoulders and back where saliva accumulates from head tossing.

MILKING PARLOR AND MILK ROOM Close all windows and doors. Fog at the rate of 1 to 2 seconds per 1000 cubic feet. If rooms cannot be closed tight, double the dosage.

WARNING:

Cover milking utensils and milk to prevent contamination from fog and dead or falling insects. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposed to 180° temperatures above 120° may cause bursting. Never blow into face or to fire or incinerator. Avoid contact with skin.



Stand in middle of room. Direct fog upward and fog in all directions. Seconds may be counted by saying one thousand, two thousand, etc. Keep room closed for 15 minutes after treatment. Example: A room 20-foot long, 12 feet wide and 8 feet high requires 2 seconds if closed tight; 1 second if not.

FOR HOME USE To kill roaches, spiders, silverfish, wasps, thoroughly fog insects and all possible hiding places such as cracks, baseboards, sinks, cabinets and shelves. Repeat treatment when necessary. Remove pets, birds and cover fish aquariums before fogging.

Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when the facility is not in operation. Avoid breathing of vapor. PRODUCT CODE: 05 0250

SPECIFICATIONS

- Flash Point None CSMA flammability test method
- Explosive Point None CSMA explosive test method
- Dielectric: 30

Manufactured by Whitcomb Research Laboratories, Inc., St. Louis, Mo. 63122

Whitcomb

barn fogger

KILLS HOUSE FLIES, HORN FLIES, STABLE FLIES, GNATS AND ROACHES

FOR ANIMALS AND MILK HOUSES

INGREDIENTS

ACTIVE
 Pyrethrins I & II 500%
 Technical Piperonyl Butoxide 4000%

INERT 95.50%

*Equivalent to 3.2% (Butylcarbityl) (6 Propylpiperonyl Ether and 8% of Related Compounds)

EPA Reg No 499 128AA
 EPA Est No 499 MO 1

NET WEIGHT 2½ LBS.

WARNING: Keep out of reach of children, see side panel for additional warnings

BEST AVAILABLE COPY