

REV 5/74 LABEL #18-6200



WASPS With valve nozzle pointed toward nest, at a distance of 6 to 8 feet, spray until nest and wasps are contacted.

YELLOW JACKETS & BEES Locate underground nest. Depress valve and spray with a sweeping motion any stimulated or stirred-up insects around nest opening. Afterwards, move forward to nest opening and spray liquid from 6 to 8 seconds directly into nest hole. This will suffocate bees in nest; other bees trying to return to nest will be repelled and will fly around and away harmlessly.

HORNETS From 6 to 8 feet away, spray directly into nest openings. Make sure entire nest and all hornets are contacted.

SPIDERS Spray directly on spiders and web.
To prevent falling insects from falling on skin and clothing, do not stand directly under nest being sprayed.

GUARANTEE: EFFECTIVE FOR PURPOSES CLAIMED
ACTIVE INGREDIENTS

Methylene Chloride	11.00%	Rotenone	.12%
Perchloroethylene*	32.00%	Other Related Cube Resins	.28%
Trichloromonofluoromethane	20.00%	Dichlorodifluoromethane	27.00%
Pyrethrins I & II	.05%	Petroleum Distillate	13.75%
		Pine Oil	2.80%
			100.00%


***Tetrachloroethylene**

CAUTION
Avoid contact with skin and eyes. If contacted, wash with soap and water. Avoid breathing vapor or spray mist. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

DISTRIBUTED BY:



Manufactured by Whitnire Research Laboratories, Inc., St. Louis, Mo. 63122 E.P.A. Est. No. 499-MO-1



Flash Point...None to 230°C F.
Fire Point...None to 230°F.



product shown by:
10 lb/gal

FEB 13 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticides registered under EPA Reg. No. **499-131**

BEST AVAILABLE COPY

pm 18

499-131

WASPS & BEES Sweeping motion only stimulated or stirred up insects around nest opening. Afterwards, move forward to nest opening and spray liquid from 6 to 8 seconds directly into nest hole. This will suffocate bees in nest; other bees trying to return to nest will be repelled and will fly around and away harmlessly.

HORNETS From 6 to 8 feet away, spray directly into nest openings. Make sure entire nest and all hornets are contacted.

SPIDERS Spray directly on spiders and web.
To prevent falling insects from falling on skin and clothing, do not stand directly under nest being sprayed.

GUARANTEE: EFFECTIVE FOR PURPOSES CLAIMED

ACTIVE INGREDIENTS

Methylene Chloride	11.00%	Rotenone	.12%
Perchloroethylene*	32.00%	Other Related Cube Resins	.28%
Trichloromonofluoromethane	20.00%	Dichlorodifluoromethane	20.00%
Pyrethrins I & II	.05%	Petroleum Distillate	13.75%
*Tetrachloroethylene		Pine Oil	2.80%
			<hr/>
			100.00%

CAUTION

Avoid contact with skin and eyes. If contacted, wash with soap and water. Avoid breathing vapor or spray mist. Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperature above 130° Fahrenheit may cause bursting. Never throw container into fire or incinerator.

DISTRIBUTED BY:



MSA

MAR 2 1976

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under 40 CFR 156.1

Manufactured by Whitmire Research Laboratories, Inc., St. Louis, Mo.