

Label #15-2150 Rev 27



# PT<sup>®</sup> 150 Pyrethrins I & II Flushing & Contact Kill

FOR PROFESSIONAL USE



## CRACK AND CREVICE INJECTION USE ONLY

### DIRECTIONS FOR USE

For a complete list of pests controlled by this product, see the label on the container.

### HOW TO USE WHITMIRE CRACK AND CREVICE INJECTION EQUIPMENT:

Whitmire PT 150 for use only with injection tube and no mixing. Use in cracks and crevices where insects may be hiding, living and breeding. Place injection tube into cracks and crevices, flush a 100% solution of product where the problem may be a problem. Repeat application as needed. Spray per spot. If necessary, intentionally place spots approximately 1 foot apart. Do not use injection work where spot application is not advised. See the additional directions below for effective control of specified insects.

**CRAWL INSECTS: COCKROACHES, WATERBUGS, SPIDERS, FLEAS, EARWIGS, SILVERFISH, SCORPIONS, MILLIPEDES.** Spray into and around cracks and crevices, door and window openings around pipes and sinks, under refrigerator, behind baseboards, coffee makers, telephones and manholes. Spray directly into cracks and crevices where possible. Repeat as necessary.

**SILVERFISH.** Spray cracks and crevices in basements, door frames, baseboards and storage areas. Spray directly on insects in these situations where possible. Repeat as necessary.

**ANTS.** Spray into trails, nests, and points of entry around door, windows, structural cracks and crevices. Spray directly on insects in these situations where possible. Repeat as necessary.

**GRANARY WEEVILS, FLOUR BEETLES, STOREHOUSE BEETLES.** Exposed adult and larvae. Treat containers as many insects as possible when using treated baseboards, door frames and other wall voids around windows and door frames, machinery, and in bulk storage areas. Repeat as necessary.

### PRECAUTIONARY STATEMENTS • WARNING

**Hazards to humans and domestic animals.** Avoid inhalation of spray mist. Avoid contact with skin and eyes. Do not treat where spray may go into fish tank pumps.

In hospitals, remove patients from rooms prior to treatment. Keep rooms vacated for minimum of two hours and ventilate before patients are returned.

Food processing areas of food plants. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment, or thoroughly cleaned before using. When using product for service work in these areas, apply only when the facility is not in operation. Careful crack and crevice application for inspection purposes is permissible at all times.

**Physical or Chemical Hazards.** Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.

Do not spray on plastic, painted or varnished surfaces.

**DISPOSAL:** Do not reuse empty container. Wrap container and put in trash collection.

BEST DOCUMENT AVAILABLE

WHITMIRE RESEARCH LABORATORIES, INC., St. Louis, Mo. 63107

# PT<sup>®</sup> 150 Pyrethrum

## Flushing & Contact Kill Crack & Crevice<sup>®</sup> Injection System

**USES:** Fleas, Fleas, Spiders, Waterbugs, Ants, Silverfish, Granary Weevils, Flour Beetles, Drug Store Beetles, Exposed adult and larval stages, Fleas, Crickets, Millipedes, Silverfish.

Use in hospitals, supermarkets, hotels, homes, homes, transportation equipment, food plants, food processing plants, food packaging, food processing plants, food processing plants, food processing plants, food processing plants.

**ACTIVE INGREDIENTS:**  
Pyrethrins I & II .250%  
Technical Piperonyl Butoxide .250%

**INERT INGREDIENTS:** 99.500%  
Equivalent to 2% (Butyl arbutyl)  
(6 Propylperonyl Ether and  
5 Other Related Compounds

E.P.A. Reg. No. 499-148 AA

EPA Est. 499 MO 1

**WARNING:** Keep out of reach of children.  
See side panel for additional cautions.

NET WEIGHT 1 LB. 4 OZS.