


Label No. 10-2151 Rev. 1/89

AERO-TERM INDUSTRIAL INSECTICIDE



STORAGE AND DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

Container Disposal: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

DIRECTIONS

FLYING INSECTS: Flies, Mosquitoes, Bees, Wasps, Flying Moths, Fruit Flies. Close all windows and doors, and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.

MUD DAUBER AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 foot distance. These bees contacted will fly away from fog.

WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES in exposed adult and larval stages: Contact as many insects as possible when treating infested areas such as cracks, crevices, packaged store products, machinery, dark secluded areas. Spray for 10 to 20 seconds per 100 square feet of floor space. Repeat weekly or as insects appear.

FLEAS in buildings: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, and chair surfaces are contacted. Repeat treatments after 7 days.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVER-FISH, CRICKETS: Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes, etc. Repeat all treatments as necessary.

PRECAUTIONARY STATEMENTS-CAUTION

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Do not remain in treated areas. Ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or food feeds. Remove all pets and birds. Cover fish tanks or remove before spraying.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. **Food Processing Areas of Food Plants:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

PHYSICAL or CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130 F. may cause bursting.

Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

MFG FOR Terminix International, Inc. Memphis, Tennessee 38117

BEST AVAILABLE COPY



TERMITES and PEST CONTROL

AERO TERM

HIGHLY CONCENTRATED INDUSTRIAL INSECTICIDE

A heavy duty, commercial formula insecticide for use in hospitals, restaurants, food plants, supermarkets, motels, hotels, utilities and residences.

ACTIVE INGREDIENTS	
Pyrethrins I & II	700%
** Technical Piperonyl Butoxide	1 000%
Rotenoids and other Cube Resins	067%
Rotenone	033%
Butoxypropylene Glycol	4 000%

INERT INGREDIENTS 94.20%

**Equivalent to 8% (Butylcarbamyl) (5 Propylpiperonyl) Ether and 2% of related compounds

CAUTION

Keep Out of Reach of Children

See other cautions on side panel.

NET WEIGHT 1 LB. 12 OZ.

EPA Reg. No. 499-151-1027-AB EPA Est. No. 406-MC-1

DOF 7808