

LABEL NO 18-2260 REV 4/86



PT* 260 Diazinon* Residual

CRACK AND CREVICE INJECTION USE ONLY

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITMIRE CRACK AND CREVICE INJECTION EQUIPMENT:

Do not use as a space spray. Whitmire's PT 260 Residual is for use only with injection tube and for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injector tip 1/4" into cracks, crevices, holes and other small openings where insects may be a problem. Release approx. 1 second spray per spot. In serious infestation, if possible, place spots approx. 12" apart. In light infestation or preventive treatment place spots approx. 3 feet apart. See the additional directions below for effective control of specified insects.

CRAWLING INSECTS: COCKROACHES, WATERBUGS, SPIDERS, TICKS, EARWIGS, CRICKETS, SOWBUGS, MILLIPEDES, CENTIPEDES. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

BOOKLICE & SILVERFISH: Spray cracks and crevices in baseboards, door frames, bookcases and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, DRUG STORE BEETLES (in exposed adult and larvae stages) and hibernating stages of **BOXELDER BUGS, ELMLEAF BEETLES, CLUSTER FLIES and CLOVER MITES.** Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, around windows and door frames, under siding, in machinery, and in dark secluded areas. Repeat as necessary.

Localized treatment of wood-destroying insects: **CARPENTER ANTS, CARPENTER BEES.** Locate source of infestation. Inject 5-10 seconds spray into insect tunnels and cavities. For Carpenter Bees, seal entrance openings with small pieces of stainless steel wool after spray application.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS — Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY — Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

STORAGE AND DISPOSAL:

Storage: Store in a cool dry place away from heat or open flame and inaccessible to children. Do not store above 130°F.

Container Disposal: Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

Pesticide Disposal: Securely wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENT — Hazards to Humans and Domestic Animals

WARNING
May cause irritation. Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray; first and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing.

Wash thoroughly after using and before smoking or eating.
Avoid contamination of food, utensils, and food preparation areas.

Keep children and pets off treated areas until spray has dried.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams, or ponds. Apply this product only as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

© 1986 Whitmire Research Laboratories, Inc.

BEST AVAILABLE COPY



PT* 260 Diazinon*

Residual Crack & Crevice* Injection System

KILLS: Cockroaches, Waterbugs, Spiders, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes, Booklice, Silverfish, Ants, Boxelder Bugs, Elmleaf Beetles, Clover Mites, Cluster Flies, Carpenter Ants, and Carpenter Bees, and aids in control of exposed stages of Grain Weevils, Flour Beetles, Chocolate Moths and Drug Store Beetles which come in contact with treated surfaces.

For use in hospitals, supermarkets, motels, hotels, homes, transportation equipment (buses, boats, ships, trains, planes), utilities, meat packing and food processing plants, food storage areas, and restaurants and other food handling establishments.

Authorized by USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENT:

O, O-Diethyl O-(2-Isopropyl-6-methyl

4-pyrimidinyl) phosphorothioate 10%

INERT INGREDIENTS: 99.0%

*DIAZINON is Reg. TM Ciba-Geigy Corp.

ACCEPTED

NOV 17 1987

This product contains the toxic Federal Insecticide, Fungicide, and Rodenticide Act ingredient.

E.P.A. Reg. No. 499-156-ZA EPA Est. No. 499-156

of approved for the pesticide under EPA Reg. No.

Nov 17 1987

This product contains the toxic Federal Insecticide, Fungicide, and Rodenticide Act ingredient.

E.P.A. Reg. No. 499-156-ZA EPA Est. No. 499-156

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL TREATMENT:

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled: Remove patient to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If in eyes: Flush eyes with plenty of water. Get medical attention immediately.

Note to physician: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements.

NET WEIGHT: 1 LB. 10 OZ.



RESEARCH LABORATORIES, INC.
3688 TREE COURT INDUSTRIAL BOULEVARD / SAINT LOUIS, MISSOURI 63122

Page 131