

Best Available copy

499-160

Whitmore

Resmethrin Aerosol Generator

Whitmore

27 JUN 1979

DIRECTIONS FOR USE

General Volumetric Treatment

Flying Insects: Flies, mosquitoes, gnats, small flying moths. All occupants must be removed from house or building before treatment. Close all windows and doors, and direct spray upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Sweep up and destroy fallen insects. Repeat treatment as necessary.

Crawling Insects: Roaches, spiders. All occupants must be removed from the house or building before treatment is started and should not re-enter for a minimum of 1 hour after treatment. Open cabinets and doors in areas to be treated; shut off air conditioner fans, and close doors and windows before spraying. Spray at the rate of 10 seconds per 1000 cubic feet. Direct spray toward area suspected of harboring the greatest insect infestations. Special attention should be given to areas in proximity to sinks, stoves, refrigerators, and food storage areas. Disperse in all locations contacting as many insects as possible. For spiders, treatment should include repeated application to the pest and webbing and to all cracks and crevices which harbor these pests. Keep area closed for 1 hour. Open and ventilate before reoccupying. Sweep up dead insects and destroy. Repeat treatment as necessary.

PT[®] 110 Resmethrin

Do not use in inaccessible voids

PRECAUTIONARY STATEMENTS • WARNING

Human and Domestic Animals: Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. If in contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not use on water, food, or food-stuffs. Remove all pets. Cover fish tanks or remove. During any general volumetric treatment, wear a pesticide respirator jointly approved by the Occupational Safety and Health Administration (formerly the U. S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Hazards: This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label. Areas of Food Plants: Foods should be removed or covered during treatment. All food processing equipment should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, the plant is not in operation. Chemical Hazards: Contents under pressure. Do not puncture or incinerate container. Do not use or store near open flame. Exposure to temperatures above 130 °F may cause bursting.

Research Laboratories, Inc., St. Louis MO 63122

FOR INFORMATION ONLY
Resmethrin is a registered trademark of
Whitmore Research Laboratories, Inc.
St. Louis, Missouri 63122
1000%
499-160
499-MO
WARNING: Read label carefully
See also...

06/27/1979

11