[499-169]

P. C. A

DIRECTIONS

FLYING INSECTS: Flies, Mosquitoes, Gnats, Wasps, Flying Moths, Fruit Flies. Close all windows and doors, and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH: Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers. meter boxes, manholes, etc. Repeat all treatments as necessary.

SPECIFICATIONS

Flash Point: None. CSMA flammability test method. Explosive Point: None. CSMA explosive test method. Dielectric: 30.

WARNING

Contains insecticide under pressure. Do not remain in treated areas and ventilate the area after treatment is completed. Harmful if swallowed. Avoid breathing spray mist, Avoid contact with skin. Do not expose to temperatures above 130°F. Hold dispenser three feet away from object being sprayed to avoid possible staining. Cover foodstuffs and eating utensils to protect from spray and dead or falling insects. **Harmful Harmful** Cylinder not refillable. Do not recharge. Discard exhausted cylinder in safe place Do not throw in fire. Use as a space spray in food proc a ng plants only when plant is not in operation.

EPA Est. 499-MO-1

Manufactured by WHITMIRE RESEARCH LABORATORIES, INC. St. Louis. Missouri 63122

