FRONT PANEL:

WHITMIRE PT® 1200 Resmethrin Aerosol Generator for Greenhouse ACCEPTED

2/3/86

MAY 8 1986

United Act.

For the Act.

Particular and the posterior

EPA Reg. No. 44/9-180

KILLS: Ants, Aphids, Armyworms, Boxelder Bugs, Cankerworms, Centipedes, Citrus Insects, Cockroaches, Crickets, Firebrats, Fungus Gnats, Inchworms, Lacebugs, Leaf Beetles, Leafhoppers, Leafrollers, Mealy Bugs, Mexican Bean Beetles, Millipedes, Mosquitoes, Plant Bugs, Rose Slugs, Scales, Sow Bugs, Spider Mites, Spiders, Spittlebugs, Thrips, Weevils and Whiteflies

On Plants: African Violet, Ageratum, Aluminum Plant, Amaranths, Arrowhead Vine, Aster, Azalea, Baby's Tears, Begonia, Black-eyed Susan, Bridal Veil, Broadleaf Acacia, Browallia, Caenothus, Calendula, Camellia, Carnations, Christmas Cactus, Chrysanthemum, Coleus, Crassula, Cyclamen, Dahlia, Daisy, Daphne, Dieffenbachia, Dracaena, Dumbcane, Easter Lily, Fatshedera, Ferns (Asparagus, Boston, Plumosa, Sword), Ficus, Friendship Plant, Fuchia, Gardenia, Geranium, Gloxinia, Heliotrope, Hibiscus, Hoya, Ice Plent, Impatiens, Inch Plant, Ivy (English, German, Grape, Swedish), Jade, Marigold, Moses in Cradle, Nasturtium, Nephytis, Oxalis, Palms (Areca, Neathe Bella), Pansy, Peperomia, Petunia, Philodendron, Piggy-back Plant, Prayer Plant, Primrose, Purple Waffles, Reiger Begonia, Roses, Rubber Plant, Salvia, Sedum, Shamrock, Snake Plant, Snapdragon, Spider Plant, Star of Bethlehem, Tahitian Bridal Veil, Verbena, Wandering Jew, Wax Begonia, Wax Plant, Zebra Plant and Zinna

Active Ingredients:

*Cis/Trans isomers ratio: max 30% (+/-) cis and min. 70% (+/-) trans

EPA Reg. No. 499-180 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated. DO NOT INDUCE VOMITING, vomiting may cause aspiration pneumonia.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with noap and water.

See side panel for additional precautionary statements.

NET WEIGHT:

Back Panel:

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed, inhaled, or aborbed through skin. Avoid inhalation of spray mist. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, food stuffs or feed. Remove all pets. Cover fish tanks or remove. Do not remain in treated area and ventilate area after treatment is completed,

NOTICE TO APPLICATOR: When spraying large greenhouse ranges or when subject to extended inhalation exposure wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part II.

Environmental Hazards: This product is toxic to fish. Keep out of lakes. streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Special Notice: Good greenhouse management must overrule the use of PT 1200 when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use PT 1200 in greenhouses with unvented or defective gas heating systems or when open combustion exists.

Additional Warnings: Before treating large areas of plants not listed on the . front panel spray a few plants and observe several days for plant sensitivity or damage.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDOORS (Ornamental Plants)

Greenhouse preapplication directions: For best results, apply during early evening when foliage is dry and temperature is between 60°-85°F. Shut off all exhaust fans and close all windows, doors and ventilators. Keep greenhouse closed 2-4 hours, preferably overnight following treatment. All human occupants and pets should be removed before treatment. Building should be ventilated before reentry.

APPLICATION DIRECTIONS

Dosage: Apply 5-10 seconds per 100 square feet.

Light Infested Areas

Heavy Infested Areas

GRAPHIC_

CRAPHIC

Spray direction path 5 seconds per 100 sq. ft.

Spray direction Serpentine path 10 seconds per 100 sq. ft.

Back Panel (cont.):

Dosage based on 2 foot high plants. Lower or higher dosage should be given based on height of foliage.

Hold contailer lower than foliage and angle spray upward so that the spray particles are driven under the plant leaves. Move container in a fast sweeping motion to provide maximum coverage maintaining a distance of 24 inches away from foliage. Repeat application weekly for four weeks or longer if needed.

Total Release Directions (For 1 lb. size only)

One 1 1b. unit covers 3,000 square feet.

Refer to Supplemental Label for Total Release application of the 1 lb. size of PT 1200.

Storage and Disposal: Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry place away from heat or open flame.

Pesticide Disposal: Pesticides that cannot be used according to label instructions must be disposed of according to applicable Federal, state or local procedures.

Container Disposal: Replace cap and discard empty container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

Copyright, 1986 Whitmire Research Laboratories, Inc. St. Louis, MO 63122

•

*

، تيان