

### SANITATION

This is the first step and most important of any insect control program. Clean up all spilled foods, garbage. Clean all surfaces. Scrub garbage cans so they do not give off odors (gases) that attract insects.

# DIRECTIONS

FLYING INSECTS: Flies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet Disperse in all locations. Keep area closed for 15 minutes.

MUD DAUBER AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 foot distance. These bees contacted will fly away from fog.

Under ise Fordered inso wither, GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUGPonsieide, one fictentics a New STORE BEETLES in exposed adult and larvae stages: Contact as many insects as pdst/e minuded, " I the perint we sible when treating infested areas such as cracks, crevices, stored products requered under machinery, and dark secluded areas. For Carpet Beetles, treat infested area of carpets <u>E.E.A. Reg.</u> <u>No.</u> <u>199-183</u> localized areas of floors, baseboards, and into cracks and under carpets where these

JUN

8

pests may be found. Spray 10 to 20 seconds per 1000 square feet of floor space. Repeat treatment weekly or as insects appear.

FLEAS in buildings; Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, and chair surfaces are contacted. Repeat treatments after 7 davs.

ROACHES, SPIDERS, WATERBUGS, ANTS, SILVERFISH, CRICKETS; Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes, Repeat all treatments as necessary.

# **CRACK AND CREVICE APPLICATION**

For direct spray into cracks and crevices, use Whitmire Crack and Crevice Equipment.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

# **PRECAUTIONARY STATEMENTS • WARNING** Hazards to Humans and Domestic Animals

Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food, or food stuffs, Remove all pets and birds, Cover fish tanks or remove before spraving.

### Environmental Hazards

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Poor Processing Areas Of Food Plants, Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product in these areas, apply only when plant is not in operation.

### Physical or Chemical Hazards

Contents under pressure. Bo not puncture or incinerate container. Do not use or store near-heat or open hame. Exposure to temperatures above 130°F, may cause bursting.

# **PT** 565 CEPTED Pyrethrum

HAR PROFESSIONAL USE

Mhitmirê.

Yelevis (Netragalistans) Southern and the second -แจ้ะชุมสายมากี่" เกล่าสายไ REF DISTRIBUTED

lasteret + ararata

E Fred High Mile Albertary of E FALL PER ME AND AN

where the case of the is a deferred and the second se THE HER MINES AN TRAFFIC HER LINE STATE

NET HIGHER AND TH

2565-H 18-1 R Label თ 4 Rev.

499-182