

Reviewed. Product of Whitmire Research Laboratories, Inc. St. Louis, MO 63122

1990-11-17 PM 17 1-30-90

1041



PT[®] 565 Pyrethrum Insect Fogger

SANITATION

This is the first step and most important of any insect control program. Clean up all spilled foods, garbage. Clean all surfaces. Scrub garbage cans so they do not give off odors (gases) that attract insects.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.
Storage: Store in a cool area away from heat or open flame.
Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.
Container Disposal: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.
FLYING INSECTS: Flies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.
MUD DAUBER AND WASP NESTS: Spray mist directly on insects and their nests from approximately 2 foot distance. These bees contacted will fly away from fog.
GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOths, CARPET BEETLES, DRUG STORE BEE TLES in exposed adult and larvae stages. Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, and dark secluded areas. For Carpet Beetles, treat infested area of carpets, localized areas of floors, baseboards, and into cracks and under carpets where these pests may be found. Spray 10 to 20 seconds per 1000 square feet of floor space. Repeat treatment weekly or as insects appear.
FLEAS in buildings: Close windows and doors. Hold aerosol 36" above floor and direct fog toward floor and lower walls at a rate of 10 seconds per 100 square feet, making sure that all floor, sofa, and chair surfaces are contacted. Repeat treatments after 7 days.
HOACHES, SPIDERS, WATERBUGS, ANTS, SILVERISH, CRICKETS: Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, man holes. Repeat all treatments as necessary.

CRACK AND CREVICE APPLICATION

For direct spray into cracks and crevices, use Whitmire Crack and Crevice Equipment.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals CAUTION

Harmful if swallowed or absorbed through skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact, flush eyes or skin with plenty of water. Obtain medical attention if irritation persists.
Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. When using this product as a space spray in food areas, do not apply while food processing is under way. Except in federally inspected meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelves, etc. where exposed food will be handled. All food processing surfaces and utensils should be covered during treatment or thoroughly washed before use.
Remove pets and birds, and cover fish aquariums before spraying.
In hospitals, remove patients from rooms prior to treatment. Keep rooms vacated for minimum of two hours and ventilate before patients are returned.

Environmental Hazards

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.
Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

MAY BE RESOLD



PT[®] 565 Pyrethrum

Insect Fogger

ACTIVE INGREDIENTS:	
Pyrethrins	500%
Technical Piperonyl Butoxide	1,000%
N-octyl bicycloheptene dicarboximide	1,000%

INERT INGREDIENTS: 97.50%
Equivalent to 0.8% (Butylcarbitol), 0.6% Propylpiperonyl Ether, and 0.2% of Related Compounds

E.P.A. REG. NO. 499-182 ZA
E.P.A. EST. NO. 499-MO-1

A heavy duty, commercial formula insecticide for use in hospitals, restaurants, food plants, supermarkets, motels, homes, hotels, utilities.

Authorized by USDA for use in federally inspected meat and poultry plants.

**KEEP OUT OF REACH OF CHILDREN.
CAUTION:**

See side panel for additional precautionary statements

NET WEIGHT 18 OZ.

CABE, NC 16 2564 REV 1/84

Manufactured by Whitmire Research Laboratories, Inc. St. Louis, MO 63122