PH 17 499--01 PK 11 4

37 25

NOV 3 9 1999

Mr. Michael G. Sarli Whitmire Research Laboratories, Inc. 3568 Tree Court Industrial Boulevard St. Louis, MO 63122

Dear Mr. Sarli:

Subject: Whitmire Regulator PT 411

EPA Registration No. 499-267

Your Application Dated May 21, 1990

The amendment referred to above, submitted in connection with registration under the Pederal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

The additional brand name listed below is acceptable under this registration. The labels must be identical with the basic label except for brand names.

Additional Brand Name

Whitmire PT® 2100 Total Release Aerosol Generator

Sincerely yours,

Phil Hutton

Product Manager (17)

Insecticide-Rodenticide Branch Registration Division (H7505C)

Enclosure

52344:A-4:Hollis:L17-1:KENCO:11/16/90:12/15/90:DD:ek:de

CONCURRENCES

SYMBOL

BURNAME

DATE

EPA Form 1320-1 (12-70)

OFFICIAL FILE COPY

FRONT PANEL

Whitmire PT® 2100

Total Release Insect Growth Regulator Aerosol Generator

For Use In: Garden Centers, Greenhouses, Hobby Greenhouses, Interiorscapes, Landscapes and Nurseries

Controls: Aphids, Caterpillars, Cutworms, Leafminers, Mealybugs, Mites, Scale, Thrips, Weevils and Whiteflies.

(6 oz. size only) Prevents development of immature fleas for up to six months in apartments, homes, hotels, motels, nursing homes, schools and warehouses.

ACTIVE INGREDIENTS:

EPA Reg. No. 499-267

EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CAILDREN

CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated. DO NOT INDUCE VOMITING, vomiting may cause aspiration pneumonia.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with sear and water.

See side panel for additional precautionary statements.

Net Wt. 16 oz.

Side Panel:

PT® 2100 Total Release Insecticide Aerosol Generator

PRECAUTIONARY STATEMENTS

CAUTION

RAZARDS TO HUMANS AND DOMESTIC ANIMALS: May be harmful if swallowed, inhaled, or absorbed through skin. Avoid inhalation of vapor. Avoid contact with skin, eyes or clothing. Remove pets and birds and cover or remove aquariums before use. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared, processed or stored. Wash thoroughly after using and before smoking or eating. Do not remain in treated area and ventilate area after treatment is completed.

REVIRORMENTAL HAZARDS: This product is toxic to fish and aquatic invertebrates. Do not apply directly to water. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

SPECIAL NOTE: Good greenhouse management must overrule the use of PT® 2100 when any conditions might be created by tightly closing greenhouses that would harm plant foliage or flowers. Example: Creation of high temperatures or humidity conditions. Do not use PT® 2100 in greenhouses with unvented or defective gas heating systems or when open combustion exists.

ADDITIONAL PRECAUTIONS: Contents of container must be at room temperature before ...
use. Therefore, cans must be stored at room temperature (above 65°F) for 24 hours before application. Make sure spray is unobstructed above units by foliage or other physical objects in order to obtain maximum distribution of fog. ...

This product has been tested on a wide variety of plants and in our opinion has demonstrated excellent plant safety. However, not all varieties or strains of the plants listed have been tested. Unintentional consequences such as crop injury or ineffectiveness may result because of certain environmental or growing conditions, manner of use or application, and insect resistance. Therefore, before treating as a large number of plants, spray a few plants and observe for plant damage and for performance prior to full scale application. All risks shall be assumed by the user.