

PMIT 499-184 1 20-71

REGISTERED FOR USE AGAINST THE FOLLOWING INSECTS WHICH USED ACCORDING TO LABEL INSTRUCTIONS:

Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Roaches, Rice Weevil, Yellow Meal Worm, Cadelle, Angoumois Grain Moth, Mediterranean Flour Moth, Flea, Mosquitoes, Gnats, Rust Red Flour Beetles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles, Silverfish, Waterbugs, Fleas.

DIRECTIONS IN PESSARY EQUIPMENT AND HAND SPRAYERS

To KILL Accessible Stages of "Insects Infesting Dried Fruit Products in Storage or Being Processed Close rooms or warehouses and shut off all ventilation systems. Dispense this product as a fine mist in the air above trays or shelves of dried fruit. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Do not apply to fruit directly. If overhead sprayers are used, be sure that the spray is discharged from a position of at least 6 feet over the top trays of fruit. Use a dosage of 1 gallon of this spray per 50,000 cubic feet of room space. Repeat applications at this dosage in any given month. More than ten applications may also be made if this spray is diluted with more petroleum distillate, so that the pyrethrins and synergists in the final spray are reduced proportionately. Do not remain in treated areas. Ventilate the area after treatment is completed. Maximum dilution is 1 part PT 580 plus 8 parts oil.

*Indian Meal Moth, Dried Fruit Beetle, Confused Flour Beetle, Saw-toothed Grain Beetle and Roaches.

To KILL the Adult and Accessible Forms of "Insect Pests of Stored Food (Shipped in Mulberry Paper Bags or in Cloth Bags) in Warehouses, Storage Rooms and Similar Locations: Close room or warehouse and shut off all ventilation systems. Use a spraying device similar to the Microsol machine, or use fixed ceiling sprayers that produce a very fine spray. Use a dosage of one fluid ounce of this spray per 1000 cubic foot of room space. Do not remain in treated areas. Ventilate the area after treatment is completed. Repeat applications as necessary for insect control.

**Rice Weevil, Yellow Meal Worm, Cadelle, Confused Flour Beetle, Saw-Toothed Grain Beetle, Angoumois Grain Moth, Mediterranean Flour Moth and Indian Meal Moth.

To KILL Fleas, Mosquitoes and Gnats: Close room and discharge spray mist as described above. Use a dosage of $\frac{1}{2}$ to 1 fluid ounce per 1000 cubic feet of room space. Leave room closed for at least ten minutes. Sweep up and destroy fallen insects. Repeat as necessary for control. Do not remain in treated areas. Ventilate the area after treatment is completed.

IN PRESSED TANK SPRAYERS FOR WETTING CONTACT SPRAYS:

As a Surface Spray to Kill the Accessible Stages of Granary Insects: Rice Weevils, Confused Flour Beetles, Rust Red Flour Beetles, Saw-Toothed Grain Beetles, Cadelles, Meal Moth Larvae and Adults, Cigarette Beetles, Drug Store Beetles and Granary Weevils. Apply a coarse, wet spray to all areas infested by these insects. Use a dosage of 1 gallon per 1000 square feet. Pay particular attention to cracks and crevices in floor, walls and ceilings. Spray thoroughly around and into floor drains, conveyors and other areas where granary insects may be found. Do not apply this spray to surfaces that may come in contact with food; excessive residues in food may result.

To KILL Roaches, Silverfish, Waterbugs, Ants, Spiders, Cockroaches, Centipedes and Bedbugs in Sheltered Situations: Apply this spray with a sprayer that produces coarse, wetting droplets into all cracks and crevices in woodwork, floors, underneath sinks, areas behind pipes, and in all places where these insects shelter. Contact as many insects as possible. Repeat as necessary for control. Do not allow spray to contact any stored food.

To KILL Fleas (Infesting Premises): Remove and destroy animal's bedding and spray sleeping quarters freely, forcing the spray into all crevices in the floor and about the room. Repeat when re-infested.

CAUTIONS

Harmful if employed. Do not apply directly to food. Cover or remove all food and food processing equipment during application. Do not apply space sprays while food processing is underway and processing operations do not have to be stopped while applying a wet spray with care and in accordance with the directions and cautions above. After spraying, in packinghouses, bakeries and other food processing plants, wash with potable water all equipment, utensils, clothing, etc., where exposed food will be handled.

Remove pets and cover fish bowls before spraying.

Do not re-use empty containers. Destroy when empty and discard in a safe place.

Keep container closed. Do not pour. Steamer spill near heat or open flame.

**BEST AVAILABLE COPY**WHITEHORN RESEARCH LABS., INC.
1000 N. 10th Street, Milwaukee, Wisconsin 53202
Telephone: 414-273-1111

PRODUCT CODE 02-0680

**PREScription
TREATMENT****No. 580****LIQUID****Insecticide Pyrethrum Spray
WITH DUAL ACTIVATORS****ACTIVE INGREDIENTS**

Pyrethrins	50%
*Piperonyl butoxide, technical	1.00%
**N-acetyl bicycloheptene dicarboximide	1.67%
Inert Ingredients	96.31%
*Equivalent to 50% (butylcarbitol) (6-propylpiperonyl) ether and 20% related compounds.	
**MGK 264, Insecticide Synergist.	

E.P.A. Reg. No. 400-100-AM E.P.A. Std. No. 400-MD-1

A ready to use industrial strength oil base insect spray designed especially for Restaurants, Hospitals, Homes, Food Plants, Flour Mills, Food Storage Warehouses, Motels, Hotels, Supermarkets, Utilities, Institutions, Canneries, Bakeries, Creameries, Cheese Factories, Peanut Mills, Bottling Plants, and other Industrial establishments.

NOTE: This spray when applied per label directions and cautions conforms with Food Additive Regulations 121.1074, 121.1075 and 121.1206 and the food additive tolerances established thereunder.

ENVIRONMENTAL CAUTIONS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

CAUTION: Keep out of reach of children.
See side panel for additional cautions.

:NET: 16 FL. OZ.**ACCEPTED****: SEP 23 1975**

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 499-194