

Reviewed. Product...

Rev. 4/79 Label No. 18-2566-F



PT[®] 565F Pyrethrum



Insect Fogger With Dual Activators

SANITATION

This is the first step and most important of any insect control program
Clean up all spilled foods, garbage. Clean all surfaces. Scrub garbage cans so they do not give off odors (gases) that attract insects.

PT[®] 565F Pyrethrum

DIRECTIONS

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Flying Insects: Houseflies, Mosquitoes, Gnats, Wasps, Small Flying Moths, Fruit Flies. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.

Med Bees and Wasp Nests: Spray mist directly on insects and their nests from approximately 2 foot distance. These bees contacted will fly away from fog.

Flying Stages of Indian Meal Moth, Chocolate Moth, Mediterranean Flour Moth, Angoumois Grain Moth: Close all doors and windows. Direct spray into all parts of room especially around stored product containers, pallets, and darkened areas. Spray 5 to 1 1/2 seconds for each 1000 cubic feet of space. Keep area closed for 15 minutes following treatment. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

DISPOSAL: Do not reuse empty container. Wrap container and put in trash collection.

PRECAUTIONARY STATEMENTS • CAUTION Hazards to Humans and Domestic Animals

Avoid inhalation. Avoid skin contact. Do not remain in treated areas. Ventilate the area after treatment is completed. Remove pets, birds, and cover fish aquariums before spraying.

- **Food Processing Areas of Food Plants:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using.
- **When using the product in these areas apply only when the facility is not in operation.**

Physical or Chemical Hazards

Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerate.

Whitmore Research Laboratories, Inc., St. Louis, MO 63122

Insect Fogger With Dual Activators

ACTIVE INGREDIENTS:

Pyrethrins500%
Technical Piperonyl Butoxide* 1.000%
N-Octyl bicycloheptene dicarboximide 1.000%

INERT INGREDIENTS

..... 97.500%
Equivalent to 0.8% (Butylcarbitol) (6-Propylpiperonyl) Ether and 0.2% of Related Compounds.

A high pressure aerosol insecticide for flying insect control in non-residential food handling areas of hospitals, restaurants, food plants, supermarkets, motels, hotels, food processing, food storage and food warehouses.

E. P. A. REG. NO. 499-200-AA
E. P. A. EST. NO. 499-MO-1

CAUTION: Keep out of reach of children.
See side panel for additional warnings.

NET WEIGHT 15 LBS.