

Label No. 18-0570 Rev. Date 6/89



PT[®] 555 d-trans Allethrin Insect Fogger



PT[®] 555 d-trans Allethrin

Insect Fogger

SANITATION

This is the first step and most important of any insect control program. Clean up all spilled foods, garbage. Clean all surfaces. Scrub garbage cans so they do not give off odors (gases) that attract insects.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.
FLYING INSECTS: Flies, Mosquitoes, Gnats, Small Flying Moths, Fruit Flies. Close all windows and doors and direct fog upward at a rate of 1 to 3 seconds per 1000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes.
GRAIN WEEVILS, FLOUR BEETLES, CHOCOLATE MOTHS, CARPET BEETLES, DRUG STORE BEETLES in exposed adult and larvae stages. Contact as many insects as possible when treating infested areas such as cracks, crevices, stored products, machinery, and dark secluded areas. For Carpet Beetles, treat infested area of carpets, localized areas of floors, baseboards, and into cracks and under carpets where these pests may be found. Spray 10 to 20 seconds per 1000 square feet of floor space. Repeat treatment weekly or as insects appear.
ANTS, SILVERFISH, CRICKETS. Hold aerosol close to cracks and mist directly into them contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, manholes. Repeat all treatments as necessary.

CRACK AND CREVICE APPLICATION

For direct spray into cracks and crevices, use Whitmore Crack and Crevice Equipment.
ROACHES, WATERBUGS: To flush insects for inspection purposes only, hold aerosol close to cracks and mist directly into them. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes, into wall and equipment voids and into manholes and drains.

PRECAUTIONARY STATEMENTS Hazards to Humans and Domestic Animals

CAUTION

Do not remain in treated areas and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. In case of contact, immediately flush eyes or skin with plenty of water. Get medical attention if irritation persists. Do not contaminate water, food or food stuffs. Remove all pets and birds. Cover fish tanks or remove before spraying.

FOOD PROCESSING AREAS OF FOOD PLANTS. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment and thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Careful crack and crevice application for inspection purposes is permissible at all times.

Environment Hazards

This product is toxic to fish and birds. Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

Physical or Chemical Hazards

Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surfaces, or into any electronic equipment such as radios, televisions, computers, etc.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.
Storage: Store in a cool area away from heat or open flame.
Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.
Container Disposal: Replace cap and discard empty container in trash, sanitary land fill or by other approved state and local procedures. Do not incinerate or puncture.
Manufactured by Whitmore Research Laboratories, Inc., St. Louis, MO 63122

A heavy duty, commercial formula insecticide for use in hospitals, supermarkets, motels, homes, hotels, utilities, transportation equipment (buses, boats, ships, trains, planes), meat packing and food processing plants, food storage areas, restaurants and other food handling establishments, and other industrial and commercial buildings.

Authorized by USDA for use in federally inspected meat and poultry plants.

ACTIVE INGREDIENTS:

d-trans Allethrin	.500%
*Technical Piperonyl Butoxide	4.000%
INERT	95.500%
* Equivalent to 3.2% (Butylcyclohexyl)(6-Propylpiperonyl) Ether and 6% of Related Compounds	

E.P.A. REG. NO. 499-205 E.P.A. EST. NO. 499-MO-1

CAUTION

KEEP OUT OF REACH OF CHILDREN

See side panel for additional precautionary statements.

NET WEIGHT 23 OZ.