

Whitmore

FOR USE WITH SYSTEM III  
OR HAND HELD USE

# Aero-Cide

PT® 3-6-10  
Pyrethrum

PT® 3-6-10 Aero-Cide®

BEST AVAILABLE COPY

### PRECAUTIONARY STATEMENTS

#### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Do not remain in treated area and ventilate the area after treatment is completed. Avoid breathing of vapor. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not contaminate water, food, or feed. Remove all pets and birds. Cover fish tanks or remove before spraying.

**NOTICE TO APLICATOR:** During any general volumetric treatment, wear a pesticide respirator (only approved by the Mining Enforcement and Safety Administration (Formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety & Health under the provisions of 30 CFR Part 11).

**ENVIRONMENTAL HAZARDS**—This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label.

**Food Areas of Feed Handling Establishments:** Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product as a space spray, apply only when plants are not in operation. Except in facilities for packed meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times.

**PHYSICAL OR CHEMICAL HAZARDS**—Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

**DIRECTIONS FOR USE**—It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**STORAGE AND DISPOSAL**—Do not contaminate water, food, or feed by storage or disposal.

**Storage:** Store in a cool area away from heat or open flame.

**Pesticide Disposal:** Pesticides that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

**Container Disposal:** Reseal cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

**GENERAL VOLUMETRIC TREATMENT:** Flying Insects: Flies, Mosquitoes, Gnats, Small Flying Moths, Fruit Flies, Chewing Flies. Close all windows and doors and direct fog toward at a rate of 1 to 3 seconds per 1000 cu. ft. (1/4 to 1/2 seconds per 1000 cu. ft. for 8 lb. & 15 lb. size due to delivery rate) fill room with mist. Disperse in all locations. Keep area closed for 15 min. Sweep up and destroy fallen insects. Repeat treatment as necessary.

**Mud Dauber and Wasp Nests:** Spray nest directly on insects and their nests from approximately 2 ft. distance. Carried insects will fly away from fog. Applications should be made in late evening when insects are at rest. Spray into hiding and breeding places contacting as many insects as possible.

**Carpet Beetles, Drug Store Beetles, Cigarette Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles, Grain Mites in exposed areas and on all surfaces:** Contact as many insects as possible.

Spray into cracks and crevices, processing and handling equipment, around cartons, and containers, and other areas where these insects tend to congregate. Spray 20 seconds per 1000 cu. ft. of space (for 8 lb. & 15 lb. size). Spray 10 seconds per 1000 cu. ft. Repeat treatment weekly or as insects appear. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

**Booklice, Silverfish:** Spray cracks and crevices in baseboards, door frames, bookcases, and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

**Flies in Buildings:** Close windows and doors. Hold aerosol 36" above floor and direct spray toward floor and lower walls at a rate of 10 seconds per 100 sq. ft. making sure that all floor, wall, and chair surfaces are contacted. Repeat treatment after 7 days if necessary.

**Indian Meal Moth, Chocolate Moth, Mediterranean Flour Moth, Angoumois Grain Moth:** Close all doors and windows. Direct spray into all parts of room, especially around stored product containers, pallets, and overflow areas. Spray 5 to 10 seconds for each 1000 cu. ft. of space (for 8 lb. & 15 lb. size). Spray 2 1/2 to 5 seconds per 1000 cu. ft. Keep area closed for 15 minutes following treatment. Repeat treatment weekly or as necessary. Infested stored products should be fumigated or treated by other effective methods using an approved product intended for this purpose.

**Cover Mites:** Contact as many insects as possible when treating infested areas such as cracks and devices, in wall voids, around windows and door frames, under siding, and in dark secluded areas. Repeat as necessary.

**Roaches, Spiders, Water Bugs, Ants, Silverfish, Crickets, Centipedes, Sow Bugs:** Hold aerosol close to cracks and mist directly into them, contacting as many insects as possible. Apply freely in all possible hiding places behind baseboards, sinks, cabinets, coffee makers, meter boxes. Repeat all treatments as necessary.

**VOLUMETRIC TREATMENT FOR INACCESSIBLE VOIDS:** (Attics, base callings, wall and equipment voids.) For spray application with Whitmore Crack & Crevice Injection equipment.

For exposed stages of Cockroaches, Spiders, Water Bugs, Ants, Silverfish, Crickets, Centipedes, Millipedes, Sow Bugs and Beetles: Calculate void volume and treat at a rate of 20 seconds per 1000 cu. ft. (for 8 lb. & 15 lb. size) 10 seconds per 1000 cu. ft.). Spray by placing injection tip into crack or crevice, hole, or other small opening into void space. Repeat treatment as necessary.

**OUTDOOR GROUND APPLICATION:** In all Flies, Mosquitoes, and Gnats in open areas near buildings and in campgrounds. Best results are obtained when the temperature is cool (75°F or less) and the wind speed is five (5) MPH or less. Apply at a rate of 60-90 seconds per acre (for 8 lb. & 15 lb. size). Spray 30-60 seconds per acre. Spray in wide swaths across area to be treated. Allow spray drift to penetrate dense foliage. Repeat treatment as necessary.

© Copyright 1985 Whitmore Research Laboratories, Inc., St. Louis, MO

## Insect Fogger

**KILLS:** Flies, Mosquitoes, Gnats, Small Fly Moths, Fruit Flies, Cluster Flies, Mud Daubers, Wasps, Cockroaches, Waterbugs, Ants, Silverfish, Spiders, Crickets, Centipedes, Millipedes, Booklice, Sow Bugs, Fleas, Bed Bugs, Indian Meal Moths, Chocolate Moths, Mediterranean Flour Moths, Angoumois Grain Moths, Clover Mites, Carpet Beetles, Drug Store Beetles, Cigarette Beetles, Confused Flour Beetles, Sawtoothed Grain Beetles, Granary Weevils, Rice Weevils, Red Flour Beetles and Grain Mites.

For Use In and Around Meat Packing and Food Processing Plants, Food Storage Areas, Restaurants and other Food Handling Establishments, Hospitals, Supermarkets, Motels, Hotels, Resorts, Homes, Transportation Equipment (Buses, Boats, Ships, Trains, Trucks, Planes), Utilities, Schools, Campgrounds, Warehouses, and other Commercial and Industrial Buildings.

#### ACTIVE INGREDIENTS:

Pyrethrins	1.00%
Piperonyl Butoxide, Technical*	2.00%
n-Octyl Bicycloheptene Dicarboximide	3.33%
Refined Petroleum Oil	8.00%
<b>INERT INGREDIENTS</b>	<b>85.67%</b>

\*Equivalent to 1.8% (Butylcarbyl) (6-Propylpiperonyl) Ether and 0.4% Related Compounds

EPA Reg. No. 419-221-AA EPA Est. No. 499-MO-1

## KEEP OUT OF REACH OF CHILDREN CAUTION

#### STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. Do not induce vomiting. Vomiting may cause aspiration pneumonia. If inhaled: Remove patient to fresh air. Apply artificial respiration if indicated. If on skin: Remove contaminated clothing and wash affected skin areas with soap and water. Get medical attention if irritation persists. If in eyes: Flush eyes with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.

NET WEIGHT 24 OZ.

Authorized by USDA for use in federally inspected meat and poultry plants.

Rev. Date 8/85

18-2362

