

LABEL #18 20634



PT[®] 230 Tri-Die Insecticide Spray

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER

Do not get in eyes or on clothing. Wash thoroughly with soap and water after handling and before smoking or eating. Avoid contamination of food and foodstuffs. Do not use in serving areas where food is exposed.

Notes to Operator: In order to avoid any unpleasant drying of the nose and throat when dispensing PT 230 in confined areas or when prolonged exposure to spray mist occurs, wear a pesticide dust respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provisions of 30 CFR Part 11.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES — Flush eyes with plenty of water. Get medical attention.

IF SWALLOWED — Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED — Remove victim to fresh air. Apply artificial respiration if indicated.

IF ON SKIN — Remove contaminated clothing and wash affected areas with soap and water.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plants. PT 230 is phytotoxic. Do not spray on plastic, painted, or varnished surfaces. Do not spray directly into any electronic equipment such as radios, televisions, computers, motors, or into outlets and switches or any other location where the powder residue may foul or short electric contacts and circuits.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Store in a cool area away from heat or open flame. Do not reuse empty container. Wrap container and put in trash collection.

SHAKE WELL BEFORE USE. Before storing after use, invert container and spray until only air comes out to clear valve and spray nozzle.

How to Use Whitmire Crack and Crevice Injection Equipment

Do not use as a space spray. Except when used as a broadcast spray for flea control, Whitmire's PT 230 is for use only with injection tube for injecting into cracks and crevices where insects may be hiding, living, and breeding. Place injector tip 1/2" into cracks, crevices, holes, and other small openings where insects may be a problem. Release approx. 1 second spray per spot. In serious infestations, if possible, place spots 12" apart. In light infestations or for preventive treatment, place spots approximately 3 ft. apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of one linear foot per second in heavy infestations and three feet per second in light infestations. See additional directions below for effective control of specified insects.

INDOOR PESTS

Crawling Pests: Cockroaches, crickets, beetles, spiders, earwigs, sowbugs, millipedes, centipedes. Spray into hiding places such as cracks and crevices, mortar areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, in dark storage areas and all other areas where these pests are found. Spray directly on insects in these locations where possible. Repeat as necessary.

Beetles, Silverfish, Termites: Spray cracks and crevices in baseboards, door frames, bookcases, and storage areas. Set directly on insects in these locations where possible. Repeat as necessary.

WHITMIRE RESEARCH LABS, INC.
St. Louis, MO 63122

Ants: Locate ant colonies and spray 10 seconds directly into nest. Spray into trails and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

Interbreeding stages of Cluster flies, fireflies, ticks, fleas, and lice in animal quarters: Treat walls, ceilings, and floor coverings and all areas where pests hide. Repeat at rate of one second spray per square foot. Treat cracks and crevices behind moldings, shelving, baseboards, pipe openings, and all other cracks at the rate of one second spray per linear foot. If left undisturbed, a deposit of PT 230 will continue to kill these pests for several weeks. Repeat application when effectiveness diminishes.

Bedbugs: Take bed apart and treat cracks, joints, and interior of framework. Mattresses and box springs should be treated especially tufts, folds, and edges. Picture frames, moldings, and all cracks and crevices in the room should also be treated. Do not use in hospital patient quarters.

Stored product pests: Caddis, cheese mites, grain mites, cigarette beetles, drugstore beetles, confused flour beetles, red flour beetles, dark mealworms, yellow mealworms, saw-toothed grain beetles, flat grain beetles, granary weevils, and rice weevils in mills, elevators, and granaries. Clean up waste materials, dust, dirt, and all other debris. Thoroughly treat floors, walls, and other surfaces in bins, storage, and handling areas. Apply into cracks and crevices and other difficult to reach areas where insects may hide. Repeat as necessary.

Drywood Termites: Spot treatment for localized infestations — probe to locate galleries, drill holes and inject 5-10 seconds spray per hole into the active galleries.

Powder Post Beetles: Treat infested wood using injection tube. Apply small amounts directly into and around entrance holes. Volumetric treatment of inaccessible voids (base ceiling, wall voids, equipment voids and attic, crawl spaces and manholes where human contact with treated surfaces will be minimal). For spray application with Whitmire Crack & Crevice Injection Equipment. For exposed stages of cockroaches, earwigs, crickets, sowbugs, millipedes, centipedes, booklice, silverfish, termites, ants, and beetles. Calculate void horizontal surface area and treat at a rate of one second per square foot. Spray by inserting injection tip into crack or crevice, hole, or other small opening into void space. Repeat as necessary.

OUTDOOR PESTS

Cockroaches, sowbugs, pillbugs, centipedes, crickets, millipedes, ground beetles, earwigs, clover mites, spiders, scorpions, and ants. Clean up debris around premise. Spray into cracks around doors, windows, under siding at foundation level, beneath guards on loading docks, into cracks in foundations and floors and in all other places where these pests may enter building. Repeat application as necessary.

APPLICATIONS IN FOOD-HANDLING ESTABLISHMENTS — Places other than private residences in which food is held, processed, prepared or served. Use only when facility is not in operation.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY — Includes areas for receiving, storage, packing, canning, bottling, wrapping, boning, preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between floor, elements of construction, between equipment and machinery, and in voids and hidden spaces in walls, ceilings, pipes, and basins where insects hide. Care should be taken to avoid depositing the product on exposed surfaces or on material to be used. Avoid contact with food and food processing equipment.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

For application instructions, see the label and the Whitmire Manual.

ACC...
FEB 23
499-223

SHAKE WELL BEFORE USE



PT[®] 230 Tri-Die

Trade name applied for

Only for Sale to, Use, and Storage by Servicepersons

Activated Pyrethrum in Silica Aerogel

CONTACT-REPELLENT-RESIDUAL INSECTICIDE CRACK & CREVICE[®] INJECTION SYSTEM

Kills: Cockroaches, crickets, beetles, spiders, earwigs, sowbugs, pillbugs, millipedes, centipedes, booklice, silverfish, firebrats, ants, cluster flies, face flies, elmleaf beetles, boxelder bugs, fleas, ticks, lice, bedbugs, caddis, cheese mites, grain mites, cigarette beetles, drugstore beetles, confused flour beetles, red flour beetles, dark mealworms, yellow mealworms, sawtoothed grain beetles, flat grain beetles, granary weevils, rice weevils, drywood termites, powder post beetles, ground beetles, and scorpions.

For use in: hospitals, schools, supermarkets, motels, hotels, homes, apartments, transportation equipment (buses, boats, ships, trucks, trailers, trains, planes), utilities, meat packing and food processing plants, food storage areas, restaurants and other food handling establishments, warehouses, and other commercial buildings.

ACTIVE INGREDIENTS:	
Pyrethrins	0.3%
*Piperonyl Butoxide, Technical	3.0%
Silica Gel	74.0%
Petroleum Distillate	15.7%
INERT INGREDIENTS	
*Equivalent to 2.4% (butylcarbityl) (6-propylpiperonyl) ether and 0.6% related compounds	
EPA Reg. No. 499-223 EPA Est. No. 499-MO-1	

KEEP OUT OF REACH OF CHILDREN DANGER

Harmful if swallowed. Causes eye damage. See side panel for Statement of Practical Treatment and additional precautions.

NET WT. 1 LB. 4 OZS.