



PT® 265A Knox Out® Microencapsulated Diazinon

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL: Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

HOW TO USE WHITMIRE CRACK & CREVICE INJECTION EQUIPMENT:

Do not use as an indoor space spray. See additional directions for Outdoor Use. Whitmire's PT 265A is for use indoor, only with injection tube and for injection into cracks and crevices where insects may be hiding, living, and breeding. Place injector tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approx. 1 second spray per spot. In serious infestation, if possible, place spots approx. 12" apart. In light infestation or preventive treatment place spots approx. 3 ft. apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestations and 3 ft. per second in light infestations. See the additional directions below for effective control of specified insects.

INDOOR PESTS

CRAWLING INSECTS: Cockroaches (waterbugs), crickets. Spray into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, behind baseboards, coffee makers, meter boxes, and manholes. Spray directly on insects in these locations where possible. Repeat as necessary.

SILVERFISH: Spray cracks and crevices in baseboards, door frames, bookcases, and storage areas. Spray directly on insects in these locations where possible. Repeat as necessary.

ANTS: Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible. Repeat as necessary.

Localized treatment of wood-destroying insects:

CARPENTER ANTS: Locate source of infestation. Inject 5-10 seconds spray into insect tunnels and cavities. Seal entrance openings with small pieces of stainless steel wool after spray application.

APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS:

Places other than private residences in which food is held, processed, prepared, or served.

FOOD AREAS — APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:

Include areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste stor-

age and enclosed processing systems (mills, dairies, edible oils, syrups). Servicing areas (when food is exposed and facility is in operation) also would be considered a food area. Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

OUTDOOR PESTS

FLIES: For outdoor use only as an aid in reducing annoyance from these insects. Spray outside surfaces of screens, doors, window frames, or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where these insects alight or congregate. Repeat as necessary.

ANTS, CRICKETS: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestations warrant and as reinfestations occur.

PRECAUTIONARY STATEMENT

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May cause eye irritation. Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing.

Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils, and food preparation areas.

Keep children and pets off treated areas until spray has dried.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.


Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

Do not spray where electrical short circuits might result, such as in wall outlets, conduits, motor, switches, etc.

FOR USE WITH SYSTEM III



PT® 265A Knox Out® Microencapsulated Diazinon



Residual Crack & Crevice Injection System

KILLS: Cockroaches, Crickets, Silverfish, Ants, Carpenter Ants

For use in hospitals, supermarkets, motels, hotels, homes, transportation equipment (buses, boats, ships, trains, trucks, planes), utilities, meat packing and food processing plants, food storage areas, and restaurants and other food handling establishments, schools, warehouses, and other commercial buildings.

ACTIVE INGREDIENT:

Diazinon, 0,0-Diethyl 0-(2-isopropyl-6-methyl-4-pyrimidinyl phosphorothioate) 1.0%


INERT INGREDIENTS: 99.0%

*Knox-Out is Reg. TM Pennwall Corp.

**DIAZINON is Reg. TM Ciba-Geigy Corporation

EPA Reg. No. 499-228

EPA Est. 499-MO-1



KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF ON EYES: Flush eyes with plenty of water. Get medical attention immediately.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements

NET WEIGHT: 16 OZ.

Only for Sale to, Use and Storage by Servicepersons

WHITMIRE RESEARCH LABORATORIES, INC., St. Louis, MO 63122

499-228

11/29/84

11