

6/19/97

Whitmire®  
Flea Foam  
PT 11

Residual flea and tick treatment with knockdown. Kills fleas and ticks and continues killing for up to eight days. For use on dogs and cats. Also for dogs that are sensitive to conventional sprays.

Fly repellent for horses and ponies. For use on dogs, cats, horses and ponies. Repells and kills flies.

Contains Microencapsulated Pyrethrins for Residual Activity and Unencapsulated Pyrethrins for Knockdown.

Keeps killing fleas for up to 8 days.

Active Ingredients:

Pyrethrins .....	0.15%
Piperonyl Butoxide Technical* .....	0.70%
N-Octyl Bicycloheptene Dicarboximide .....	0.34%
Inert Ingredients .....	98.81%


\*Equivalent to 0.56% Butylcarbityl (6-propyl-piperonyl) ether and to 0.14% related compounds.

Contains no CFCs or other ozone depleting substances. Federal regulations prohibit CFC propellants in aerosols.

EPA Reg. No. 499-231 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

NET WEIGHT: 9 OZ.



2 7 3

Whitmire®  
Flea Foam  
PT 11

Shake Well Before Using

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**READ ENTIRE LABEL BEFORE EACH USE.  
USE ONLY ON DOGS, CATS, HORSES AND PONIES.**

Do not use on kittens or puppies under twelve weeks of age. This product is not recommended for use on cats which have been compromised due to previous illness, medication, or existing medical condition. Consult a veterinarian before using this product on debilitated, medicated, aged, pregnant or nursing animals.

Fleas: Shake well and invert can to dispense. Foam can be applied directly onto the pet or into the palm of your hand and then applied to the pet. For direct application, apply one-second bursts of Whitmire Flea Foam as hair is back combed. Foam can also be worked from the palm of the hand into the coat. Apply over the entire animal until damp, massaging or brushing the hair until the foam vanishes. Allow pet to dry. Do not apply from can directly to face, rather apply foam by hand around ears and under chin. Ensure that foam contacts and wets ticks thoroughly. Efficacy lasts for up to 8 days. Whitmire Flea Foam may be reapplied as necessary when the pet is reinfested.

**Flies on horses and ponies:** Brush animal to remove dirt and dust prior to application. Foam can be applied into the palm of your hand, clean cloth or directly onto area to be treated, then worked into hair coat. Suitable for use around ears, face, head and neck areas. Be careful to avoid animal's eyes during application. Repeat application as necessary.

Do Not Repeat Treatment For One Week.

**Precautionary Statements  
Hazards to Humans**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling. Sensitivities may occur after using ANY pesticide product for pets. If signs of sensitivity occur bathe your pet with mild soap and rinse with large amounts of water. If signs continue, consult a veterinarian immediately.

**Physical or Chemical Hazards:** Contents under Pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

**Environmental Hazards:** This product is toxic to fish. Do not apply to water.

**Statement of Practical Treatment:** If in eyes: Flush eyes with plenty of water. Call a physician if irritation persists.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

**Storage:** Store in a cool area away from heat or open flame and in an area out of reach of children. Do not store below 32° F.

**Disposal:** Replace cap and securely wrap original container in several layers of newspaper and discard in trash. Do not puncture or incinerate.

#### LIMITATION OF LIABILITY

Whitmire warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are at a variance in any way with the directions on the label. WHITMIRE MICRO-GEN EXPRESSLY DISCLAIMS ALL IMPLIED WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE AND MERCHANTABILITY. IN NO CASE SHALL WHITMIRE BE LIABLE FOR CONSEQUENTIAL, SPECIAL, INCIDENTAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES FROM THE USE OF THIS PRODUCT ARE EXPRESSLY LIMITED TO REPLACEMENT OF THE PRODUCT OR REFUND OF THE PURCHASE PRICE.

A Prescription Treatment® brand insecticide from:  
Whitmire Micro-Gen Research Laboratories, Inc.  
3568 Tree Court Ind. Blvd.  
St. Louis, Missouri 63122  
(800)-777-8570

Copyright, 1994