

PT 170A X-CLUDE
SHAKE WELL BEFORE USING
DIRECTIONS FOR USE

499-235 PM 11 1-21-91 1241



PT 170A
X-CLUDE
Microencapsulated
Time Release Pyrethrum



Aerosol
For Fogging or
Crack & Crevice

Kills and Repels: Cockroaches, Ants, Crickets, Grubs, Silverfish, Earwigs, Fleas, Ticks, Mites, Flies, Weevils, Spiders, Beetles, Waterbugs, Centipedes, Ground Squirrels, Rod Weevils, Confused Flour Beetles, Red Flour Beetles, Six-toothed Grain Beetles, Grain Weevils, Longhorn Beetles, Dermestid Beetles, Indian Meal Moths, Angoumois Grain Moths, Mediterranean Flour Moths, Grain Mites, Dried Fruit Beetles, Caddisfly Larvae, Termites

For Use In: Bakeries, Beverage Plants, Canneries, Flour Mills, Food Processing Plants, Food Storage Areas, Grain Mills, Meat Packing Plants, Railroad Cars, Restaurants, Apartments, Ships, Supermarkets, Truck Trailers, Warehouses, Hospitals, Hotels, Motel, Industrial Installations, Nursing Homes, Office Buildings, Bookstores, Schools, Kennels, Zoos

Active Ingredients:
 Pyrethrins 0.300%
 *Piperonyl Butoxide, Technical 2.200%
 N-Octyl Bicycloheptene
 Dicarboximide 0.336%
Inert Ingredients 97.164%.

*Equivalent to 1.76% (butylcarbityl) (6-Propylpiperonyl) Ether and 0.44% of related compounds
EPA Reg. No. 499-235 EPA Est. No. 499 MO-1

Authorized by USDA for use in federally inspected meat and poultry plants.

KEEP OUT OF REACH OF CHILDREN
CAUTION

See side panel for additional precautionary statements

NET WEIGHT: 16 OZ.

Rev. Date 10/88
 18-2171

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL:
Storage: Store in a cool dry place away from heat or open flame and inaccessible to children. Do not store below 32°F.
Container Disposal: Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.
Pesticide Disposal: Securely wrap container in several layers of newspaper and discard in trash.

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
CAUTION

Avoid breathing of spray mist. Avoid contact with eyes, skin or clothing. In case of contact flush eyes or skin with water. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils and food preparation areas. Food should be removed or covered before treatment. All food contact surfaces and cooking utensils should be covered during treatment or thoroughly cleaned before using. Remove pets and birds and cover aquariums before using.

NOTICE TO APPLICATOR: When subject to extended inhalation exposure wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provision of CFR Part 11.

ENVIRONMENTAL HAZARDS:
 This pesticide is toxic to fish and birds. Do not apply directly to water. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS:
 Contents under pressure. Do not puncture or incinerate. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Do not store below 32°F.

Do not spray where electrical short circuits might result, such as wall outlets, conduits, motors, switches, etc. Do not spray directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

HOW TO USE WHITMIRE CRACK AND CREVICE
INJECTION SYSTEM

Whitmire PT 170A may be used with injection tube for injecting into cracks and crevices where insects may be hiding, living and breeding. Place injection tip 1/2" into cracks, crevices, holes and other small openings where insects may be a problem. Release approximately one second spray per spot. In serious infestation if possible place spots approximately 12" apart. In light infestation or preventative treatment place spots approximately three feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of one linear foot per second in heavy infestations and three feet per second in light infestations. See the additional directions below for effective control of specified insects.

Cockroaches, Spiders, Waterbugs, Silverfish, Crickets, Earwigs: Make spot treatment and/or crack and crevice injections into hiding places such as cracks and crevices, moist areas, openings around pipes and sinks, under refrigerators, coffee makers, meter boxes and manholes. Direct spray on floors, walls, under pallets, behind shelves and drawers. Spray directly on insects in these hiding places where possible. Repeat as necessary.

Ants: Spray into trails, nests and points of entry around doors, back eaves and storage areas. Spray directly on insects in these locations where possible.

Carpenter Bees: Make spray applications on and under edge of floor coverings, under carpets and furniture and in closets or other orginities where these insects are found. Entire carpets may be treated. When treating entire carpets see directions under Fleas and Ticks. Repeat application as necessary.

Stored Product Pests: Make spot and/or crack and crevice treatment to localized areas including shelves, cupboards, walls and floors where food products suspected of being infested are stored. Food should be removed or covered during treatment. This treatment is supplemental to good housekeeping since it will have no effect on insects breeding within packaging. Infested food packaging should be destroyed.

Flying Insects - Flies, Moths, Gnats: Close all windows and doors and direct fog upward at a rate of 5 to 8 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for at least 15 minutes. Do not remain in treated area. Repeat application as is necessary.

FOOD AREAS: Do not apply directly to food. In commercial food handling facilities, cover or remove any food and food processing equipment during application. When using this product as a space spray in food areas, do not apply while food processing is under way. Except in federally inspected meat and poultry plants, careful crack and crevice application for inspection purposes is permissible at all times. After space spraying in meat packing plants, bakeries, and other food processing plants, wash with potable water all equipment, benches, shelves, etc. where exposed food will be handled. All food processing surfaces should be covered during treatment or thoroughly washed before use.

OUTDOOR PESTS

Flies: Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where insects light or congregate. Repeat as necessary.

Treat normal fly resting areas such as ceilings, upper corners of the area, around windows and doors, light fixtures and other surfaces known to attract flies. Hold can one to two feet from target surface and apply at the rate of one 16 oz. can per 200-300 square feet of surface area.

Spray so as to lightly moisten the target surface. For best results begin treatments at the start of the fly season and repeat weekly during periods of heavy fly activity.

Ants, Crickets: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestation waxes and as reinfestations occur.

Fleas and Ticks: Apply PT 170A to pet beds and resting quarters, adjacent cracks and crevices, baseboards, carpets and floor coverings, between and under cushions of upholstered furniture and other areas where pests may be present. Entire carpets may be treated. Thoroughly vacuum infested area to capture as many adult fleas as possible. Tightly seal vacuum bag and dispose. Applications to most surfaces should be as light as possible, approximately one 16 oz. can per 330 sq. ft. It may be necessary to use a higher volume of spray, approximately one 16 oz. can per 200 sq. ft. on long, dense shag carpets. Bird bedding of pets should be replaced with clean, fresh bedding after treatment. Animals should not be sprayed with this product.

STATEMENT OF PRACTICAL TREATMENT

If in eyes: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

If swallowed: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.

If inhaled: Remove patient to fresh air. Apply artificial respiration if indicated.

A FERGUSON COMPANY
 Chemagro Research Laboratories, Inc., St. Louis, Missouri
 Copyright 1986

