

Xclude TIMED RELEASE PYRETHRUM

SHAKE WELL BEFORE USING
SPRAYS IN ANY POSITION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. In case of contact flush eyes or skin with water. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, utensils and food preparation areas. Food should be removed or covered before treatment. All food contacting surfaces and cooking utensils should be covered during treatment or thoroughly cleaned before use.

Remove pets and birds and cover aquariums before using.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and birds. Do not apply directly to water. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate. Do not use or store near open flame. Exposure to temperatures above 130°F may cause bursting. Do not store below 32°F.

Do not spray where electrical short circuits might result, such as wall outlets, conduits, motors, switches, etc. Do not spray directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

SPECIAL NOTICE: Do not use PT 1600A in greenhouses with unvented or defective gas heating systems or when open combustions exist.

PT 1600A has demonstrated excellent plant safety, however, before treating large numbers of plants, spray a few plants and observe for phytotoxicity prior to full scale application.

SHAKE WELL BEFORE USING DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDOORS: FLORISTS, GARDEN CENTERS, GREENHOUSES, HOBBY GREENHOUSES, HGMES, INTERIORSAPES

For light infestations treat at five seconds per 100 square feet. For heavy infestations treat at ten seconds per 100 square feet.

Dosage based on 2 foot high plants. Lower or higher dosage should be given based on height of foliage. Move can in a fast sweeping motion to provide maximum coverage, maintaining a distance of 18 to 24 inches away from foliage.

Spot Treatment: For individual plants and localized infestations. Spray light mist on upper and lower leaf surfaces at a distance of 18-24 inches away from foliage. Avoid wetting foliage with spray. Repeat application as necessary.

OUTDOORS: LANDSCAPES, NURSERIES, ORNAMENTAL PLANTS, SHRUBS

For best results, spray when air is still. Use slow sweeping motion, holding the can 18-24 inches from plant. Avoid wetting foliage with spray. Spray rows at the rate of one foot per second. For heavy growth spray on both sides. Repeat when necessary.

FOR USE INDOORS AND OUTDOORS ON, BUT NOT LIMITED TO:

African Violets, Agapanthus, Ageratum, Aluminum Plant, Alyssum, Arrowhead, Asler, Azalea, Begonia, Bird's Nest Fern, Blue Spruce, Boston Fern, Bottlebrush, Cactus, Calendula, Carnelia, Carnations, Celosia Jewel Box, Chrysanthemum, Cockscorn, Coleus, Cotoneaster, Crane Myrtle, Croton, Dahlia, Daisy, Dianthus, Dogwood, Dusty Miller, Dwarf Lilac, Escallonia, Euonymus, Flat Topped Sedum, Floss Flower, Friendship Plant, Gardenia, Gazinia, Geranium, Goldilust, Honeysuckle, Hydrangea, Ilex, Impatiens, Ivy, Jade Plant (Crassula), Japanese Aretia, Juniper, Leucothoe, Liliac, Malus, Maranta, Marigold, Mock Orange, Mugho Pine, Nandia, Oleander, Orchid, Ornamental Evergreens, Osmanthus, Pachysandra, Periwinkle, Petunia, Pfitzer Juniper, Photinia, Pineapple Guava, Pfitzsporium, Podocarpus, Primrose, Prunel, Pyracantha, Raphotepsis, Rhododendron, Rose, Salvia, Sansevieria, Scarlet Sage, Snake Plant, Snapdragon, Soft Maple, Spider Plant, Star Jasmine, Strawflower, Swedish Ivy, Sweet Pea, Tahitian Bridal Veil, Velvet Plant (Gynura), Verbena, Vinca, Wandering Jew, Wax Plant, Zinnia.

Do not use on: Cyclamen and Nasturtium

RESIDENTIAL-INDOOR PESTS

Cockroaches, Spiders, Silverfish, Crickets, Firebrats: Make spot treatment. Direct spray on floors, walls, under patios, behind shelves and drawers. Spray directly on insects in these locations where possible. Repeat as necessary.

Ants: Spray into trails, nests and points of entry around doors and storage areas. Spray directly on insects in these locations where possible.

Flying Insects—Flies, Moths, Gnats: Close all windows and doors and direct fog upward at a rate of 5 to 8 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for at least 15 minutes. Do not remain in treated area. Repeat application as is necessary.

RESIDENTIAL-OUTDOOR PESTS

Flies: Spray outside surfaces of screens, doors, window frames or wherever these insects may enter the room. Also treat surfaces around light fixtures on porches, in garages, and other places where insects light or congregate. Repeat as necessary.

Ants, Crickets: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy non-crop areas, spray infested areas thoroughly. For ants, thoroughly wet hills and runways. Repeat applications as infestation warrant and as reinfestations occur.

STORAGE AND DISPOSAL:

STORAGE: Store in a cool dry place away from heat or open flame and inaccessible to children. Do not store below 32°F.

CONTAINER DISPOSAL: Do not reuse empty container. Do not puncture or incinerate. Replace cap and discard in trash.

PESTICIDE DISPOSAL: Securely wrap container in several layers of newspaper and discard in trash.

© Whitmire Research Laboratories, Inc.
St. Louis, Missouri 63122

* Tradename pending

ACCEPTED
1980 01-27
Whitmire Research Laboratories, Inc.
St. Louis, Mo. 63122
Registered under EPA Reg. No. 499-239

Whitmire

Xclude*

ENCAPSULATED NATURAL PYRETHRUM PT® 1600A

Timed Release Insecticide Greenhouse & Foliage Spray

FOR USE INDOOR AND OUTDOOR: Florists, Garden Centers, Greenhouses, Hobby Greenhouses, Homes, Interiorscapes, Landscapes and Nurseries.

Kills and Repels: Ants, Aphids, Beetles (Aster Beetles, Blister Beetles, Cigarette Beetles, Colorado Potato Beetles, Cucumber Beetles, Drugstore Beetles, Flea Beetles, Japanese Beetles, Rose Chafers, Trogaderma, Watermelon Beetles, Weevils) Caterpillars (Cabbage Worms, Rose Slugs, Hornworms) Centipedes, Cockroaches, Crickets, Flies, Fungus Gnats, Gnats, House Flies, Leafhoppers, Mealy Bugs, Moths, Rose Aphids, Scales, Spider Mites, Spiders, Stable Flies, Stink Bugs, Tarnished Plant Bugs, and White Flies.

May be used on: Potted and Flowering Plants, Foliage, Bedding Plants, Cut Flowers and Ornamentals.

Active Ingredients:

Pyrethrins	0.300%
*Piperonyl Butoxide, Technical	2.200%
N-Octyl Bicycloheptene Dicarboximide	0.336%
Petroleum Distillate	1.209%
Inert Ingredients	95.955%

*Equivalent to 1.76% (butylcarbityl) (6-Propylperonyl) Ether and 0.088% of related compounds

EPA Reg. No. 499-239 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by touching the back of the throat with finger. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

See side panel for additional precautionary statements.

NET WEIGHT: 16 OZ.

BEST AVAILABLE COPY

340
194