

PT 515 Wasp-Freeze II

# ACCEPTED AUG 1 8 1986

Under the erol Insectivide, Fungicide, al Redentiritie Act

ca amendo.; for the participle registered under 455-240 BRA Reg. No. 455-240

# Instant Wasp Killer

Kills: Bees, Hornets, Spiders, Yellow Jackets, Wasps

Drops Wasps Instantly from 10 Foot Distance

WORK IMMEDIATELY WITHOUT ATTACK

# Industrial Specifications

Flash Point . . . . 196°F Fire Point . . . ~198°F

Dielectric . . . . No breakdown up to 20,000 volts

(Cup test with electrodes 1/10" apart)

# Active Ingredients

* Sumithrin [3-Phenoxybenzyl (2-methylpropenyl) cyclopr	d.	-c:	is e	a: ca:	nd rb	· t:	ra: yl:	ns at	2 e]	2	-d:	Ĺme	etl	ıy.	l-3	3-	•		•	•	.25
* other isomers Trichloromonofluoromethane																					
<pre>Inert Ingredients:</pre>	•	•	•	•	•	•	•	•	•	•	•	•	•	•		•	•	•	•	•	32.99

EPA Reg. No. 499-

EPA Est. No. 499-MO-1

# KEEP OUT OF REACH OF CHILDREN

### CAUTION

See side panel for additional precautionary statements.

# STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage is indicated if material was taken internally. DO NOT INDUCE VOMITING. Vcmiting may cause aspiration pneumonia.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention irritation persists.

FOR OUTDOOR USE ONLY

Back Panel

## Whitmire PT 515 Wasp-Freeze II Instant Wasp Killer

### WASPS FREEZE IN PLACE AND FALL INSTANTLY FROM THREE INSTANTAMEOUS EFFECTS:

1. Quick Reduction in Body Temperature

- 2. Suffocation
- 3. Paralysis

### PRECAUTIONARY STATEMENTS

### HAZARDS TO HUMANS AND DOMESTIC ANIMALS

### CAUTION

Harmful if swallowed or inhaled. May be absorbed through skin. Avoid breathing vapor or spray mist. Avoid contact with skin and eyes. Use outdoors only. Wash thoroughly after using and before smoking or eating.

Environmental Hazards: This product is toxic to fish, birds and other wildlife. Do not apply directly to vater. Apply this product only as specified on the label. Do not contami ate water by disposal of waste.

Physical or Chemical Hazards: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic or asphalt surfaces. Spray will cause damage to plants on contact.

### DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Do not stand directly under nest being treated as falling insects may fall onto skin or clothing.

Wasps & Hornets: With wind at back of user spray nest from a distance of 8 to 10 feet. Spray until all of nest is contacted.

Yellow Jackets and Bees: Spray with a sweeping motion any stimulated or stirred-up insects around nest opening. Then move forward spraying directly into nest hole for 6 to 8 seconds. This will suffocate nest. Other bees trying to return to nest will be repelled and will fly around and away harmlessly.

Spiders: Spray directly at a distance of 8 to 10 feet until all of web is contacted.

Not to Painters: After treatment, remove rest, dry surface and paint or carry out any other outdoor activity.

Back Panel (cont.)

0

### STORACE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or local procedures.

Container Disposal: Replace cap and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

U.S. Patent No. 3446892

Whitmire Research Laboratories, Inc. St. Louis, MO 63122

\*Copyright, 1986 Whitmire Research Laboratories, Inc.