

Reg # 499-241  
PM 17  
1/14

1281P

1/30/86

WHITMIRE  
PT® 120  
SUMITHRIN®

Aerosol Generator

Kills: Ants, Bees, Bedbugs, Booklice, Psocids, Centipedes, Clovermites, Cockroaches, Crickets, Dermestids, Earwigs, Firebrats, Fleas, Flies, Small Flying Moths, Gnats, Grain Insects, Grain Mites, Hornets, Millipedes, Mosquitoes, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, Yellow Jackets, Wasps and Webbing Clothes Moth

For use in: Hospitals, nursing homes, schools, supermarkets, motels, hotels, homes, apartments, transportation equipment (buses, boats, ships, trucks, trailers, trains, planes), utilities, warehouses, and other commercial buildings

Active Ingredients:

*3-Phenoxybenzyl d-cis and trans** 2,2-dimethyl-3-(2-methylpropenyl) cyclopropane carboxylate . . . . .	0.96
*Other isomers . . . . .	0.04%

INERT INGREDIENTS	99.00%
	100.00%

\*Cis/Trans isomers ratio: max. 30% (+/-) cis and min. 70% (+/-) trans  
\*Sumithrin is a Registered Trademark of Sumitomo Chemical Company.

EPA Reg. No. 499-  
EPA Est. 499-MO-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Side Panel for Additional Precautionary Statements

Net Weight:


STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Gastric lavage may be indicated if material was taken internally. DO NOT INDUCE VOMITING, vomiting may cause aspiration pneumonia.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water.



2/4

Side Panel:

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed or absorbed through skin. Do not remain in treated area and ventilate after treatment is completed. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. In case of contact flush eyes or skin with plenty of water. Obtain medical attention if irritation persists. Do not apply directly to food.

Remove pets and birds and cover aquariums before spraying.

Notice to Operator: During any general volumetric treatment, wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute of Occupational Safety and Health under the provision of 30CFR Part II.

ENVIRONMENTAL HAZARDS


This product is toxic to fish and birds. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARDS

Contents under pressure. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray on plastic, painted or varnished surface or directly into any electronic equipment such as radios, televisions, computers, microwaves, etc.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.



Side Panel (cont.)

HOW TO USE WHITMIRE CRACK AND CREVICE INJECTION SYSTEM: Whitmire PT 120 is for use only with the supplied actuator and injection tubes or other Whitmire equipment. Inject PT 120 into cracks and crevices or void space where insects may be harboring, living and breeding. Place injector tip 1/2" into cracks and crevices, holes and other small openings. Release approximately one-second spray per spot. For a serious infestation, place spots approximately 12" apart. For light infestation or for preventative treatment, place spots approximately three feet apart. In long running cracks, move injector tip along the crack while spraying at the rate of one linear foot per second. For heavy infestations move injector tip along at three linear feet per second. For inaccessible closed voids calculate the voids cubic area and treat at rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

General Volumetric Treatment

Flying Insects: Flies, mosquitoes, gnats, small flying moths. Close all windows and doors and direct spray upward at a rate of 1 to 3 seconds per 1,000 cubic feet. Disperse in all locations. Keep area closed for 15 minutes. Open and ventilate before reoccupying. Sweep up and destroy fallen insects. Repeat treatment as necessary.

Crawling Insects: Ants, booklice, clovermites, bedbugs, firebrats, ants, dermestids, ticks, spiders, psocids, roaches, spiders, fleas, crickets, silverfish, earwigs, sowbugs, centipedes, millipedes, grain mites, grain insects, scorpions. Open cabinets and doors in areas to be treated; shut off air conditioner, fans and close doors and windows before spraying. Spray at the rate of 10 seconds per 1,000 cubic feet. Direct spray toward area suspected of harboring the greatest insect infestations. Special attention should be given to areas in proximity to sinks, stoves, refrigerators, and food storage areas. Dispense in all locations contacting as many insects as possible. For spiders, treatment should include repeated application to the pest and webbing and to all crack and crevices which harbor these pests. Keep area closed for 1 hour. Open and ventilate before reoccupying. Sweep up dead insects and destroy. Repeat treatment as necessary.

Volumetric Treatment for Inaccessible Voids (attics, false ceilings, wall and equipment voids)

For spray application only with Whitmire Crack and Crevice injection equipment.

For exposed stages of cockroaches and spiders. Calculate void volume and treat at a rate of 10 seconds per 1,000 cubic feet. Repeat treatment as necessary.

Yellow Jackets, bees, mud daubers, wasps and hornets in unexposed nests in structure voids: Spray directly into insect entrance, where insects are observed entering and exiting structure, at the rate of 10 to 40 seconds of spray per site. After 1 hour adult insects should be dead. Application should be made late in the evening when most insects are in the nest and at rest. Repeat treatment if necessary. Protective clothing and safety apparel must be worn when treating bees wasps and yellow jackets.



Side Panel (cont.)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Pesticide that cannot be used according to label instructions must be disposed of according to applicable Federal, State or Local procedures.

Container Disposal: Replace cap and discard empty container in trash, sanitary land fill or by other approved state and local procedures. Do not incinerate or puncture.

