

3/12/88 499-244
PM 17

12 FEB 1988

Xclude TIMED RELEASE PYRETHRUM

SHAKE WELL BEFORE USING
SPRAYS IN ANY POSITION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION Avoid breathing spray mist. Avoid contact with eyes, skin or clothing. In case of contact flush eyes or skin with water. Wash thoroughly after using and before smoking or eating. Avoid contamination of food utensils and food preparation areas. Food should be removed or covered before treatment. All food contacting surfaces and eating utensils should be covered during treatment or thoroughly cleaned before use.

Remove pets and birds and other animals before using.
ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and birds. Do not apply directly to water. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of a mixture.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate. Do not use or store in or open flame. Exposure to temperatures above 130°F may cause bursting. Do not store below 32°F.

Do not spray where electrical short circuits might result, such as wall outlets (including motor switches), etc. Do not spray directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

SPECIAL NOTICE: Do not use PI 1600A in circumstances with unvented or defective gas heating systems or when open combustion exists.

PI 1600A has demonstrated excellent glass safety. However, before treating large numbers of plants, spray a few plants and observe for phytotoxicity prior to full scale application.

SHAKE WELL BEFORE USING DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

INDOORS: FLORISTS, GARDEN CENTERS, GREENHOUSES, HOBBY GREENHOUSES, HOMES, INTERIORSCAPES

For light infestations treat at five seconds per 100 square feet. For heavy infestations treat at ten seconds per 100 square feet.

Package based on 2 foot high plants. Lower or higher coverage should be given based on height of foliage. When used on a flat surface, position to provide minimum coverage maintaining a distance of 18 to 24 inches from foliage.

Do not spray on plants and foliage which have been treated with other pesticides within 14 days and for plants which have been treated with other pesticides within 14 days of treatment at a distance of 18 to 24 inches from foliage. Avoid spraying foliage with other pesticides within 14 days of treatment.

OUTDOORS: LANDSCAPES, NURSERIES, ORNAMENTAL PLANTS, SHRUBS

- For light infestations spray when air is 50° F or above. Always keep container closed when not in use.
- Do not spray on plants which have been treated with other pesticides within 14 days of treatment.
- Do not spray on plants which have been treated with other pesticides within 14 days of treatment.
- Do not spray on plants which have been treated with other pesticides within 14 days of treatment.
- Do not spray on plants which have been treated with other pesticides within 14 days of treatment.

FOR USE INDOORS AND OUTDOORS ON, BUT NOT LIMITED TO:

African Violets, Agapanthus, Agave, Aluminum Plant, Alyx, Sun, Arrowhead, Aster, Azalea, Begonia, Bird's Nest Fern, Blue Spruce, Boston Fern, Buttercup, Cactus, Calceolaria, Camelia, Canna, Canna, Celosia, Jewel Box, Chrysanthemum, Cockscomb, Coleus, Columbine, Crane Myrtle, Crotalaria, Dahlia, Daisy, Dianthus, Dogwood, Drift Plant, Dwarf Lilac, Eucalyptus, Fuchsia, Flax, Floss Flower, Friendship Plant, Gardenia, Geranium, Goldenrod, Honeysuckle, Hydrangea, Impatiens, Ivy, Jade Plant (Crassula), Japanese Aralia, Juniper, Lavender, Marigold, Mimosa, Morning Glory, Mums, Nerve Plant, Poinsettia, Spider Plant (Chlorophytum), Spider Plant, Sweet Pea, Tabernaemontana, Wax Plant, Zinnia.

Do not use on: Cyclamen and Nasturtium.

RESIDENTIAL - INDOOR PESTS

Cockroaches, Spiders, Silverfish, Crickets, Fleas, etc. - Mix and treatment. Direct spray on insects under plants, behind shades and drawers. Spray directly on insects in these locations where possible. Repeat as necessary.

Ants: Spray into trails, nests and points of entry. Repeat daily and spray areas. Spray directly on insects in these areas where possible.

Flying Insects - Flies, Moths, Gnats: Close all windows and doors and direct fog upward at a rate of 1/2 to 1 second per 1,000 cubic feet. Repeat in all locations. Fog area treated for at least 15 minutes. Do not remain in treated area. Repeat application as is necessary.

RESIDENTIAL - OUTDOOR PESTS

Flies: Spray outside surfaces of screens, doors, windows, porches, or wherever these insects may enter the home. Also treat all surfaces around light fixtures on porches, in garages, and other places where insects light or congregate. Repeat as necessary.

Ants, Crickets: For treatment of localized infestations of these insects in outdoor areas where there are weeds or brushy areas, spray infested areas thoroughly for one hour. Use multiple wet holes and concepts. Repeat application at 7 to 10 day intervals.

STORAGE AND DISPOSAL:

STORAGE: Store in a cool dry place away from heat or open flame and inaccessible to children. Do not store below 32°F.

CONTAINER DISPOSAL: Do not reuse empty container. Do not puncture or incinerate. Recycle if possible.

PESTICIDE DISPOSAL: Completely seal and store in several layers of newspaper and discard in trash.

© Whinnik Research Laboratories, Inc.
St. Louis, Missouri 63122

BEST AVAILABLE COPY



Xclude

ENCAPSULATED NATURAL PYRETHRUM PT* 1600 R

Timed Release Insecticide Greenhouse & Foliage Spray

FOR USE INDOOR AND OUTDOOR: Florists, Garden Centers, Greenhouses, Hobby Greenhouses, Homes, Interiorscapes, Landscapes and Nurseries.

Kills and Repels: Ants, Aphids, Beetles (Aster Beetles, Black Beetles, Cigarette Beetles, Colorado Flat Beetles, Curculionid Beetles, Drugstore Beetles, Flea Beetles, Japanese Beetles, Rose Chafers, Rogaderma, Watermelon Beetles, Weevils), Caterpillars (Cabbage Worms, Rose Slugs, Hornworms), Centipedes, Cockroaches, Crickets, Flies, Fungus Gnats, Gnats, House Flies, Leafhoppers, Mealy Bugs, Moths, Nose Aphids, Scales, Spider Mites, Spittlebugs, Stable Flies, Stick Bugs, Tardigrade Plant Bugs, and White Flies.

May be used on: Potted and Flowering Plants, Foliage, Bedding Plants, Cut Flowers and Ornamentals.

Active Ingredients:
Pyrethrins
* Piperonyl Butoxide Technical
N-Octyl Dicycloheptene Di-carboximide
99.06Z

Inert Ingredients:
Equivalent to 0.5% of total weight (6 Propylene Glycol Ether and 0.1% of total weight)

EPA Reg. No. 499 EPA Est. No. 499 MO-1

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Immediately flush eyes with plenty of water. Get medical attention if irritation persists.

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink one or two glasses of water and induce vomiting by bringing the back of the throat with finger. Repeat until vomit is clear. Do not induce vomiting or use anything by mouth in unconscious persons.

IF ON SKIN: Remove contaminated clothing and wash affected area with soap and water.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if needed.

See side panel for additional precautionary statements.

NET WEIGHT: 16 OZ.