

Specimen LabelFront Panel**WHITMIRE CHLORPYRIFOS PRESSURIZED SPRAY**

For Use In: Commercial Buildings, Food Processing Facilities, Food and Non-food Areas of Kennels, Homes, Hotels, Motels, Office Buildings, Restaurants, Schools, Theaters and Warehouses.

## Active ingredients:

d-trans Allethrin (allyl homolog of Cinerin I) . . . . .	0.050%
Related Compounds . . . . .	0.004%
<sup>1</sup> N-Octyl bicycloheptene dicarboximide . . . . .	0.400%
Chlorpyrifos [0,0,-diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate].	0.500%

INERT INGREDIENTS: . . . . . 99.046%  
100.000%

Contains petroleum distillates.

<sup>1</sup>MGK-264 Insecticide Synergist

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**PRACTICAL TREATMENT**


NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

IF IN EYES: Flush with plenty of water. Get medical attention if irritation persists.

IF ON SKIN OR CLOTHING: Remove contaminated clothing. Wash skin with soap and warm water. Wash clothes before reuse. Get medical attention if irritation persists.

IF INHALED: Remove to fresh air if effects occur and call a physician.

IF SWALLOWED: Drink 1 of 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. Call a physician.



Front Panel Continued

EPA Registration No. 499-256

EPA Est. No. 499-MO-1


Net Contents :

A Prescription Treatment brand insecticide from:

Whitmire Research Laboratories, Inc.

3568 Tree Court Ind. Blvd.

St. Louis, MO 63122



Back Panel:

## PRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

#### CAUTION

May be fatal if swallowed, inhaled or absorbed through skin. Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. In case of contact immediately flush skin and eyes with plenty of water. Wash thoroughly with soap and water after handling. If poisoning occurs, get prompt medical aid.

Do not apply directly to food. In commercial food handling facilities, cover or remove any food or food processing equipment during application. Do not apply while food processing is underway. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying. Do not allow children or pets in treated areas until the spray has dried.

#### Physical Hazards

Contents under pressure. Do not store near heat of open flame. Do not puncture or incinerate container. Exposure to temperatures above 130° F may cause bursting.

#### Environmental Hazards

This product is toxic to fish, birds and other wildlife. Keep out of lakes, ponds or streams. Do not apply where runoff is likely to occur. Do not contaminate water when disposing of equipment wash waters.

## DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not use this equipment in or on electrical equipment due to the possibility of shock hazard.

APPLICATION OF WHITMIRE CHLORPYRIFOS PRESSURIZED RESIDUAL SPRAY IN INDOOR RESIDENTIAL SETTINGS OTHER THAN AS A SPOT TREATMENT OR CRACK AND CREVICE TREATMENT IS NOT PERMITTED.

#### STORAGE AND DISPOSAL

Storage: Store in a cool dry area away from heat or open flame.

**Disposal:** Do not reuse empty container. Wrap the original container in several layers of newspaper and put in trash collection. Do not incinerate or puncture.

**General:** Use as a spot treatment to control cockroaches, waterbugs, silverfish, ticks, fleas and other insects listed below. Apply this product to localized areas where pests are found or may occur. Spray surfaces until wet.

**Spot Treatment:** TO KILL ANTS, ROACHES, CRICKETS, SILVERFISH, SOWBUGS, SPIDERS and EARWIGS: Spray into cracks, crevices, around baseboards, and other places where these insects hide. Apply behind and beneath cabinets, refrigerators, sinks, stoves, and in and around waste containers. Contact directly as many insects as possible. For ants, spray trails and places where ants enter premises. Repeat as necessary for control.

**TO KILL FLEAS:** Remove and destroy pet's old bedding. Apply spray to pet sleeping quarters, pet resting areas, rugs and carpets. Cover aquaria and fish bowls and remove birds such as canaries from areas prior to treating. Do not permit humans or pets to contact treated surface until spray is dried. Do not treat pets with this product.

**TO KILL BROWN DOG TICKS:** Remove and destroy pet's old bedding. Spray sleeping quarters of pets, around baseboards, window and door frames, wall cracks and local areas of floors. Repeat as necessary. Fresh bedding should be placed in animal quarters after spray has dried. Do not spray animals.

**TO KILL CARPET BEETLES and DERMESTIDS:** Spray along baseboards, edges of carpeting, under carpets and rugs, under furniture, in closets, on shelving, and in other places of harborage. Repeat as necessary.

Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food or food processing surfaces.

**APPLICATION IN FOOD HANDLING ESTABLISHMENTS:** Places other than private residences in which food is held, processed, prepared or served.

**FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE TREATMENT ONLY:** Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing system (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) also would be considered a food area.

Apply in small amounts directly into cracks and crevices using injection tube in points between different elements of construction, between equipment and floors, openings leading to voids and hollow spaces in walls, equipment legs and basis where insects hide. Care should be taken to avoid depositing the product into exposed surfaces or introducing the material into the air.

Avoid contamination of food or food processing surfaces.

APPLICATION OF THIS PRODUCT IN THE FOOD AREAS OF FOOD HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE TREATMENT ARE NOT PERMITTED.

PERIMETER TREATMENT: Spray into exterior cracks and crevices and apply to exterior surfaces of building porches, screens, window frames, eaves, patios, garages and other areas where congregate or enter premises.

