

To Kill Clothes Moths, Carpet Beetles: Spray all articles to be protected, giving particular attention to folds and seams. Spray interior of storage containers such as closets, chests and trunks regularly. Treatment should be repeated every thirty days, unless the articles are stored in a moth-tight container.

To Kill Bedbugs: Spray mattresses thoroughly, especially around seams and tufts. Spray bedstead, baseboards, floor boards and places likely to harbour these pests. Repeat frequently.

To Kill Aphids and Whiteflies on English Ivy and African Violets: Spray in short bursts, holding the can 18 inches from foliage of house plants. Spray both sides of the leaves lightly. Do not wet. Repeat as often as necessary.

OUTDOORS:

Kills Listed Insects on Asters, Azaleas, Begonias, Chrysanthemums, Dahlias, Delphiniums, Gladioli, Irises, Marigolds, Petunias, Roses and Snapdragons. Also kills insects on evergreens and small ornamental deciduous trees, shrubs and vines.


When sprayed directly on insects, this spray kills sucking insects: Aphids, Leafhoppers, spotted mites, thrips (exposed) and lace bugs. Kills chewing insects: Army worms (caterpillars), Mexican bean beetles, climbing cutworms and Japanese beetles when these insects are hit directly with the spray.

For best results, spray in evening or on a cloudy day when the air is still. Use slow, sweeping motion. Keep can 18 inches from the plants. Avoid wetting foliage with the spray. Spray rows at the rate of one foot per second. For heavy growth, spray rows on both sides. Repeat when needed. Spray with caution on young plants and new growth. Do not spray garden when temperature exceeds 90°F.

STORAGE AND DISPOSAL

Storage: Store in a cool area away from heat or open flame.

Disposal: Do not reuse empty container. Wrap container in paper and dispose of with trash.





WHITMIRE  
GENERAL PURPOSE FLEA KILLER

FRONT PANEL

Kills Adult and Pre-Adult Fleas

Residually Kills Adult Fleas for up to Seven Days.

For Use in the Household and other indoor areas infested with fleas.

ACTIVE INGREDIENTS:

*3-Phenoxybenzyl d-cis and trans** 2, 2-dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate	0.478%
*Other isomers	0.022%

INERT INGREDIENTS:

99.50%  
100.00%

\*d-(cis, trans) phenothrin

\*\*cis/trans isomer ratio: max. 25% (+ or -) cis  
min. 75% (+ or -) trans

Contains petroleum distillates

KEEP OUT OF REACH OF CHILDREN


**CAUTION**

See Back Panel for Additional Precautionary Statements

Whitmire Research Laboratories, Inc.  
St. Louis, Missouri 63102

EPA Reg. No. 499-XXX

EPA Est. No. 499-MO-1



ACCEPTED  
MAY 11 1988  
EPA Letter 11-88

NOV 11 1988

Accepted under Federal Insecticide,  
Fungicide and Rodenticide Act as  
an Antiflea Pesticide  
EPA Reg. No.

499-261