

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (FS 767)
WASHINGTON, DC 20460

EPA REGISTRATION NO. ()

DATE OF REGISTRATION
JAN 10 1994

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION
*(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)*

NAME OF PESTICIDE PRODUCT

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Whitmore Research Laboratory
3568 Tree Court Industrial Boulevard
St. Louis, MO 63122

BEST AVAILABLE COPY

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 5(c)(7)(F) provided that you:

1. Submit/site all data or other material required for registration/reregistration of your product under FIFRA section 5(c)(5) and FIFRA section 4 when the agency requires all registrants of similar products to submit such data.

2. Add the phrase "EPA registration no. 49-200" to your label before you release the product for shipment.

3. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 5(c). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.

Paul Sutton
Product Manager (1b)
Insecticide-Rodenticide Branch
Registration Division (17505c)

Enclosures

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

DATE

1/5/94

1/24/91

Whitmire
Regulator
PT 410
Insect Growth Regulator Fogger

Prevents flea infestations from developing for up to 6 months.

For use in: apartments, homes, hotels, motels, nursing homes, schools and warehouses.

Active Ingredient:

Fenoxycarb (Ethyl [2-(4-phenoxyphenoxy) ethyl] carbamate) . . . 1.2%

Inert Ingredients: 98.8%

KEEP OUT OF REACH OF CHILDREN

CAUTION

EPA Reg. No. 499-XXX
EPA Est. No. 499-MO-1

Statement of Practical Treatment

If swallowed: Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person. Gastric lavage is indicated. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If in eyes: Flush with plenty of water. Seek medical attention if irritation persists.

If inhaled: Remove person to fresh air. Apply artificial respiration if indicated.

If on skin: Remove contaminated clothing and wash affected areas with soap and water.


NET WEIGHT 6 oz.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JAN 10 1994

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

499-266



Back Panel:

GENERAL INFORMATION

PT 410 Flea fogger contains an insect growth regulator that prevents flea larva from developing into adult biting fleas. For effective flea control this product must be applied before an active flea population has been established. If an active flea population is present an adulticide should be applied to control the biting stages. PT 410 Flea Fogger will then prevent re-establishment of a biting population.

One application of PT 410 Flea Fogger will prevent flea infestations for up to 6 months. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals. This will not affect the long-term larval control of Flea Fogger.

PRECAUTIONARY STATEMENTS


HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

May be harmful if swallowed, inhaled or absorbed through skin. May cause eye irritation. Avoid inhalation of vapor. Avoid contact with skin, eyes or clothing. Remove pets and birds and cover or remove aquariums before use. Avoid contamination of food and foodstuffs. Do not use in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared, processed or stored.

PHYSICAL OR CHEMICAL HAZARDS

Extremely Flammable. Contents under pressure. Keep away from sparks and heated surfaces. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting. Pilot lights and other ignition sources should be turned off when using PT 410 Flea Fogger in small, confined spaces such as closets. Do not allow spray to directly contact plastic, painted or varnished surfaces or any electronic equipment such as radios, televisions, computers, etc.



Back Panel (cont.)

DIRECTIONS FOR USE

It is a violation to use this product in a manner inconsistent with its labeling.

For most effective results, entire dwelling should be treated. Use one fogger for each 750 sq. ft. 1. Close outside doors and windows and turn off fans and air conditioners. Open interior doors, cupboards, and closets of areas to be treated. 2. Remove pets, but be sure to leave pet bedding as this is a primary hiding place for fleas and must be treated to get best results. 3. Cover or remove fish tanks and bowls. Cover or remove exposed food, dishes, utensils, food handling equipment. Leave rugs, drapes, slipcovers, an upholstered furniture in place. 4. Place fogger on a raised area such as a table or chair with newspapers covering the area directly under the can. 5. Keeping at arm's length, point top of can away from face and press down actuator tab to lock in position and start fogging action. Set in an upright position and leave treated area for 2 hours. 6. After 2 hours, open all doors and windows, turn on air conditioners or fans, and let treated area air for 30 minutes. 7. All food preparation surfaces should be covered during treatment or thoroughly cleaned before using.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool dry area away from heat or open flame and inaccessible to children.

Pesticide Disposal: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cap, wrap in newspaper and discard in trash, sanitary landfill or by other approved state and local procedures. Do not Puncture or incinerate.

Whitmire Research Laboratories, Inc.
St. Louis, Missouri 63122

