

US ENVIRONMENTAL PROTECTION AGENCY
OFFICE OF PESTICIDES PROGRAMS
REGISTRATION DIVISION (TS 767)
WASHINGTON, DC 20460

EPA REGISTRATION
499-268

DATE OF ISSUANCE
SEP 6 1989

TERM OF ISSUANCE

NOTICE OF PESTICIDE: REGISTRATION
 REREGISTRATION

(Under the Federal Insecticide, Fungicide,
and Rodenticide Act, as amended)

NAME OF PESTICIDE PRODUCT

(2,4-Dimethyl-4-tert-butyl-6-methylphenol)

NAME AND ADDRESS OF REGISTRANT (Include ZIP code)

Research Laboratories, Inc.
P.O. Box 100
4000 40th Street
Cincinnati, OH 45227

NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.

A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.

Registration in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act shall not be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(5) provided that you:

1. Submit all data required for registration/reregistration of your product under FIFRA section 3(c)(5) when the Agency requires all registrants of such products to submit such data.

2. Add the phrase "EPA Registration No. 499-268" to your label before you release the product for shipment.

3. The toxicity data submitted to support this product were derived from tests performed on a product with a higher percentage of active ingredient and different percentages of inert ingredients. Although the data were usable in determining the precautionary statements, the following acute toxicity studies on the product as formulated must be submitted to support the precautionary labeling.

Acute oral;
Acute dermal;
Acute inhalation;
Primary eye irritation;
Primary dermal irritation; and
Skin sensitivity.

BEST AVAILABLE COPY

These data must be submitted within six (6) months.

ATTACHMENT IS APPLICABLE

SIGNATURE OF APPROVING OFFICIAL

[Signature]

DATE

9/6/89

EPA Form 8570-6 (Rev. 8-76)

PREVIOUS EDITION MAY BE USED UNTIL SUPPLY IS EXHAUSTED.

55837; I:CR-30; Tavano; LAD-13; KENCO; 08/24/89; 10/06/89; DD; SW; VO; CT

4. Submit a 1-year storage stability study. The formulated product must be analyzed for its active ingredient at time zero and during a year in storage. The storage should be under warehouse conditions with the product packaged in containers similar to those which will be used when marketing the product. These data must be submitted within 15 months of the date of this Registration Notice.

5. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions.

A stamped copy of the label is enclosed for your records.



Phil Hutton
Product Manager (17)
Insecticide-Rodenticide Branch
Registration Division (H7505C)



Enclosures

6/08/87

FOR USE WITH SYSTEM III

WHITMIRE
Regulator
PT® 430
Insect Growth Regulator

Crack & Crevice Injection System

Kills Insects by Interrupting Growth: Cockroaches, Ants, Crickets, Confused Flour Beetle, Indian Meal Moth and Trogoderma.

For use in hospitals, supermarkets, motels, hotels, homes, apartments, schools, transportation equipment (buses, boats, ships, trains, trucks, planes), warehouses, utilities, and other commercial and industrial buildings.

Active Ingredients:

Fenoxycarb (Ethyl[2-(4-phenoxyphenoxy)ethyl]carbamate 0.25%

Inert Ingredients: 99.75%

EPA Reg. No. 499-XXX
EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN
CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person. Gastric lavage is indicated. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove patient to fresh air. Get medical attention if poisoning symptoms occur.

IF ON SKIN: Wash skin with plenty of soap and water.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.

See side panel for additional precautionary statements.


NET WEIGHT 28 oz.

ACCEPTED
with COMMENTS
Dated:

JUN 6 1987

Label for Fenoxycarb Insecticide,
Fungicide and Rodenticide Act as
amended, for the pesticide
registered under EPA Reg. No.

499-268



SIDE PANEL:

Whitmire PT 430 with Fenoxycarb

GENERAL INFORMATION

PT 430 Growth Regulator contains an insect growth regulator that prevents insects from developing into adult reproducing stages. PT 430 Growth Regulator must be applied in conjunction with a Whitmire crack and crevice residual product to control adult stages of insect infestations. Over a period of time PT 430 Growth Regulator will eliminate active insect populations and only insects introduced from outside the treated area will be present. This will not affect the long-term larval control of PT 430.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION

Harmful if swallowed or inhaled. May be absorbed through skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not allow children or pets to contact treated surfaces until spray has dried. Avoid contamination of food, utensils and food preparation surfaces. Do not use PT 430 in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared, processed or stored.

Physical or Chemical Hazards: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

Do not spray on plastic, painted, or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is violation of Federal Law to use this product in a manner inconsistent with its labeling.

How to use Whitmire Crack and Crevice Injection Equipment: Whitmire's PT 430 is for use only with injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, living, and breeding. Place injector tip 1/2" into cracks, crevices, holes, and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In a serious infestation, place spots approximately 12" apart. In light infestation or for preventative treatment, place spot sprays approximately 3 feet apart. In long running cracks, move the injector tip along the crack while spraying. Move at the rate of 1 linear foot per second in heavy infestations and 3 feet per second in light infestations. See additional directions below for effective kill of specified insects.

SIDE PANEL (Cont.):

Crawling insects: Cockroaches (waterbugs), and Crickets: Spray into hiding places such as cracks and crevices, moist areas, opening around pipes and sinks, under refrigerators, behind baseboards, and around coffee makers, dishwashers, washing machines, stoves, cabinets, meter boxes, and manholes. Spray directly on insects in these locations where possible. Ants: Spray into trails, nests, and points of entry around doors, windows, structural cracks and crevices. Spray directly on insects in these locations where possible.

Pantry Pests (except in commercial food handling establishments): Exposed stages of Confused Flour Beetles, Indian Meal Moths, and Trogodermas: Contact as many insects as possible when treating infested areas such as cracks and crevices, in wall voids, in machinery, in dark secluded areas, and in and around pantry and cupboard shelves where food containers suspected of being infested are stored. Prior to spraying remove all foodstuffs, shelving paper, and utensils. Do not replace food packages until the surface has dried. Replace shelving paper. Infested food packages should be destroyed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cap, wrap in newspaper and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

Copyright

Whitmire Research Laboratories, Inc.
St. Louis, MO 63122

