2/5/92

4

# WHITMIRE Ultraban<sub>TH</sub> PP 400 Insect Growth Regulator and Killer

Kills flea and carpet beetle infestations and prevents infestations from developing.

. .

For use in hospitals, supermarkets, motels, hotels, homes, apartments, schools, transportation equipment (buses, boats, ships, trains, trucks, planes), warehouses, utilities, and other commercial and industrial buildings.

EPA REG. NO. 499-271 EPA Est. No. 499-MO-1

## KEEP OUT REACH OF CHILDREN CAUTION STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. IF ON SKIN: Remove person to fresh air. Apply artificial respiration if indicated.

IF ON EYES: Flush eyes with plenty of water. Get medical attention immediately. NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements

NET WEIGHT 16 oz.

ACCEPTED
MAR 2 5 1992
Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. $I_1^{(1)} = I_1^{(1)}$

# WHITMIRE PT<sup>©</sup> 400 UltrabanTM

#### GENERAL INFORMATION

PT<sup>•</sup> 400 Ultraban<sup>TMA</sup> Flea Killer and Growth Regulator contains an insect adulticide and a growth regulator. Occasionally adult fleas may be present in treated areas when reintroduced from infested animals. PT<sup>•</sup> 400 Ultraban<sup>TMA</sup> will control active flea populations and prevent them from reoccurring for up to six months.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before treating.

#### FRECAUTIONARY STATEMENTS

### Hazards to Humans and Domestic Animals

### CAUTION

Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequa. ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not allow children or pets to contact treated surfaces until spray has dried. Avoid contamination of food, utensils, and food preparation surfaces. Remove pets and birds and cover or remove aquariums before use.

### ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

## PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130° may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.

#### DIRECTIONS FOR USE

It is a violation to use this product in a manner inconsistent with its labeling.

All carpeted areas should be thoroughly vacuumed before treatment. Thoroughly treat infested areas such as rugs, carpets, pet beds and pet resting areas. Hold can at arms length directed toward the area to be treated. Use a sweeping motion to apply product and back away from treated area. 100 sq. ft. of area can be treated in approximately 10 seconds.

BEST AVAILABLE COP

Use one 16 oz. can of PT<sup>®</sup> 400 Ultraban<sub>TM</sub> per 1,500 sq. ft.

Cover aquariums and fish bowls and remove birds from area prior to treating. Treated areas should be vacated during application. OTHER THAN APPLICATOR DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED. Old pet bedding should be replaced with fresh, clean bedding after treatment. Do not treat Pets with this product. To control the source of flee infestation, pets inhabiting the treated premises should be treated with a product registered for application to animals.

÷

### STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children. PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on

site or at an approved waste disposal facility. CONTAINER DISPOSAL: Replace cap, wrap in newspaper and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

> Copyright, 1987 Whitmire Research Laboratories, Inc. St. Louis, Missouri