

4/1/92

WHITMIRE
PT[®] 400
Ultraban[™]
Flea Killer and Insect Growth Regulator

Kills: Active flea infestations and prevents infestations from developing.

For use in Apartments, automobiles, homes, hospitals, hotels, kennels, motels, offices, schools, supermarkets, transportation equipment (buses, boats, ships, trains, trucks, planes), warehouses, utilities, veterinary clinics and other commercial and industrial buildings.

Active Ingredients:

Chlorpyrifos [0,0-diethyl 0-(3,5,6-Trichloro-2-Pyridyl) Phosphorathioate] 1.0%
Fenoxycarb [Ethyl (2-(4-phenoxyphenoxy) ethyl) carbamate] 0.6%

Inert Ingredients: 98.4%

EPA REG. NO. 499-271 EPA Est. No. 499-MO-1

KEEP OUT REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Call a physician or Poison Control Center immediately. Drink 1 or 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person.

IF INHALED: Remove person to fresh air. Apply artificial respiration if indicated.


IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists or poisoning symptoms occur.

NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements

NET WEIGHT 16 oz.



WHITMIRE
PT[®] 400 Ultraban[™]

GENERAL INFORMATION

PT[®] 400 Ultraban[™] Flea Killer and Insect Growth Regulator kills fleas and prevents flea infestations for a full season. Adult fleas may be seen in the treated areas when brought in on infested animals or when adults emerge from pupal cases, however a population will not develop in the treated area.

In transportation equipment, certain plastics may be whitened or dulled. Apply only to carpets and cloth upholstered areas, or test an inconspicuous area before treating.

PRECAUTIONARY STATEMENTS
Hazards to Humans and Domestic Animals
CAUTION

Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes, or clothing. Wash thoroughly after using and before smoking or eating. Do not allow children or pets to contact treated surfaces until spray has dried. Avoid contamination of food, utensils, and food preparation surfaces. Remove pets and birds and cover or remove aquariums before use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS

Flammable. Contents under pressure. Keep away from heat, sparks and open flame. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.

DIRECTIONS FOR USE

It is a violation to use this product in a manner inconsistent with its labeling.

Use PT[®] 400 Ultraban[™] at the rate of one 16 oz. can per 1,200 - 1,500 sq. ft. Carpeted areas may be vacuumed before treatment and after treatment has dried. Treat infested areas or areas which could be infested such as rugs, carpets, upholstered furniture, pet beds and pet resting areas. Hold can at arms length and direct spray toward the area to be treated. Use a sweeping motion to apply product and back away from treated area while holding the can 36 inches away from the surface being treated. Area of 80 - 100 sq. ft. can be treated in approximately 10 seconds with PT[®] 400 Ultraban[™]. When treating upholstered furniture, treat under cushions and areas where flea development occurs.

BEST AVAILABLE COPY

Cover aquariums and fish bowls and remove birds from area prior to treating. Treated areas should be vacated during application. **EXCEPT FOR APPLICATOR DO NOT PERMIT HUMANS OR PETS TO CONTACT TREATED SURFACES UNTIL THE SPRAY HAS DRIED.** Do not treat pets with this product.

NOTICE: PT[®] 400 Ultraban[™] has been tested on several types of carpet, fabric and other household furnishings without adverse affects. In a few instances waxed surfaces have been whitened or dulled. Holding the can 36 inches away from the target surface normally prevents any whitening from occurring. Because of the wide variety of floor types and finishes, treat a small inconspicuous before treating the entire area. Avoid contact with antique finishes.

STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap, wrap in newspaper and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are at variance in any way with the directions on the label. **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR RETURN OF THE PURCHASE PRICE.**

A Prescription Treatment[®] brand insecticide from:

Whitmire Research Laboratories, Inc.

3568 Tree Court Ind. Blvd.

St. Louis, Missouri 63122

Copyright, 1992