

Whitmore

RESEARCH LABORATORIES, INC.  
3666 TREE COURT INDUSTRIAL BOULEVARD / SAINT LOUIS, MISSOURI 63122

Whitmore

PT 470  
with Fenoxycarb and Chlorpyrifos

FOR USE WITH SYSTEM III

GENERAL INFORMATION

PT 470 Growth Regulator contains an insect growth regulator that prevents insects from developing into adult reproducing stages and an adulticide to control adult insects.

DIRECTIONS FOR USE

It is a violation to use this product in a manner inconsistent with its labeling.

How to use Whitmore Cracks and Crevices Injection System: Whitmore's PT 470 is for use only with injection tube and for injecting into cracks and crevices and void spaces where insects may be hiding, living and breeding. Place injector tip into cracks, crevices, holes, and other small openings where insects may be a problem. Release approximately 1 second spray per spot. In a serious infestation, place spots approximately 12" apart in light infestation or for preventive treatment, place spots approximately 7" apart in long running cracks, make the injection along with crack while spraying. Make at the rate of 1 liter foot per second in heavy infestations and 3 feet per second in light infestations. See additional directions below for effective rate of specified insects.

Crawling Insects: Cockroaches, dermestids, spiders, ticks, earwigs, crickets, sawbugs, millipedes, centipedes, insect into cracks and crevices and void spaces where insects may be harboring at the selected dosage. These may include, but are not limited to: openings around pipes and wires, under refrigerators, behind baseboards, washing machines, stoves, cabinets, water boxes and marionets. Repeat as necessary.  
Blattella & Silverfish: Inject into cracks and crevices associated with baseboards, door frames, baseboards and other harborage sites. Repeat as necessary.

Adult Insect Cracks and Crevices and voids where they may be traveling and/or harboring, including but not limited to around doors, window frames, behind electric switches and outlets and other structural cracks and crevices.

Pestily Parts (except in structural food handling establishments) — Exposed stages of Confused Flour Beetles, Indian Meal Moths, and Braggwax: Contact in many insects as possible when treating infested areas such as cracks and crevices, in wall voids, in machinery in barn, secluded areas, and in and around pantry and cupboard shelves, where food containers suspected of being infested are stored. Prior to spraying, remove all foodstuffs, shoving paper and wrappers. Do not replace food packages until the surface has dried. Replace shoving paper. Infested food packages should be destroyed.

Localized treatment of roach-infested areas — Carpenter ants, carpenter bees, and wood borer: Locate suspected infestation and/or insect tunnels and cavities. Inject 5 to 10 seconds of spray into infested tunnels, gallery and inaccessible drilled voids.

In infested sites, pilot holes should be drilled eight to ten inches apart to insure thorough insecticide gallery treatment. Make sure not to contact electrical wiring, plumbing, etc. when drilling and never use whenever metal wood injectors where electrical shock could occur. Use Whitmore standard plastic void injector if there is danger of electrical contact for carpenter bees. Seal entrance openings with small pieces of stainless steel wool after application.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.  
Storage: Store in a cool area away from heat or open flame.

Pesticide Disposal: Waste resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

Container Disposal: Replace cap, wrap in newspaper and discard empty container in trash, sanitary landfill, or by other approved state and local procedures. Do not incinerate or puncture.

PRECAUTIONARY STATEMENTS

Hazardous to Humans and Domestic Animals

WARNING

May cause eye irritation. Harmful if swallowed or inhaled. May be absorbed through the skin. Avoid breathing of spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes or clothing. Wash thoroughly after using and before smoking or eating. Avoid contamination of food, drink and food preparation surfaces. Do not use PT 470 in edible product areas of food processing plants, restaurants or other areas where food is commercially prepared, processed or stored.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Apply this product only as specified on the label. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not spray directly into any electronic equipment such as radios, televisions, computers, etc.

© Copyright

Whitmore Research Laboratories, Inc.  
St. Louis, MO 63122

Whitmore

PT 470  
Regulator™

Insect Growth Regulator  
and Residual Insecticide

Crack & Crevices  
Injection System

Bills: Ants, Booklice, Bumble Bugs, Carpenter Ants, Carpenter Bees, Centipedes, Chocolate Moths, Cluster Flies, Cockroaches, Crickets, Dermestids, Drug Store Beetles, Earwigs, Emerald Beetles, Flour Beetles, Grain Weevils, Indian Meal Moths, Millipedes, Scorpions, Sawflies, Sawbugs, Spiders, Termites, Ticks, Troglodermas, and Wood Wasps

For use in: hospitals, supermarkets, motels, hotels, homes, apartments, schools, transportation equipment (buses, trucks, trains, trucks, planes), warehouses, utilities, and industrial buildings.

Active Ingredients:  
Fenoxycarb (Ethy[2-(4-phenoxyphenoxy)ethyl]carbamate) 0.25%  
Chlorpyrifos (0,0 Diethyl 0 (1,3,5,6-Trichloro 2-Pyridyl) Phosphorothioate) 0.50%  
Inert Ingredients: 99.25%

EPA Reg. No. 499-270 EPA Est. No. 499-MO-1

KEEP OUT OF REACH OF CHILDREN  
WARNING

STATEMENT OF PRACTICAL TREATMENT

© WHITMORE: Call a physician or Poison Control Center immediately. Do not induce vomiting or give anything by mouth to an unconscious person. Gastric lavage is indicated. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia. If the label contains contraindications against the wash affected areas with soap and water. IF IN EYES: Flush eyes with plenty of water. Get medical attention immediately. IF ON PREGNANT: If symptoms of cholinesterase inhibition are present, discontinue further use. 2-Pyridyl is also available and may be administered in conjunction with dosage.

See side panel for additional precautionary statements

NET WEIGHT: 32 OZ.

BEST AVAILABLE COPY

Label No. 18-2470 Rev. Date 6/88

For  
12  
4.11.88