

JAN 25 1993

Mr. Michael G. Sarli
Whitmire Research Laboratories, Inc.
3568 Tree Court Industrial Boulevard
St. Louis, Missouri 63122-6620

Dear Mr. Sarli:

Subject: Name Change and Label Revisions
Whitmire PT® 259 Baygon Residual Injection System
EPA Registration No. 499-289
Your Submissions Dated December 11, 1992 and
October 27, 1992

The amendment referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), sec. 3(c)(7)(A), is acceptable provided that you:

1. Submit and/or cite all data required for registration/reregistration of your product under FIFRA sec. 3(c)(5) when the Agency requires all registrants of similar products to submit such data.
2. Make the following labeling change before you release the product for shipment bearing the amended labeling:
 - a. The target pest "Trogoderma" should be specified by providing the common names for the beetles.
3. Submit five (5) copies of your final printed labeling before you release the product for shipment.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product bearing the amended labeling constitutes acceptance of these conditions.

A stamped copy of the labeling is enclosed for your records.

Sincerely yours,

DHE

Dennis H. Edwards, Jr.
Product Manager (19)
Insecticide Rodenticide Branch
Registration Division (H7505C)

Enclosure

386

9/2/92

ACCEPTED
with COMMENTS
in EPA Letter Dated

For Use With System III[®]
Whitmire
PT[®] 259
Baygon

JAN 25 1993
Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.
499-289

Residual Injection System

KILLS: Ants, Booklice, Boxelder Bugs, Carpenter Ants, Centipedes, Chocolate Moths, Clover Mites, Cluster Flies, Cockroaches, Crickets, Dermestids, Drug Store Beetles, Earwigs, Elmleaf Beetles, Flour Beetles, Grain Weevils, Millipedes, Scorpions, Silverfish, Sowbugs, Spiders, Ticks, and Trogoderma.

For use in and around apartments, homes, hospitals, hotels, food storage areas, inedible product areas of meat packing plants, food processing plants, motels, nursing homes, restaurants and other food handling establishments, supermarkets, transportation equipment (buses, boats, ships, trains, planes) and warehouses and other commercial and industrial buildings.

ACTIVE INGREDIENTS:

Propoxur (2-(1-Methylethoxy)phenyl methylcarbamate) 1.0%

INERT INGREDIENTS: 99.0%

**KEEP OUT OF REACH OF CHILDREN
CAUTION
STATEMENT OF PRACTICAL TREATMENT**

IF SWALLOWED: Call a physician or poison control center immediately. Gastric lavage is indicated. Do not induce vomiting. Vomiting may cause aspiration pneumonia.

IF INHALED: Remove patient to fresh air. Apply artificial respiration if indicated.

IF ON SKIN: Remove contaminated clothing and wash affected areas with soap and water. Get medical attention if irritation persists.

IF IN EYES: Flush eyes with plenty of water. Get medical attention if irritation persists.


NOTE TO PHYSICIAN: If symptoms of cholinesterase inhibition are present, atropine sulfate is antidotal. 2-PAM is also antidotal and may be administered in conjunction with atropine.

See side panel for additional precautionary statements
For Indoor Use Only

EPA Reg. No. 499-289

EPA Est. No. 499-MO-1

NET WEIGHT:



**Whitmire PT[®] 259
Baygon
Residual Injection System**

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

HOW TO USE WHITMIRE CRACK AND CREVICE[®] INJECTION SYSTEM: Use Whitmire PT[®] 259 with the supplied actuator and injection tubes or other Whitmire equipment. inject PT[®] 259 into cracks and crevices or void spaces where insects may be harboring, living and breeding. Place injector tip into cracks, crevices, holes and other small openings. Release approximately one-second of product. For light infestations move injector tip along cracks while treating at the rate of three linear feet per second. For heavy infestations move injector tip along at one linear foot per second. For closed voids calculate the void's cubic area and treat at the rate of five to ten seconds per three cubic feet. Several holes may be required in long-running voids. Repeat as necessary.

INDOOR TREATMENTS


Crawling Insects: Cockroaches, Dermestids, Scorpions, Spiders, Earwigs, Crickets, Sowbugs, Millipedes, Centipedes: Inject three linear feet per second for light infestations and one linear foot per second for heavy infestations into crack and crevices and void spaces where insects may be harboring. Inject into openings around pipes and sinks, under refrigerators, behind baseboards, washing machines, stoves, cabinets, sewer, floor drains and around and in meter boxes. Repeat as necessary.

Ticks: Thoroughly treat infested and egg laying sites near pet resting areas such as cracks and crevices, behind baseboards, door and window frames.

Booklice & Silverfish: Inject into cracks and crevices associated with baseboards, door frames, bookcases and other harborage sites. Repeat as necessary.

Ants: Inject cracks, crevices and voids where ants may be traveling and/or harboring; around doors, window frames, wall voids and other structural cracks and crevices.

For exposed adult and larval stages of Grain Weevils, Flour Beetles, Chocolate Moths, Drugstore Beetles, Trogoderma: Inject into cracks and crevices and/or voids where these insects may be harboring, cracks and crevices in cabinets, pantries, wall voids and in machinery. Repeat treatment as necessary.



APPLICATIONS IN FOOD HANDLING ESTABLISHMENTS: Places other than private residences in which food is held, processed, prepared or served.

FOOD AREAS - APPLICATION LIMITED TO CRACK AND CREVICE® TREATMENT ONLY: Includes areas for receiving, storage, packing (canning, bottling, wrapping, boxing), preparing, edible waste storage and enclosed processing systems (mills, dairies, edible oils, syrups). Serving areas (when food is exposed and facility is in operation) is also considered a food area.

Apply prescribed amounts of PT® 259 directly into cracks and crevices or voids using injection tube or other Whitmire equipment in points between different elements of construction, between equipment and floor, openings leading to voids and hollow spaces in walls, equipment legs and bases where insects hide. Care should be taken to avoid depositing the product onto exposed surfaces or introducing the material into the air. Avoid contamination of food, food utensils or food processing surfaces.

APPLICATIONS OF THIS PRODUCT IN THE FOOD AREAS OF FOOD-HANDLING ESTABLISHMENTS, OTHER THAN AS A CRACK AND CREVICE® TREATMENT ARE NOT PERMITTED.

Carpenter Ants: Locate source of infestation. Inject 5-10 seconds of product into insect tunnels and cavities. Treat trails, points of entry or exits from voids such as around doors and windows.

For active and hibernating stages of Boxelder Bugs, Elmleaf Beetles, Cluster Flies and Clover Mites: Inject cracks and crevices and/or voids where these insects may be harboring or hibernating. Treat cracks and crevices, wall voids, around window and door frames. Repeat as necessary.


STORAGE & DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in a cool dry area away from heat or open flame and inaccessible to children.

PESTICIDE DISPOSAL: Wastes resulting from use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Replace cap and discard container in trash, sanitary landfill or by other approved state and local procedures. Do not incinerate or puncture.



**PRECAUTIONARY STATEMENT
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

CAUTION: Do not get in eyes, on skin, or on clothing. Harmful if swallowed or absorbed through the skin. Avoid breathing of spray mist. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

Avoid contamination of food, utensils, and food preparation areas. Should illness occur, get prompt medical aid. To Physician-Atropine sulfate is antidotal.

ENVIRONMENTAL HAZARDS: This product is toxic to fish and birds. Keep out of lakes, streams and ponds. Do not contaminate water by cleaning of equipment or disposal of equipment washwaters. Apply this product as specified on the label.

PHYSICAL OR CHEMICAL HAZARDS: Extremely Flammable. Contents under pressure. Do not puncture or incinerate container. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Do not use this product in or on electrical equipment due to the possibility of shock hazard. Do not spray on plastic, painted or varnished surfaces or directly into any electronic equipment such as radios, televisions, computers, telephones, etc.

LIMITATION OF LIABILITY

Manufacturer warrants that this product conforms to the chemical description on the label. Buyer assumes all risks of use in handling which are at variance in any way with the directions on the label. **MANUFACTURER MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY OR ANY OTHER EXPRESS OR IMPLIED WARRANTY. IN NO CASE SHALL MANUFACTURER BE LIABLE FOR CONSEQUENTIAL, SPECIAL OR INDIRECT DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT. DAMAGES CAUSED BY THIS PRODUCT ARE LIMITED TO REPLACEMENT OF THE PRODUCT OR RETURN OF THE PURCHASE PRICE.**

A Prescription Treatment® brand insecticide from
Whitmire Research Laboratories, Inc.
3568 Tree Court Ind. Blvd.
St. Louis, Missouri 63122

Copyright, 1992

